

**OFFSHORE OIL SCOUTS ASSOCIATION
GULF ATLANTIC**

WEEKLY DRILLING REPORT

COMBINED

Wednesday, March 4, 2026





OFFSHORE OIL SCOUTS

PROPRIETARY

STATEMENT



This information is provided by exclusive agreement with The Offshore Oil Scouts Association. The recipient acknowledges that the data and materials are proprietary information and trade secret, whether or not any portion thereof may be validly copyrighted or patented. Any reproduction or other use without the express written consent of The Association President will be pursued to the fullest extent of the law.

Table of Contents

WELLS SPUDDING

GREEN CYN Block 743 WELL DC105 BP EXPL

ACTIVE

ALAMINOS CYN Block 772 WELL WS402 SHELL

ALAMINOS CYN Block 857 WELL GA23 SHELL

KEATHLEY CYN Block 247 WELL 1 BP EXPL

KEATHLEY CYN Block 918 WELL 5ST ANADARKO PETROLEUM CORPOR

GREEN CYN Block 641 WELL IN3 CHEVRON U.S.A. INC.

GREEN CYN Block 680 WELL 8 ANADARKO PETROLEUM CORPOR

GREEN CYN Block 743 WELL DC105 BP EXPL

GREEN CYN Block 782 WELL MD15 BP EXPLORATION & PRODUCTI

GREEN CYN Block 807 WELL AP4ST CHEVRON U.S.A. INC.

GREEN CYN Block 868 WELL 3ST BP EXPL

WALKER RIDGE Block 29 WELL A12 CHEVRON U.S.A. INC.

WALKER RIDGE Block 425 WELL 5 MURPHY EXPLORATION & PROD

MISSISSIPPI CYN Block 385 WELL 4 MURPHY EXPLORATION & PROD

MISSISSIPPI CYN Block 393 WELL VX4 SHELL

MISSISSIPPI CYN Block 522 WELL 7 BP EXPL

MISSISSIPPI CYN Block 651 WELL 2 CHEVRON U.S.A. INC.

MISSISSIPPI CYN Block 759 WELL ZA2ST BEACON OFFSHORE ENERGY

MISSISSIPPI CYN Block 812 WELL KI2 SHELL



03/04/2026 TD 19360 OH ST01BP00 11.7 MPD 12.6, UNABLE TO DRILL OUT DUE TO HOLE CONDITIONS, WOO

GREEN CYN **441** **PROSPECT: TAHITI**
CHEVRON U.S.A. INC. **OCS: 16770** **WELL: IN3** **Status: DRLG**

640 FLD **Class: INJ** **SS** **API: 608114079200**

LOC 2536' FSL & 3287' FEL **of Block** 00596 GREEN CYN
LAT = 27.35813862 (27°21'29.299") **LON** = -90.74348842 (-90°44'36.558")
X = 2,372,713 **Y** = 9,934,216 **PMD:** 28933 **PTVD:** 27185
PBHL: OH 2933' FNL & 1731' FWL **of Block** 641 GREEN CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 06/28/2025 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @4401 308' ; 22 @6237 FIT 14.0 ; 18LNR @5785-11042 FIT 16.1 ;
 16LNR @4393-19634 FIT 16.2 ; 14LNR @19233-22442

WD= 4012 **KB=** 106 **RIG:** DW ASGARD / TRANSOCEAN
Date Reached TD:

06/18/2025 OH ST00BP00 BATCH SET
 07/02/2025 TD 6275 OH ST00BP00 10.5 36 @4401 W/308'P, LWD (GR, PWD) 22 @6237, WOC
 07/09/2025 TD 6275 OH ST00BP00 10.5 M/OFF 7-1-25, WILL RETURN
 01/21/2026 TD 6275 OH ST00BP00 10.5 MIR TO RESUME DRILLING OPERATIONS
 01/28/2026 TD 6275 OH ST00BP00 10.5 M/ON 1-19-26, BWM, RAN RISER & BOP, PULLING BOP FOR REPAIR
 02/04/2026 TD 11187 OH ST00BP00 12.7 REPD BOP, RAN BOP, FIT 14.0 ON 22, LWD (GR, RES, PWD, NBGR) PREP TO RUN 18LNR
 02/11/2026 DRLG 15067 OH ST00BP00 13.8 MPD 14.6, RAN 18LNR @5785-11042, FIT 16.1, LWD (NBGR, EWR)
 02/18/2026 TD 19780 OH ST00BP00 14.4 MPD 15.1, LWD (EWR (NBGR, EWR) RAN 16LNR @ 4393-19634, WOC
 02/25/2026 DRLG 20254 OH ST00BP00 14.4 MPD 15.1, DRILLED OUT 16 SHOE, LOT FAILED, PUMPED LCM, CEMENT SQUEEZE, DRILL OUT, FIT 16.2 ON 16LNR, LWD (NBGR, EWR)
 03/04/2026 TD 22540 OH ST00BP00 14.4 MPD 15.1, LWD (NBGR, EWR) RAN 14LNR @ 19233-22442, PREP TO DRILL OUT & TEST LNR

GREEN CYN **680** **PROSPECT: BANDIT**
ANADARKO PETROLEUM CORPO **OCS: 22987** **WELL: 8** **Status: DRLG**

680 FLD **Class: EXP** **SS** **API: 608114079400**

LOC 2799' FSL & 3000' FWL **of Block** 00680 GREEN CYN
LAT = 27.27518670 (27°16'30.672") **LON** = -90.96961747 (-90°58'10.623")
X = 2,299,800 **Y** = 9,902,799 **PMD:** 38000 **PTVD:**
ATD OH: 36535 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 09/03/2025 **SUSP:** **COMP:** **RR:**
CSG= OH 42 @5397 304' ; 28 @6366 ; 22 @9763 FIT 12.5 ; 18LNR @9466-17071 FIT 15.1 ;
 16LNR @8456-20960 FIT 16.6 ; 14 @23805 FIT 16.4 ; 11 7/8LNR @23484-24683 FIT 16.4 ;
 9 7/8LNR @24407-30310 FIT 16.4

WD= 5013 **KB=** 80 **RIG:** DS-16 / VALARIS
Date Reached TD: 02/16/2026

08/27/2025 OH ST00BP00 RIG ON LOCATION, PERFORMING BETWEEN WELL MAINTENANCE
 09/03/2025 OH ST00BP00 PERFORMING BETWEEN WELL MAINTENANCE
 09/10/2025 TD 9800 OH ST00BP00 12.0 42 @5397 W/304'P, LWD (GR, RES, APWD) 28 @6366, 22 @9763, WOC
 09/17/2025 TD 9800 OH ST00BP00 10.5 RAN RISER & BOP, TSTD MPD, BOP TEST FAILED, PULLING RISER & BOP
 09/24/2025 DRLG 9975 OH ST00BP00 10.5 MPD 11.2, FIT 12.5 ON 22, REPD BOP, RERAN BOP & RISER, LWD (GR, RES, APWD, ABGR)
 10/01/2025 DRLG 15395 OH ST00BP00 11.2 MPD 11.6, LWD (GR, RES, APWD, ABGR)
 10/08/2025 TD 17090 OH ST00BP00 11.3 MPD 11.6, LWD (GR, RES, APWD, ABGR) 18LNR @

9466-17071, PREP TO TEST LNR
 10/15/2025 TD 21020 OH ST00BP00 14.0 MPD 14.2, FIT 15.10 ON 18LNR, LWD (GR, RES, APWD, ABGR, SON) PREP TO RUN 16LNR
 10/22/2025 DRLG 22474 OH ST00BP00 15.2 MPD 16.0, RAN 16LNR @8456-20960, FIT 16.6, LWD (GR, RES, ABGR, SON, DEN, NEUT, APWD)
 10/29/2025 TD 24003 OH ST00BP00 15.2 MPD 16.2, LWD (GR, RES, ABGR, SON, DEN, NEUT, APWD) WELL BEGAN TO FLOW WHEN TRYING TO REDUCE MPD @24003, WELL FLOWED @15.8, SHUT-IN WELL, CIRC TO GET WELL STATIC, SQUEEZED CEMENT IN OPEN HOLE, ROLLED SURFACE MUD WEIGHT TO 15.9, PREP TO DRILL OUT CEMENT
 11/05/2025 TD 24003 OH ST00BP00 15.9 MPD 16.1, DRILLED OUT CEMENT TO BOTTOM OF HOLE, RNG 14
 11/12/2025 TD 24003 OH ST00BP00 15.8 NO MPD, RAN 14 @23805, DRILLED OUT SHOE & TOOK DYNAMIC LOT 16.4, SET PKR @23640, PREP TO SQUEEZE CEMENT
 11/19/2025 TD 24262 OH ST00BP00 15.4 MPD 16.08, DRILLED OUT TO 23815, TOOK DFIT 16.4, ROLLED OVER MUD TO 15.7, DRILLED OUT TO 23971, TAKING LOSSES, LCM PILLS, REDUCED MUD TO 15.4, DRILLED RAT HOLE TO 24050, TOOK DLOT TO 16.12, LWD (GR, RES, ABGR, SON, DEN, NEUT, APWD, GEOTAP) REAMED OUT HOLE, UNABLE TO CLOSE REAMER, WORKING ON CLOSING REAMER
 11/26/2025 TD 24262 OH ST00BP00 15.4 MPD 16.1, CLOSED REAMER, SQUEEZED CEMENT IN OPEN-HOLE, PREP TO DRILL OUT & DRILL AHEAD
 12/03/2025 TD 24729 OH ST00BP00 15.4 MPD 16.0, LWD (GR, RES, ABGR, SON, APWD, GEOTAP) RAN 11 7/8LNR @23484-24683, FINGERPRINTING MPD, PREP TO DRILL OUT & TEST LNR
 12/10/2025 TD 24739 OH ST00BP00 15.4 FIT FAILED, SQUEEZING CEMENT
 12/17/2025 DRLG 27251 OH ST00BP00 15.5 MPD 16.2, SQUEEZED CEMENT, FIT 16.4 ON 11 7/8LNR, LWD (GR, RES, ABGR, SON, APWD, DEN, NEUT, GEOTAP)
 12/24/2025 DRLG 30350 OH ST00BP00 15.5 MPD 16.2, LWD (GR, RES, ABGR, SON, APWD, DEN, NEUT, GEOTAP)
 12/31/2025 TD 30553 OH ST00BP00 15.9 MPD OFF, LWD (GR, RES, ABGR, SON, APWD, DEN, NEUT, GEOTAP) RAN WL, ZAIT, NGI, SONSCANNER, XPT @ 30495, TOOK MDT (PRESS & SAMP) NO RECOVERY ON SAMP, PREP TO LOG
 01/07/2026 TD 30553 OH ST00BP00 15.9 RERAN MDT TO COLLECT SAMPLES, RAN 9 7/8LNR @ 24407-30310, FINGERPRINTING MPD
 01/14/2026 TD 31806 OH ST00BP00 15.4 MPD 16.2, RAN FIT 16.4 ON 9 7/8LNR, LWD (GR, RES, APWD) REAL TIME LWD WORKING INTERMITTENTLY, CHANGING OUT BHA
 01/21/2026 TD 33728 OH ST00BP00 15.4 MPD 16.2, LWD (GR, RES, APWD) OBSERVED LOSSES, SHUT-IN WELL, PUMPED CEMENT INTO OPEN HOLE, WOC
 01/28/2026 TD 33728 OH ST00BP00 16.0 NO MPD, RAN WL, ZAIT, QCNT, HLDS, HXPT @32966, RAN USIT, PREP TO LOG W/ORA TOOL
 02/04/2026 TD 33728 OH ST00BP00 16.0 NO MPD, ATTEMPTED ORA LOG TOOL, STUCK & RECD TOOL, PREP TO DRILL HEAD
 02/11/2026 TD 35553 OH ST00BP00 15.2 MPD 16.1, LWD (GR, RES, PWD) POOH TO REPLACE BHA
 02/18/2026 TD 36535 OH ST00BP00 15.2 MPD 16.1, LWD (GR, RES, PWD) WELL STARTED TO FLOW, SHUT-IN WELL, WOO
 02/25/2026 TD 36535 OH ST00BP00 15.2 MPD 16.1, SQUEEZED CEMENT IN OPEN HOLE, DRILLED OUT TO 33298, PREP TO LOG
 03/04/2026 TD 36535 OH ST00BP00 15.2 MPD 16.1, TOOK MDT (SAMP) SET OH PLUG, PREP TO P&A

GREEN CYN
 BP EXPL

743
 OCS: 15607

PROSPECT: ATLANTIS
 WELL: DC105

Status: DRLG

743 FLD

Class: DEV

API: 608114079800

LOC 6013' FSL & 6929' FWL of Block 00743 GREEN CYN
 LAT = 27.22372461 (27°13'25.409") LON = -90.03257889 (-90°01'57.284")
 X = 2,604,689 Y = 9,890,173 PMD: 20782 PTV: 18337
 PBHL: OH 4104' FSL & 241' FWL of Block 743 GREEN CYN
 ATD OH: BP1: BP2: BP3: BP4: BP5:

ACTIVE

SPUD: 02/27/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @7146 230'

WD= 6838 **KB=** 80 **RIG:** OCEAN BLACK HORNET / NOBLE DRLG
Date Reached TD:

02/04/2026 OH ST00BP00 MIR
 03/04/2026 TD 10528 OH ST00BP00 12.0 36 @7146 W/230'P, LWD (GR, RES, PWD) PREP TO RUN 22

GREEN CYN **782** **PROSPECT: MAD DOG**
BP EXPLORATION & PRODUCT **OCS: 15610** **WELL: MD15** **Status: DRLG**

826 FLD **Class: DEV** **API: 608114061200**

LOC 7228' FSL & 6166' FEL **of Block** 00782 GREEN CYN
LAT = 27.18830922 (27°11'17.913") **LON** = -90.26861424 (-90°16'07.011")
X = 2,528,234 **Y** = 9,875,548 **PMD:** 25478 **PTVD:** 22443
PBHL: OH 3471' FNL & 2401' FWL **of Block** 782 GREEN CYN
ABHL: OH **MD:** 25533 **TVD:** 22524 N 5168' @ W 7266'
ATD OH: 25533 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 11/07/2013 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @4886 290' ; 22 @7094 FIT 10.8 ; 16LNR @6488-12455 FIT 15.1 ;
 14LNR @12154-19648 FIT 13.6

WD= 4428 **KB=** 168 **RIG:** MAD DOG SPAR / VALARIS
Date Reached TD: 02/16/2026

09/11/2013 OH ST00BP00 (APPROVED PERMIT 9-6-13) (BATCH SET)
 10/09/2013 OH ST00BP00 M/ON 10-7-13, PREP TO RUN 36"
 10/16/2013 OH ST00BP00 M/ON 10-7-13, 36 @4886W/290'P, M/OFF
 10-10-13 (WILL RET)
 11/13/2013 TD 7125 OH ST00BP00 14.0 M/ON 11-6-13, LWD (GR, RES) PREP TO RUN 22"
 11/20/2013 TD 7125 OH ST00BP00 14.0 22" @7094, WOC
 11/27/2013 TD 7125 OH ST00BP00 14.0 M/OFF 11-19-13 (WILL RETURN)
 12/24/2025 TD 7125 OH ST00BP00 14.0 M/ON 12-14-25, C/O TO DRILL AHEAD
 12/31/2025 DRLG 10664 OH ST00BP00 10.1 FIT 10.79 ON 22, LWD (GR, RES, PWD)
 01/07/2026 TD 12460 OH ST00BP00 10.2 LWD (GR, RES, PWD) PREP TO RUN 16LNR
 01/14/2026 TD 12460 OH ST00BP00 10.2 16LNR @6488-12455, PREP TO DRILL OUT & TEST
 LNR
 01/21/2026 DRLG 18287 OH ST00BP00 13.9 FIT 15.06 ON 16LNR, LWD (GR, RES, PWD, SON, NBGR)
 01/28/2026 TD 19659 OH ST00BP00 14.1 LWD (GR, RES, PWD, SON, NBGR) RNG 14LNR
 02/04/2026 TD 19659 OH ST00BP00 14.2 14LNR @12154-19648, WOC
 02/11/2026 TD 19659 OH ST00BP00 14.2 PREP TO DRILL OUT & TEST 14LNR
 02/18/2026 TD 25533 OH ST00BP00 13.0 FIT 13.6 ON 14LNR, LWD (GR, RES, NBGR, PWD, DEN,
 NEUT, SON, FPWD) CIRC BOTTOM UP
 02/25/2026 TD 25533 OH ST00BP00 13.0 WHILE BACKREAMING OUT OF HOLE, HOLE PACKED
 OFF & WENT TO LOSSES, STK DP @22620, PREP TO
 SEVER PIPE
 03/04/2026 TD 25533 OH ST00BP00 13.0 SEVERED DP, TF @21176, PREP TO PB & BYPASS

GREEN CYN **807** **PROSPECT: ANCHOR**
CHEVRON U.S.A. INC. **OCS: 31752** **WELL: AP4ST** **Status: DRLG**

807 FLD **Class: DEV** **API: 608114076101**

LOC 4140' FSL & 4160' FWL **of Block** 00807 GREEN CYN
LAT = 27.15144755 (27°09'05.211") **LON** = -91.21184754 (-91°12'42.651")
X = 2,221,760 **Y** = 9,856,620 **PMD:** 34201 **PTVD:** 33113
PBHL: OH 6892' FNL & 3414' FWL **of Block** 807 GREEN CYN
ABHL: OH **MD:** 34287 **TVD:** 33154 N 5226' @ W 902'
ATD OH: 34287 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 08/29/2025 **SUSP:** **COMP:** **RR:**
CSG= OH OLD(36 @5365 ; 28 @5676 ; 22 @10502 ; 18LNR @10115-15448 ; 16LNR @8048-24029 ;
 14LNR @22659-27240 ; 11 7/8LNR @26917-30800)

ACTIVE

10LNR @26642-34261

WD= 4954 **KB=** 75 **RIG:** DW TITAN / TRANSOCEAN

Date Reached TD: 09/04/2025

09/03/2025	DRLG	32245	OH	ST01BP00	15.0	MPD 15.7,STO #AP-4 @31002,LWD(ARCVIS, SONSSCOPE,ADN) ENCOUNTERED BALLOONING, CONTINUING DRILLING AHEAD
09/10/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8, LWD(ARCVIS, SONSSCOPE,ADN) REAMING, PREP TO TAKE STETH PRESSURES
09/17/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.74,TOOK STETH PRESSURES,WHILE RNG 10LNR,HAD BALLOONING,PERFORMED BLEED CYCLES,RAN 10LNR @26642-34261,ATTEMPT TO SET LNR HANGER,WAS UNSUCCESSFUL,LNR CEMENTED WHILE IN TENSION,PREP FOR TOP-DOWN SQUEEZE
09/24/2025	DRLG	34287	OH	ST01BP00	15.0	MPD 15.74,RNG 10.25 X 11.25TB
10/01/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8,UNABLE TO RUN TB PAST 22740,POOH, FOUND MISSING COLLARS & STABILIZERS,COULD NOT PULL STRING THROUGH WELLHEAD,SET CEMENT PLUG FROM 9035-8486,CUT & PULLED 10.25 TB,LOWER PART ASSUMED TO DROP TO TOC @8486,TAGGED,TF @7079,PREP TO FSH
10/08/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8,FSG FOR DRILL COLLAR & CENTRALIZER DEBRIS,MULTIPLE DEPTHS
10/15/2025	TD	34287	OH	ST01BP00	15.0	FSG
10/22/2025	TD	34287	OH	ST01BP00	15.0	FSG
10/29/2025	TD	34287	OH	ST01BP00	15.0	FSG
11/05/2025	TD	34287	OH	ST01BP00	15.0	FSG
11/12/2025	TD	34287	OH	ST01BP00	15.0	FSG
11/19/2025	TD	34287	OH	ST01BP00	15.0	FSG
11/26/2025	TD	34287	OH	ST01BP00	15.0	FSG
12/03/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8,COMPLETED FSG OPERATIONS,RAN 10 1/4TB @26642,PREP TO TEST TB
12/10/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8,TESTED PRODUCTION TB,PREP TO COMP
12/17/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8,PREP TO COMP
12/24/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8,FOUND LEAK IN BOP,SWAPPING OUT BOP BEFORE COMPLETING WELL
12/31/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8,RAN BOP #2,PREP TO COMP
01/07/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8,COMPTG
01/14/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8,COMPTG
01/21/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8,COMPTG
01/28/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8,COMPTG
02/04/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8,COMPTG
02/11/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8,COMPTG
02/18/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8,COMPTG
02/25/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8,COMPTG
03/04/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8,COMPTG

GREEN CYN	868	PROSPECT: MAD DOG	
BP EXPL	OCS: 33859	WELL: 3ST	Status: DRLG

868 FLD **Class: INJ** **SS** **API: 608114078801**

LOC 1808' FNL & 4353' FWL **of Block** 00868 GREEN CYN
LAT = 27.12209393 (27°07'19.538") **LO**N = -90.38394502 (-90°23'02.202")
X = 2,491,233 **Y** = 9,850,672 **PMD:** 23027 **PTVD:** 22729
PBHL: OH 2786' FNL & 2757' FWL **of Block** 868 GREEN CYN
ABHL: OH **MD:** 22985 **TVD:** 22689 S 977' @ W 1586'
ATD OH: 22985 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 12/28/2025 **SUSP:** **COMP:** **RR:**
CSG= OH OLD(36 @4735 ; 28 @5850 ; 22 @8782 ; 14 @17321)
 9 7/8LNR @16783-22925

WD= 4362 **KB=** 103 **RIG:** DW INVICTUS / TRANSOCEAN

Date Reached TD: 01/02/2026

01/07/2026	TD	22985	OH	ST01BP00	12.7	STO #3 @17411,LWD(GR,RES,APWD,FPWD,NBGR,
------------	----	-------	----	----------	------	--

ACTIVE

SON, DEN, NEUT) PREP TO LOG
 01/14/2026 TD 22985 OH ST01BP00 12.7 MPD 12.75, RAN WL, NGI @22935, TOOK
 MDTs(PRESS & SAMP) FROM 22121-22817, PREP
 TO RUN 9 7/8LNR
 01/21/2026 TD 22985 OH ST01BP00 12.7 MPD 12.75, RAN 9 7/8LNR @16783-22925, PREP
 TO COMP
 01/28/2026 TD 22985 OH ST01BP00 12.7 MPD 12.75, COMPTG
 02/04/2026 TD 22985 OH ST01BP00 12.7 MPD 12.75, COMPTG
 02/11/2026 TD 22985 OH ST01BP00 12.7 MPD 12.75, COMPTG
 02/18/2026 TD 22985 OH ST01BP00 12.7 MPD 12.75, COMPTG
 02/25/2026 TD 22985 OH ST01BP00 12.7 MPD 12.75, COMPTG
 03/04/2026 TD 22985 OH ST01BP00 12.7 MPD 12.75, COMPTG

WALKER RIDGE **29** **PROSPECT: BIG FOOT**
CHEVRON U.S.A. INC. **OCS: 16942** **WELL: A12** **Status: DRLG**

29 FLD **Class: DEV** **SS** **API: 608124005900**

LOC 7578' FSL & 6940' FEL **of Block** 00029 WALKER RIDGE
LAT = 26.93254406(26°55'57.159") **LON** = -90.52019528(-90°31'12.703")
X = 2,448,260 **Y** = 9,780,858 **PMD**: 23284 **PTVD**: 21486
PBHL: OH 3381' FSL & 7270' FEL **of Block** 29 WALKER RIDGE
ABHL: OH **MD**: 23217 **TVD**: 21452 S 4194' @ W 355'
ATD OH: 23217 **BP1**: **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: 02/24/2013 **SUSP**: **COMP**: **RR**:
CSG= OH 36 @5590 307' ; 22 @8753 FIT 12.3 ; 16LNR @5677-16836 FIT 13.0 ;
 9 7/8LNR @16518-23216

WD= 5189 **KB**= 226 **RIG**: MODS 400 / NABORS OS
Date Reached TD: 02/07/2026

12/07/2011 OH ST00BP00 'MIOCENE' (WILL BATCH SET CASING) (PERMIT
 APPROVED 12-1-11)
 12/14/2011 OH ST00BP00 M/ON 12-7-11, 36 @5590W/307'P, M/OFF
 12-8-11 (WILL RET)
 02/27/2013 DRLG 7085 OH ST00BP00 16.0 M/ON 2-21-13, LWD(GR, RES, ARC, TELESCOPE, PWD)
 03/06/2013 TD 8798 OH ST00BP00 13.0 LWD(GR, RES, ARC, TELESCOPE, PWD) @8798, NO SWC,
 22 @8753, M/OFF 3-2-13 (WILL RET)
 03/27/2013 TD 8798 OH ST00BP00 13.0 M/ON 3-22-13, INSTALLED T/A CAP, M/OFF
 3-23-13 (WILL RET)
 01/07/2026 TD 8798 OH ST00BP00 13.0 M/ON 1-3-26, RIGGING UP
 01/14/2026 TD 8798 OH ST00BP00 13.0 PRESSURE TESTED CSG & TESTED BOP, DRILLING
 OUT CEMENT
 01/21/2026 TD 16950 OH ST00BP00 10.8 FIT 12.3 ON 22, LWD(ARCVIS, NBGR) PREP TO RUN
 16LNR
 01/28/2026 TD 16950 OH ST00BP00 10.8 WHILE POOH HAD LOSSES, RAN 16LNR @
 5677-16836, PREP TO DRILL OUT & TEST LNR
 02/04/2026 TD 17274 OH ST00BP00 11.9 FIT 13.0 ON 16LNR, LWD(ARCVIS, NBGR, SONSCOPE,
 STETH, SADN) CUTTING LINE PLUGGED, CLEARING
 LINE
 02/11/2026 TD 23217 OH ST00BP00 12.3 CLEARED PLUGGED CUTTING LINE, LWD(ARCVIS,
 NBGR, SONSCOPE, STETH, SADN) TOOK STETH
 PRESSURES, RNG 9 7/8LNR
 02/18/2026 TD 23217 OH ST00BP00 12.3 9 7/8LNR @16518-23216, PREP TO SET PKR FOR
 PRESSURE TESTS
 02/25/2026 TD 23217 OH ST00BP00 12.3 PRESSURE TESTED LNR, RNG 9 7/8 X 11.15TB
 03/04/2026 TD 23217 OH ST00BP00 12.3 RAN 9 7/8 X 11.15TB @16518, PREP TO PULL
 OUTER DRILLING RISER

WALKER RIDGE **425** **PROSPECT: CHINOOK**
MURPHY EXPLORATION & PRO **OCS: 16987** **WELL: 5** **Status: DRLG**

469 FLD **Class: DEV** **API: 608124015900**

LOC 23' FNL & 7298' FEL **of Block** 00469 WALKER RIDGE
LAT = 26.51968595(26°31'10.869") **LON** = -90.53022803(-90°31'48.821")
X = 2,447,902 **Y** = 9,630,697 **PMD**: 26880 **PTVD**: 26183
PBHL: OH 793' FSL & 5559' FWL **of Block** 425 WALKER RIDGE

ACTIVE

ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: SUSP: COMP: RR:

CSG= OH 36 @9229 309'

WD= 8834 KB= 86 RIG: STANLEY LAFOSSE / NOBLE DRLG

Date Reached TD:

02/18/2026 OH ST00BP00 LOCATION
 03/04/2026 OH ST00BP00 36 @9229 W/309'P, PREP TO SPUD

MISSISSIPPI CYN 385 PROSPECT: BANJO
 MURPHY EXPLORATION & PRO OCS: 35821 WELL: 4 Status: SUSP

429 FLD Class: EXP API: 608174152000

LOC 3919' FSL & 5946' FWL of Block 00385 MISSISSIPPI CYN
 LAT = 28.59394988 (28°35'38.220") LON = -88.34229783 (-88°20'32.272")
 X = 1,209,786 Y = 10,379,119 PMD: 13124 PTVD: 12882
 PBHL: OH 4298' FSL & 6776' FWL of Block 385 MISSISSIPPI CYN
 ABHL: OH MD: 12906 TVD: 12724 S 122' @ E 691'
 ATD OH: 12906 BP1: 12684 BP2: BP3: BP4: BP5:

SPUD: 11/22/2025 SUSP: 02/20/2026 COMP: RR: 02/20/2026
 CSG= OH 36 @6439 316' ; 28 @7055 ; 22 @9014 FIT 10.7 ; 18LNR @8629-9999 FIT 11.1 ;
 14 @11039 FIT 11.9 ; 11 7/8LNR @10685-12035 FIT 12.3 ; 9 7/8LNR @11869-12681

WD= 6033 KB= 87 RIG: STANLEY LAFOSSE / NOBLE DRLG
 Date Reached TD: 02/13/2026

11/19/2025 OH ST00BP00 LOCATION
 11/26/2025 TD 7200 OH ST00BP00 8.6 36 @6439 W/316'P, LWD (GR, RES, PWD) 28 @7055,)
 WOC
 12/03/2025 TD 9064 OH ST00BP00 12.5 22 @9014, LWD (GR, RES, PWD) M/OFF 11-30-25,
 WILL RETURN
 01/14/2026 TD 10044 OH ST00BP00 9.8 M/ON 1-6-26, TOOK FIT 10.74 ON 22, LWD (GR,
 RES, PWD) OBSERVED GAINS, MONITORED PRESSURES
 & VOLUMES, TIH W/18
 01/21/2026 DRLG 11895 OH ST00BP00 10.1 18LNR @8629-9999, FIT 11.1, RAN 14 @11039,
 FIT 11.89, LWD (GR, RES, PWD, SON)
 01/28/2026 TD 12906 OH ST00BP00 11.8 WHILE @12070, MUD 11.1, LWD (GR, RES, PWD, SON)
 RAN 11 7/8LNR @10685-12035, FIT 12.29,
 LWD (GR, RES, PWD, DEN, NEUT) GAINS WERE
 OBSERVED, WEIGHTED UP, C&C
 02/04/2026 TD 12906 OH ST00BP00 11.8 PERFORMED & COMPLETED PRESSURE TEST
 PROGRAM, PUMPED CEMENT PLUGS, TOC @12423 TO
 CONTROL GAINS, PREP TO DRILL OUT TO PERFORM
 WL LOGS
 02/11/2026 TD 12906 OH ST00BP00 11.8 DECISION WAS MADE TO NOT DRILL OUT & LOG
 BECAUSE OF CONCERNS FOR WELLBORE STABILITY,
 DRILLED OUT & BYPASSED @12040, WHILE @12550,
 BYPASS HOLE, MUD 11.6, LWD (GR, RES, PWD, DEN,
 NEUT) RAN WL, CSNG, XMR, DSN, SDL, STXB, MCI,
 RDT (PRESS & SAMP) @12550
 02/11/2026 TD 12684 BP1 ST00BP01 11.6 LWD (GR, RES, PWD, DEN, NEUT) PREP TO WL LOG
 02/18/2026 TD 12697 BP1 ST00BP01 11.6 RAN RDT (PRESS & SAMP) LWD (GR, RES, PWD, DEN,
 NEUT) RAN 9 7/8LNR @11869-12681, TSTG BOP
 02/25/2026 TD 12697 BP1 ST00BP01 11.6 R.R. (HOLD FOR ABHL IN THE BYPASS HOLE)
 03/04/2026 TD 12697 BP1 ST00BP01 11.6 (HOLD FOR ABHL IN THE BYPASS HOLE)

MISSISSIPPI CYN 393 PROSPECT: VICKSBURG
 SHELL OCS: 26254 WELL: VX4 Status: DRLG

393 FLD Class: DEV API: 608174152300

LOC 5792' FNL & 836' FEL of Block 00393 MISSISSIPPI CYN
 LAT = 28.61433938 (28°36'51.622") LON = -87.91927269 (-87°55'09.382")
 X = 1,345,564 Y = 10,385,248 PMD: 25775 PTVD: 24777

PBHL: OH 6734' FSL & 3574' FEL of Block 393 MISSISSIPPI CYN
ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 01/18/2026 SUSP: COMP: RR:
CSG= OH 38 @7700 198' ; 28 @8789 ; 22 @11741 FIT 11.2 ; 16LNR @11299-17893 FIT 13.5 ;
12 1/4 X 11 7/8 @22957 FIT 15.1 ; 8 5/8LNR @22430-25552

WD= 7400 KB= 102 RIG: DW PROTEUS / TRANSOCEAN
Date Reached TD:

01/07/2026		OH	ST00BP00	LOCATION
01/21/2026		OH	ST00BP00	PREP TO SPUD
01/28/2026	TD	OH	ST00BP00 12.0	38 @7700 W/198'P, 28 @8789, LWD (ARCVIS, PWD) 22 @11741, PREP TO RUN RISER & BOP
02/04/2026	TD	OH	ST00BP00 11.0	CML 11.1, FIT 11.21 ON 22, LWD (GR, RES, PWD) PREP TO RUN 16LNR
02/11/2026	TD	OH	ST00BP00 13.0	CML 13.1, RAN 16LNR @11299-17893, FIT 13.45, LWD (GR, RES, PWD) PREP TO RUN 12 1/4 X 11 7/8
02/18/2026	DRLG	OH	ST00BP00 14.3	CML 14.5, RAN 12 1/4 X 11 7/8 @22957, FIT 15.14, LWD (ARCVIS, MICROSCOPE)
02/25/2026	TD	OH	ST00BP00 14.4	CML 14.7, LWD (ARCVIS, MICROSCOPE) RAN 8 5/8LNR @22430-25552, PREP TO DRILL OUT SHOETRACK
03/04/2026	TD	OH	ST00BP00 14.4	CML 14.7, PERFORMED WELLBORE C/O, PREP TO DRILL OUT 8 5/8 SHOETRACK

MISSISSIPPI CYN 522 PROSPECT: NAKIKA
BP EXPL OCS: 8823 WELL: 7 Status: DRLG

522 FLD Class: DEV API: 608174152100

LOC 3195' FSL & 2704' FWL of Block 00522 MISSISSIPPI CYN
LAT = 28.46337181 (28°27'48.139") LON = -88.10418881 (-88°06'15.080")
X = 1,285,744 Y = 10,330,875 PMD: 15500 PTVD: 15476
PBHL: OH 3808' FSL & 3056' FWL of Block 522 MISSISSIPPI CYN
ABHL: OH MD: 15523 TVD: 15499 S 318' @ W 110'
ATD OH: 15523 BP1: BP2: BP3: BP4: BP5:

SPUD: 12/21/2025 SUSP: COMP: RR:
CSG= OH 36 @7282 189' ; 28 @9062 ; 16 @12436 FIT 11.8 ; 9 7/8LNR @12250-15490

WD= 7012 KB= 81 RIG: OCEAN BLACK LION / DIAMOND OS
Date Reached TD: 01/08/2026

12/24/2025	DRLG	7571	OH	ST00BP00 16.0	36 @7282W/189, LWD (GR, RES, APWD)
12/31/2025	TD	12528	OH	ST00BP00 13.5	28 @9062, LWD (GR, RES, APWD) 16 @12436, WOC
01/07/2026	TD	12528	OH	ST00BP00 10.6	RAN BOP & RISER, PREP TO DRILL OUT & TEST 16
01/14/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37, FIT 11.81 ON 16, LWD (GR, RES, PWD, ABGR, FPWD, SON, DEN, NEUT) BEGAN RNG 9 7/8LNR, HIT OBSTRUCTION @11087, POOH WHILE DISCUSSING FORWARD PLAN
01/21/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37, MILLED OUT OBSTRUCTIONS IN 16, C/O PRIOR TO RUNNING 9 7/8LNR
01/28/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37, RAN 9 7/8LNR @12250-15490, PERFORMING DOWN HOLE FIT
02/04/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37, COMPTG
02/11/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37, COMPTG
02/18/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37, COMPTG
02/25/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37, COMPTG
03/04/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37, COMPTG

MISSISSIPPI CYN 651 PROSPECT: BALLYMORE
CHEVRON U.S.A. INC. OCS: 34454 WELL: 2 Status: DRLG

651 WC Class: INJ API: 608174140800

LOC 275' FSL & 3217' FWL of Block 00607 MISSISSIPPI CYN

ACTIVE

LAT = 28.36692731 (28°22'00.938") **LON** = -88.24938930 (-88°14'57.801")

X = 1,238,737 **Y** = 10,296,275 **PMD**: 30520 **PTVD**: 30069

PBHL: OH 2716' FNL & 4006' FWL **of Block** 651 MISSISSIPPI CYN

ABHL: OH **MD**: 30576 **TVD**: 30162 S 2799' @ E 822'

ATD OH: 21426 **BP1**: 30576 **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: 05/01/2019 **SUSP**:

COMP:

RR:

CSG= OH 36 @6924 306' ; 28 @7550 ; 22 @11625 FIT 11.8 ; 18LNR @11180-15683 LOT 13.4 ;
16 @22608 FIT 15.0 ; 14 @25166 FIT 15.8 ; 11 7/8LNR @24742-27460 FIT 16.1 ;
10 1/8LNR @23151-28884 FIT 15.7 ; 10LNR EXTENTION @21096-23204

WD= 6536 **KB**= 101 **RIG**: DW CONQUERER / TRANSOCEAN

Date Reached TD:

Date	Time	OH	ST	BP	Time	Location / Description
03/20/2019		OH	ST00BP00			LOCATION
05/01/2019		OH	ST00BP00			BETWEEN WELL MAINTENANCE
05/08/2019	TD	11650	OH	ST00BP00	13.5	36 @6924 W/306'P, 28 @7550, 22 @11625, LWD (AUTOTRAK, ONTRAK) RNG RISER & BOP
05/15/2019	TD	15800	OH	ST00BP00	11.0	FIT 11.8 ON 22, LWD (AUTOTRAK, ONTRAK) 18LNR @ 11180-15683, PREP TO DRILL OUT FOR LOT
05/22/2019	TD	21426	OH	ST00BP00	12.7	LOT 13.4 ON 18LNR, LWD (AUTOTRAK, ONTRAK, ZONETRAK) PLUGGING BACK TO BYPASS HOLE CONDITIONS
05/29/2019	TD	21426	OH	ST00BP00	12.7	PB & BYPASSED @18381
05/29/2019	TD	22660	BP1	ST00BP01	12.7	LWD (AUTOTRAK, ONTRAK, ZONETRAK) RNG 16
06/05/2019	TD	22672	BP1	ST00BP01	12.7	16 @22608, FIT 15.0, MILLED CONE BROKE OFF BHA, C&C WHILE TOH W/JUNK BASKET
06/12/2019	TD	23948	BP1	ST00BP01	13.5	RECD JUNK, LWD (AUTOTRAK, ONTRAK, SOUNDTRAK, ZONETRAK) TRIPPING FOR BHA
06/19/2019	TD	25200	BP1	ST00BP01	13.8	LWD (AUTOTRAK, ONTRAK, SOUNDTRAK, ZONETRAK) 14 @ 25166, WOC
06/26/2019	TD	27490	BP1	ST00BP01	14.3	FIT 15.8 ON 14, LWD (AUTOTRAK, ONTRAK, SOUNDTRAK, ZONETRAK) PREP TO RUN 11 7/8LNR
07/03/2019	DRLG	29150	BP1	ST00BP01	15.0	11 7/8LNR @24742-27460, FIT 16.1, LWD (AUTOTRAK, ONTRAK, SOUNDTRAK, ZONETRAK, ORD, CCN)
07/17/2019	DRLG	29725	BP1	ST00BP01	14.8	WHILE @29450, 15.1, LWD (AUTOTRAK, ONTRAK, SOUNDTRAK, ZONETRAK, ORD, CCN) STK & SET 10 1/8LNR @23151-28884, FIT 15.7, LWD (AUTOTRAK, ONTRAK)
07/24/2019	TD	30287	BP1	ST00BP01	14.8	LWD (AUTOTRAK, ONTRAK - CAME OFF @29745) RIH W/"MAD PASS" LWD (AUTOTRAK, ONTRAK, SOUNDTRAK, MAGTRAK, FRACVIEW, ORD, CCN)
07/31/2019	TD	30576	BP1	ST00BP01	14.8	"MAD PASS" LWD (AUTOTRAK, ONTRAK, SOUNDTRAK, MAGTRAK, FRACVIEW, ORD, CCN) @29515-30287, LWD (AUTOTRAK, ONTRAK, SOUNDTRAK, MAGTRAK, FRACVIEW, ORD, CCN) MREX, CDL, CN, FTEX @30540, TAKING RCX/SENTINEL (PRESS & SAMP)
08/07/2019	TD	30576	BP1	ST00BP01	14.8	REC'D RCX/SENTINEL (PRESS & SAMP) SCB IMAGE/ACOUSTIC @30520, OH PLUGS, CIBP @27896, SETTING ADDL CEMENT PLUGS (CONV CORED)
08/14/2019	TD	30576	BP1	ST00BP01	14.8	CIBP @8500, R.R.
01/21/2026	TD	30576	BP1	ST00BP01	14.8	RIG IN TRANSIT, WILL BYPASS FOR #2BP2, ORIG PBHL 2836 FNL 4125 FWL BLK 651, ORIG PTDS 30937 MD 35500 TVD
01/28/2026	TD	30576	BP1	ST00BP01	14.8	M/ON 1-20-26, BW, RNG BOP, WILL PB & BYPASS TO DRILL WATER INJECTION WELL
02/04/2026	TD	30576	BP1	ST00BP01	14.8	RAN & TSTD BOP, DRILLING OUT PLUGS TO BYPASS
02/11/2026	TD	30576	BP1	ST00BP01	14.8	DRILLED OUT CIBP, DRILLING OUT CEMENT PLUGS
02/18/2026	TD	30576	BP1	ST00BP01	14.8	DRILLED OUT CEMENT PLUGS, RAN 10LNR EXTENSION @21096-23204, PREP TO DRILL OUT LOWER CEMENT PLUGS
02/25/2026	TD	30576	BP1	ST00BP01	14.8	DRILLED OUT CEMENT PLUG #3 & CIBP, FAILED PRESSURE TEST ON 10.175LNR, PUMPED A 700' PLUG, TESTED PLUG, PREP TO DRILL OUT CEMENT TO BYPASS
03/04/2026	TD	30576	BP1	ST00BP01	14.8	HAD UNSUCCESSFUL ATTEMPT TO BYPASS, SET ADDL PLUG, TOC @28140, DRILLING OUT CEMENT,

PREP TO BYPASS

MISSISSIPPI CYN 759 PROSPECT: ZEPHYRUS
 BEACON OFFSHORE ENERGY OCS: 35833 WELL: ZA2ST Status: DRLG

759 FLD Class: DEV SS API: 608174151601

LOC 3148' FSL & 5157' FEL of Block 00759 MISSISSIPPI CYN
 LAT = 28.18509906(28°11'06.357") LON = -89.40424635(-89°24'15.287")
 X = 866,043 Y = 10,235,788 PMD: 26694 PTVD: 24742
 PBHL: OH 578' FSL & 7144' FWL of Block 759 MISSISSIPPI CYN
 ABHL: OH MD: 26270 TVD: 24421 S 2514' @ W 3534'
 ATD OH: 26270 BP1: BP2: BP3: BP4: BP5:

SPUD: 12/07/2025 SUSP: COMP: RR:
 CSG= OH OLD(38 @3806 ; 32 @4259 ; 28 @5737 ; 22 @8765 ; 18LNR @7884-11389 ; 16LNR @10995-14392 ; 14 @22455)
 9 7/8LNR @18027-26261

WD= 3533 KB= 75 RIG: DW ATLAS / TRANSOCEAN
 Date Reached TD: 12/23/2025

12/10/2025 TD	18428	OH	ST00BP00	15.5	MPD OFF,MILLED WDW @18374-18418,FIT 16.76, STO #ZA-2 @18418,NO LWD,TIH W/BHA TO DRILL AHEAD
12/17/2025 TD	24765	OH	ST00BP00	15.6	LWD(ONTRAK II,ZONETRAK G,SOUNDTRAK,TESTRAK,LITHOTRAK(ORD,CCN)POOH TO TEST BOP & MPD
12/24/2025 DRLG	25155	OH	ST00BP00	15.7	MPD 16.38,TSTD BOP & MPD,FINGERPRINTED MPD,LWD(ONTRAK II,ZONETRAK G,SOUNDTRAK,TESTRAK,LITHOTRAK)
12/31/2025 TD	26270	OH	ST00BP00	16.3	MPD 16.57,WHILE @25315,TOOK OPEN HOLE DFIT 16.69,LWD(ONTRAK II,ZONETRAK G,SOUNDTRAK,TESTRAK,LITHOTRAK)PREP TO WL LOG
01/07/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,RAN WL,MCI,STRATAEXAMINER,SON @ 26200,TOOK RDT(S PRESS & SAMP)TOOK ROT SWC,RNG 9 7/8LNR
01/07/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,RAN 9 7/8LNR @18027-26261,RAN 9 7/8TB @18027,PREP TO COMP
01/21/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,PREP TO COMP
01/28/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
02/04/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
02/11/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
02/18/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
02/25/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
03/04/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG

MISSISSIPPI CYN 812 PROSPECT: KAIKIAS
 SHELL OCS: 34461 WELL: KI2 Status: DRLG

768 FLD Class: INJ SS API: 608174152400

LOC 6675' FSL & 5760' FEL of Block 00812 MISSISSIPPI CYN
 LAT = 28.15827055(28°09'29.774") LON = -88.96312064(-88°57'47.234")
 X = 1,008,000 Y = 10,223,475 PMD: 29835 PTVD: 26815
 PBHL: OH 7513' FSL & 2732' FWL of Block 812 MISSISSIPPI CYN
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 02/17/2026 SUSP: COMP: RR:
 CSG= OH 38 @4832 198' ; 32 @5224 ; 28 @6311 ; 22 @8422 FIT 11.9

WD= 4547 KB= 87 RIG: STENA EVOLUTION / STENA DRILLING
 Date Reached TD:

02/18/2026		OH	ST00BP00		PREP TO SPUD
02/25/2026 TD	8468	OH	ST00BP00	13.0	38 @4832 W/198'P,LWD(ARCVIS)RAN 32 @5224, 28 @6311,PREP TO RUN 22
03/04/2026 TD	8478	OH	ST00BP00	10.5	22 @8422,FIT 11.9,LWD(ARCVIS)PREP TO DRILL OUT

ACTIVE