

**OFFSHORE OIL SCOUTS ASSOCIATION
GULF ATLANTIC**

WEEKLY DRILLING REPORT

COMBINED

Wednesday, September 9, 2026





OFFSHORE OIL SCOUTS

PROPRIETARY

STATEMENT



This information is provided by exclusive agreement with The Offshore Oil Scouts Association. The recipient acknowledges that the data and materials are proprietary information and trade secret, whether or not any portion thereof may be validly copyrighted or patented. Any reproduction or other use without the express written consent of The Association President will be pursued to the fullest extent of the law.

Table of Contents

NEW LOCATIONS

[GREEN CYN Block 953 WELL 1 LLOG EXPL](#)

[MISSISSIPPI CYN Block 984 WELL VA13 SHELL](#)

ACTIVE

[GARDEN BANKS Block 959 WELL SP106 SHELL](#)

[GARDEN BANKS Block 959 WELL SP203 SHELL](#)

[ALAMINOS CYN Block 815 WELL WS504 SHELL](#)

[KEATHLEY CYN Block 291 WELL 2ST BP EXPL](#)

[KEATHLEY CYN Block 736 WELL 2 LLOG EXPL](#)

[GREEN CYN Block 606 WELL 2 ANADARKO PETROLEUM CORPOR](#)

[GREEN CYN Block 742 WELL DC152 BP EXPL](#)

[GREEN CYN Block 782 WELL MD15 BP EXPLORATION & PRODUCTI](#)

[GREEN CYN Block 807 WELL AP7 CHEVRON U.S.A. INC.](#)

[GREEN CYN Block 825 WELL 18 BP EXPL](#)

[WALKER RIDGE Block 271 WELL MA4 BEACON OFFSHORE ENERGY](#)

[WALKER RIDGE Block 677 WELL PS9 CHEVRON U.S.A. INC.](#)

[MISSISSIPPI CYN Block 477 WELL 1 SHELL](#)

[MISSISSIPPI CYN Block 807 WELL A23ST3 SHELL](#)

[MISSISSIPPI CYN Block 809 WELL P13 SHELL](#)

[SOUTH TIMBALIER Block 23 WELL SJ23ST2 CANTIUM, LLC](#)

[BAY MARCHAND Block 3 WELL 4ST2 CANTIUM, LLC](#)



NEW LOCATIONS

GREEN CYN	953	PROSPECT: KINGS ROAD	
LLOG EXPL	OCS: 36062	WELL: 1	Status: NEW

953 WC	Class: EXP	SS	API: 608114080800
--------	------------	----	-------------------

LOC 6520' FSL & 4840' FEL of Block 00953 GREEN CYN
LAT = 27.01662402(27°00'59.846") LON = -90.51190256(-90°30'42.849")
X = 2,450,360 Y = 9,811,480 PMD: 23481 PTVD: 21500
PBHL: OH 2962' FSL & 6645' FEL of Block 953 GREEN CYN
ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: SUSP: COMP: RR:

WD= 5083 KB= 82 RIG: WEST VELA / SEADRILL
Date Reached TD:

09/09/2026 OH ST00BP00 WOW

MISSISSIPPI CYN	984	PROSPECT: VITO	
SHELL	OCS: 22919	WELL: VA13	Status: NEW

940 FLD	Class: DEV	SS	API: 608174152900
---------	------------	----	-------------------

LOC 638' FSL & 7783' FEL of Block 00940 MISSISSIPPI CYN
LAT = 28.00795026(28°00'28.621") LON = -89.16301276(-89°09'46.846")
X = 942,617 Y = 10,169,918 PMD: 30209 PTVD: 30034
PBHL: OH 1558' FNL & 7662' FEL of Block 984 MISSISSIPPI CYN
ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: SUSP: COMP: RR:

WD= 4000 KB= RIG: DW PONTUS / TRANSOCEAN
Date Reached TD:

09/09/2026 OH ST00BP00 LOCATION

ACTIVE**GARDEN BANKS
SHELL****959
OCS: 30876****PROSPECT: SPARTA
WELL: SP106****Status: DRLG****958 FLD****Class: DEV****API: 608074033700**

LOC 4128' FSL & 5780' FWL **of Block** 00959 GARDEN BANKS
LAT = 27.02993308 (27°01'47.759") **LO**N = -92.23080173 (-92°13'50.886")

X = 1,890,740 **Y** = 9,809,088 **PMD**: 31944 **PTVD**: 31736

PBHL: OH 4292' FSL & 3989' FWL **of Block** 959 GARDEN BANKS

ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 09/20/2025 **SUSP:** **COMP:** **RR:**

CSG= OH 42 @4713 274' ; 32 @5451 ; 28 @6596 ; 22 @9451

WD= 4352 **KB**= 87 **RIG**: STENA EVOLUTION / STENA DRILLING

Date Reached TD:

06/11/2025		OH	ST00BP00	BATCH SET
09/24/2025	TD	5502	OH	ST00BP00 11.8 42 @4713 W/274'P, LWD (GR, RES, PWD) 32 @5451, M/OFF 9-22-25, WILL RETURN
10/08/2025	TD	9507	OH	ST00BP00 13.0 M/ON 9-30-25, LWD (GR, RES, PWD) RAN 28 @6596, RAN 22 @9451, M/OFF 10-3-25, WILL RETURN
09/09/2026	TD	9507	OH	ST00BP00 13.0 M/ON 9-5-26, RIGGING UP TO RESUME DRILLING OPERATIONS

**GARDEN BANKS
SHELL****959
OCS: 30876****PROSPECT: SPARTA
WELL: SP203****Status: TA****958 FLD****Class: DEV****SS****API: 608074033200**

LOC 7507' FNL & 3623' FWL **of Block** 00959 GARDEN BANKS
LAT = 27.04154036 (27°02'29.545") **LO**N = -92.23735115 (-92°14'14.464")

X = 1,888,583 **Y** = 9,813,293 **PMD**: 31560 **PTVD**: 30592

PBHL: OH 6135' FSL & 1793' FWL **of Block** 959 GARDEN BANKS

PBHL: BP15694' FSL & 1665' FWL **of Block** 959 GARDEN BANKS

ABHL: OH **MD**: 31158 **TVD**: 30655 S 2211' @ W 1830'

ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 09/05/2025 **SUSP:** **COMP:** **RR:**

CSG= OH 42 @4630 274' ; 32 @5559 ; 28 @6704 ; 22 @10164 FIT 15.4 ; 14 @24315 FIT 16.7 ; 10.05LNR @23061-31337

WD= 4269 **KB**= 87 **RIG**: STENA EVOLUTION / STENA DRILLING

Date Reached TD:

06/04/2025		OH	ST00BP00	BATCH SET
09/10/2025	DRLG	6108	OH	ST00BP00 12.1 42 @4630 W/274'P, 32 @5559, M/OFF 9-6-25, M/ON 9-8-25, LWD (GR, RES, PWD)
09/17/2025	TD	10214	OH	ST00BP00 13.0 28 @6704, LWD (GR, RES, PWD) RAN 22
09/24/2025	TD	10214	OH	ST00BP00 13.0 22 @10164, M/OFF 9-15-25, WILL RETURN
12/10/2025	TD	10214	OH	ST00BP00 13.0 M/ON 12-6-25, RIGGING UP
12/17/2025	TD	10214	OH	ST00BP00 13.0 FINISHED RIGGING UP, PREP TO DRILL AHEAD
12/24/2025	TD	24365	OH	ST00BP00 16.3 CML 15.9, FIT 15.4 ON 22, LWD (GR, RES, PWD, SON) PREP TO RUN 14
12/31/2025	DRLG	24535	OH	ST00BP00 16.3 CML 16.1, RAN 14 @24315, FIT 16.66, LWD (GR, RES, PWD)
01/07/2026	DRLG	31158	OH	ST00BP00 16.3 CML 16.3, LWD (GR, RES, PWD) ORIG MD, 31108, TVD 30615
01/14/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, WELL CONTROL WORK DECISION NOT TO DRILL AHEAD, PREP TO PB & BYPASS
01/21/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, SET 2 OPEN HOLE PLUGS, PREP TO SET KICKOFF PLUG & BYPASS
01/28/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, SET KICKOFF PLUG, TOC @23915, PREP TO BYPASS
02/04/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, DRILLED CEMENT W/BYPASS BHA, OBSERVED LOSSES INDICATING INADEQUATE

ACTIVE

CEMENT, COULD NOT BYPASS, SET ADDL PLUG, TOC @ 24439, SETTING PLUG #5 TO BYPASS
 02/11/2026 TD 31158 OH ST00BP00 16.3 CML 16.3, SET PLUG #5, TOC @23924, PREP TO T/A, WILL RETURN TO BYPASS
 02/18/2026 TD 31158 OH ST00BP00 16.3 CML 16.3, T/A 2-10-26, WILL RETURN
 06/24/2026 TD 31158 OH ST00BP00 16.3 M/ON 6-21-26, PREP TO RE-ENTER & BYPASS
 07/01/2026 TD 31158 OH ST00BP00 16.3 ORIG PTDS: 31527 MD, 31019 TVD
 07/08/2026 TD 31158 OH ST00BP00 16.3 CML 16.3, RAN RISER & BOP, PREP TO PB & BYPASS
 07/15/2026 TD 31158 OH ST00BP00 16.3 CML 16.3, REPD CML SYSTEM, PREP TO RUN WHIPTSTOCK & BYPASS
 07/22/2026 TD 31158 OH ST00BP00 16.3 CML 16.3, RAN & SET WHIPTSTOCK TO MILL WDW @ 23448, WHILE MILLING WDW MILLS TWISTED OFF, TF @23404, PREP TO SET PLUG TO ISOLATE FSH THEN RUN NEW WHIPTSTOCK & BYPASS
 07/29/2026 TD 31158 OH ST00BP00 16.3 CML 16.3, SET PKR @23370, SET WHIPTSTOCK, BEGIN MILLING, POOH, OBSERVED MISSING MILLS, TF @23290, PREP TO FSH
 07/29/2026 TD 23408 BP1 ST00BP01 15.9 CML 16.3, RECOVERED FSH, MILLED WDW @ 23332-23365, BYPASSED @23365
 08/05/2026 DRLG 26534 BP1 ST00BP01 16.2 CML OFF, POOH W/MILLING BHA, PREP TO RUN DRILLING BHA
 08/12/2026 TD 31222 BP1 ST00BP01 16.2 CML 16.2, TOOK FIT ON WDW 16.53, LWD (ARCVIS)
 08/19/2026 TD 31342 BP1 ST00BP01 16.2 CML 16.3, LWD (ARCVIS) OBSERVED INFLUX, WELL CONTROL OPERATIONS
 08/26/2026 TD 31342 BP1 ST00BP01 16.2 CML 16.4, PERFORMED WELL CONTROL OPERATIONS, LWD (ARCVIS) PREP TO RUN 10.05LNR
 09/02/2026 TD 31342 BP1 ST00BP01 16.2 CML 16.4, RAN 10.05LNR @23061-31337, PREP TO RUN TB
 09/09/2026 TD 31342 BP1 ST00BP01 16.2 CML 16.4, RAN 10.5 X 11, 25TB @23055, PREP TO T/A, WILL RETURN TO DEEPEN & COMP
 09/09/2026 TD 31342 BP1 ST00BP01 16.2 CML 16.4, M/OFF 9-5-26, WILL RETURN TO DEEPEN & COMP

**ALAMINOS CYN
SHELL**
**815
OCS: 19409**
**PROSPECT: WHALE
WELL: WS504**
Status: DRLG
859 FLD
Class: DEV
API: 608054012000

LOC 2489' FNL & 2672' FEL **of Block** 00815 ALAMINOS CYN
LAT = 26.17458502 (26°10'28.506") **LONG** = -94.77440474 (-94°46'27.857")
X = 1,058,608 **Y** = 9,501,511 **PMD**: 18850 **PTVD**: 18610
PBHL: OH 4041' FNL & 2990' FEL **of Block** 815 ALAMINOS CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 09/01/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 38 @9365 200' ; 28 @10298 ; 22 @10750

WD= 9063 **KB=** 102 **RIG:** DW POSEIDON / TRANSOCEAN
Date Reached TD:

08/19/2026 OH ST00BP00 LOCATION
 09/02/2026 OH ST00BP00 PREP TO SPUD
 09/09/2026 TD 12800 OH ST00BP00 12.5 38 @9365 W/200'P, 28 @10298, LWD (GR, RES, PWD)
 RAN 22 @10750, WOC

**KEATHLEY CYN
BP EXPL**
**291
OCS: 19545**
**PROSPECT: WEST BUMP
WELL: 2ST**
Status: DRLG
291 WC
Class: EXP
SS
API: 608084008001

LOC 4687' FNL & 363' FWL **of Block** 00291 KEATHLEY CYN
LAT = 26.70216182 (26°42'07.783") **LONG** = -92.63787509 (-92°38'16.350")
X = 1,758,603 **Y** = 9,689,393 **PMD**: 36146 **PTVD**: 33517
PBHL: OH 3808' FNL & 5334' FWL **of Block** 291 KEATHLEY CYN
ATD OH: 31675 **BP1:** 35454 **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 07/01/2026 **SUSP:** **COMP:** **RR:**

ACTIVE

CSG= OH OLD(36 @6100 ; 28 @8160 ; 22 @9979 ; 18LNR @9753-14850 ; 16LNR @5847-20978 ; 14 @27696 ; 11 7/8LNR @21122-29801)
11 7/8LNR @26621-30105 FIT 16.0

WD= 5722 **KB=** 104 **RIG:** DW INVICTUS / TRANSOCEAN
Date Reached TD: 08/16/2026

06/24/2026		OH	ST01BP00	STO BLK 247 #1, LOCATION
07/08/2026 DRLG	27800	OH	ST01BP00 15.2	MPD 15.4, MILLED WDW @26862-26892, STO BLK 247 #1 @26892, LWD (GR, RES, FPWD, DEN, SON)
07/15/2026 TD	30195	OH	ST01BP00 14.7	MPD OFF, LWD (GR, RES, FPWD) HAVING ISSUES GETTING THROUGH WDW DURING C/O RUNS, PREP TO POLISH WDW PRIOR TO RUNNING 11 7/8LNR
07/22/2026 TD	30195	OH	ST01BP00 14.7	MPD OFF, POLISHED WDW, PREP TO RUN 11 7/8LNR
07/29/2026 TD	31452	OH	ST01BP00 14.7	MPD 15.35, RAN 11 7/8LNR @26621-30105, FIT 16.01, LWD (GR, RES, FPWD, SON, DEN, NEUT) WHILE @ 31150, ENCOUNTERED BITUMEN & TAR, HOLE PACKED OFF, POOH TO CHANGE TO SIMPLER SLICK BHA BEFORE DRILLING AHEAD
08/05/2026 TD	31675	OH	ST01BP00 14.7	MPD 15.35, DRILLED TO 31675 W/SIMPLE LWD ARCVIS, OBSERVED STALLING, PACKED OFF, STK DP @31675, SEVERED DP, TF @31119, PREP TO BYPASS
08/12/2026 TD	31675	OH	ST01BP00 14.7	MPD 15.35, PUMPED CEMENT PLUG, RIH W/10 5/8 DRILLING BHA TO BYPASS
08/19/2026 TD	31675	OH	ST01BP00 14.7	MPD 15.35, TOC @29585, BYPASSED @30165
08/19/2026 TD	35454	BP1	ST01BP01 14.9	MPD 15.73, LWD (GR, RES, NBGR) POOH, WILL WL LOG
08/26/2026 TD	35454	BP1	ST01BP01 14.9	MPD 15.73, DECISION WAS MADE NOT WL LOG BUT TO DO A MAD PASS BHA, LWD (GR, RES, FPWD, DEN, NEUT) @34008, OBSERVED LOSS OF RETURNS, POOH TO SURFACE
09/02/2026 TD	35454	BP1	ST01BP01 14.9	MPD 15.73, SETTING PLUGS TO T/A WELL
09/09/2026 TD	35454	BP1	ST01BP01 14.9	MPD 15.73, SET OH PLUGS, PREP TO T/A

KEATHLEY CYN **736** **PROSPECT: CASTILE**
LLOG EXPL **OCS: 36077** **WELL: 2** **Status: DRLG**

736 FLD **Class: DEV** **SS** **API: 608084008100**

LOC 2383' FSL & 6674' FWL **of Block** 00736 KEATHLEY CYN
LAT = 26.24118681 (26°14'28.273") **LON** = -92.37835496 (-92°22'42.078")
X = 1,844,114 **Y** = 9,522,223 **PMD:** 31600 **PTVD:** 30989
PBHL: OH 6060' FSL & 7431' FWL **of Block** 736 KEATHLEY CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 08/28/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 38 @7073 306' ; 28 @8122 ; 22 @11451 FIT 14.0

WD= 6685 **KB=** 82 **RIG:** WEST NEPTUNE / SEADRILL
Date Reached TD:

07/15/2026		OH	ST00BP00	LOCATION
08/26/2026		OH	ST00BP00	RIGGING UP
09/02/2026 TD	11520	OH	ST00BP00 14.0	38 @7073 W/306'P, 28 @8122, LWD (ONTRAK II) RNG 22
09/09/2026 DRLG	12599	OH	ST00BP00 12.6	RAN 22 @11451, FIT 13.97, LWD (ONTRAK)

GREEN CYN **606** **PROSPECT: K-2**
ANADARKO PETROLEUM CORPO **OCS: 21807** **WELL: 2** **Status: DRLG**

562 FLD **Class: DEV** **SS** **API: 608114080500**

LOC 869' FSL & 4722' FEL **of Block** 00562 GREEN CYN
LAT = 27.38844535 (27°23'18.403") **LON** = -90.25926199 (-90°15'33.343")
X = 2,529,678 **Y** = 9,948,389 **PMD:** 28560 **PTVD:** 26448
PBHL: OH 2187' FNL & 1326' FEL **of Block** 606 GREEN CYN
ABHL: BP **MD:** 27218 **TVD:** 25765 S 2042' @ E 3097'
ATD OH: 28025 **BP1:** 27218 **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 06/28/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @4361 302' ; 28 @5147 ; 22 @8540 FIT 13.1 ; 18LNR @8058-12865 FIT 16.6 ;
 14 @22770 FIT 16.6 ; 9 7/8LNR @22466-27211

WD= 3979 **KB=** 80 **RIG:** DS-16 / VALARIS
Date Reached TD: 08/20/2026

07/01/2026 TD	5290	OH	ST00BP00	12.6	36 @4361 W/302'P,RAN 28 @5147,LWD(GR,RES,APWD)WOC
07/08/2026 TD	8565	OH	ST00BP00	11.5	LWD(GR,RES,APWD)RAN 22 @8540,RAN RISER & BOP,REPG BOP
07/15/2026 TD	13010	OH	ST00BP00	12.4	FIT 13.12 ON 22,LWD(GR,RES,APWD)PREP TO RUN 18LNR
07/22/2026 DRLG	21605	OH	ST00BP00	14.3	MPD 14.9,RAN 18LNR @8058-12865,FIT 16.6,LWD(GR,RES,APWD)
07/29/2026 TD	22810	OH	ST00BP00	14.3	MPD 14.8,LWD(GR,RES,APWD)RAN 14 @22770,PREP TO DRILL OUT
08/05/2026 TD	28025	OH	ST00BP00	13.8	MPD 14.5,TOOK FIT 16.57 ON 14,LWD(GR,RES,SON,DEN,NEUT,GEOTAP,APWD)WHILE BACKREAMING OUT OF HOLE,DP GOT STUCK @27092,JARRING
08/12/2026 TD	28025	OH	ST00BP00	13.8	MPD 14.5,JARRING UNSUCCESSFUL,SEVD DP,TF @ 26467,SET PLUGS,26462-25462,25124-24424,23800-23100,23100-22370,PREP TO BYPASS
08/19/2026 TD	28025	OH	ST00BP00	13.8	MPD 14.5,BYPASSED @22903
08/19/2026 TD	26221	BP1	ST00BP01	13.8	MPD 14.47,LWD(GR,RES,FPWD,APWD)PREP TO REPAIR MPD SYSTEM
08/26/2026 TD	27218	BP1	ST00BP01	13.8	MPD 14.5,LWD(GR,RES,FPWD,APWD)REPD MPD SYSTEM,RNG 9 7/8LNR
09/02/2026 TD	27218	BP1	ST00BP01	14.4	RAN 9 7/8LNR @22466-27211,RAN 10.175 X 10.75TB @22466,COMPTG
09/09/2026 TD	27218	BP1	ST00BP01	14.4	COMPTG

GREEN CYN
BP EXPL

742
OCS: 15606

PROSPECT: ATLANTIS
WELL: DC152

Status: DRLG

743 FLD

Class: DEV

API: 608114080400

LOC 6582' FSL & 7050' FWL **of Block** 00743 GREEN CYN
LAT = 27.22528047(27°13'31.010") **Lon** = -90.03216544(-90°01'55.796")
X = 2,604,810 **Y** = 9,890,742 **PMD:** 21494 **PTVD:** 17873
PBHL: OH 7636' FSL & 215' FEL **of Block** 742 GREEN CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 06/24/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @7132 299' ; 22 @10562 ; 16 @13531 PIT 12.1 ;
 13 5/8LNR @13249-16473 PIT 12.1 ; 9 7/8LNR @16262-19955 PIT 11.7 ;
 7 5/8LNR @19829-21137

WD= 6833 **KB=** 80 **RIG:** OCEAN BLACK HORNET / NOBLE DRLG
Date Reached TD: 08/27/2026

06/24/2026		OH	ST00BP00		BATCH SET,36 @7132 W/299'P,PREP TO SPUD
07/01/2026 TD	10592	OH	ST00BP00	12.0	LWD(GR,RES,PWD)RNG 22
07/08/2026 TD	10592	OH	ST00BP00	12.0	RAN 22 @10562,PREP TO DRILL OUT
07/15/2026 TD	13536	OH	ST00BP00	10.6	LWD(GR,RES,PWD,SON)RAN 16 @13531,PIT 12.1,PREP TO DRILL AHEAD
07/22/2026 TD	16641	OH	ST00BP00	11.0	MPD 11.9,LWD(GR,RES,PWD,SON)PREP TO RUN 13 5/8LNR
07/29/2026 DRLG	17047	OH	ST00BP00	10.2	MPD 10.93,RAN 13 5/8LNR @13249-16473,PIT 12.1,LWD(GR,RES,PWD,SON)
08/05/2026 DRLG	19411	OH	ST00BP00	10.2	MPD 10.5,LWD(GR,RES,PWD,SON,NEUT,GEOTAP)
08/12/2026 TD	19960	OH	ST00BP00	10.2	MPD 10.95,LWD(GR,RES,PWD,GEOTAP,SON,NEUT)PREP TO RUN 9 7/8LNR
08/19/2026 TD	19960	OH	ST00BP00	10.2	MPD 10.95,RAN 9 7/8LNR @16262-19955,PIT 11.71,PREP TO DRILL
08/26/2026 TD	19960	OH	ST00BP00	10.2	MPD 10.95,W/ON LOOP CURRENT 2.1 KNOTS
09/02/2026 TD	21137	OH	ST00BP00	10.2	MPD 11.0,PIT 11.7 ON 9 7/8LNR,LWD(GR,RES,PWD,DEN,NEUT)PREP TO RUN LNR
09/09/2026 TD	21137	OH	ST00BP00	10.2	MPD 11.0,RAN 7 5/8LNR @19829-21137,PREP TO

ACTIVE

COMP

GREEN CYN
BP EXPLORATION & PRODUCT

782
OCS: 15610

PROSPECT: MAD DOG
WELL: MD15

Status: DRLG

826 FLD

Class: DEV

API: 608114061200

LOC 7228' FSL & 6166' FEL of Block 00782 GREEN CYN
LAT = 27.18830922 (27°11'17.913") LON = -90.26861424 (-90°16'07.011")
X = 2,528,234 Y = 9,875,548 PMD: 25478 PTVD: 22443
PBHL: OH 3471' FNL & 2401' FWL of Block 782 GREEN CYN
ABHL: OH MD: 25533 TVD: 22524 N 5168' @ W 7266'
ABHL: BP2 MD: 25781 TVD: 22522 N 5429' @ W 7198'
ATD OH: 25781 BP1: 24014 BP2: 25781 BP3: BP4: BP5:

SPUD: 11/07/2013 SUSP: COMP: RR:
CSG= OH 36 @4886 290' ; 22 @7094 FIT 10.8 ; 16LNR @6488-12455 FIT 15.1 ;
14LNR @12154-19648 FIT 13.6 ; 11 7/8LNR @19443-23275 PIT 13.6 ;
9 7/8LNR @23048-25743

WD= 4428 KB= 168 RIG: MAD DOG SPAR / VALARIS
Date Reached TD: 04/23/2026

09/11/2013		OH	ST00BP00		(APPROVED PERMIT 9-6-13) (BATCH SET)
10/09/2013		OH	ST00BP00		M/ON 10-7-13, PREP TO RUN 36"
10/16/2013		OH	ST00BP00		M/ON 10-7-13, 36 @4886W/290'P, M/OFF 10-10-13 (WILL RET)
11/13/2013	TD	7125	OH	ST00BP00	14.0 M/ON 11-6-13, LWD (GR, RES) PREP TO RUN 22"
11/20/2013	TD	7125	OH	ST00BP00	14.0 22" @7094, WOC
11/27/2013	TD	7125	OH	ST00BP00	14.0 M/OFF 11-19-13 (WILL RETURN)
12/24/2025	TD	7125	OH	ST00BP00	14.0 M/ON 12-14-25, C/O TO DRILL AHEAD
12/31/2025	DRLG	10664	OH	ST00BP00	10.1 FIT 10.79 ON 22, LWD (GR, RES, PWD)
01/07/2026	TD	12460	OH	ST00BP00	10.2 LWD (GR, RES, PWD) PREP TO RUN 16LNR
01/14/2026	TD	12460	OH	ST00BP00	10.2 16LNR @6488-12455, PREP TO DRILL OUT & TEST LNR
01/21/2026	DRLG	18287	OH	ST00BP00	13.9 FIT 15.06 ON 16LNR, LWD (GR, RES, PWD, SON, NBGR)
01/28/2026	TD	19659	OH	ST00BP00	14.1 LWD (GR, RES, PWD, SON, NBGR) RNG 14LNR
02/04/2026	TD	19659	OH	ST00BP00	14.2 14LNR @12154-19648, WOC
02/11/2026	TD	19659	OH	ST00BP00	14.2 PREP TO DRILL OUT & TEST 14LNR
02/18/2026	TD	25533	OH	ST00BP00	13.0 RTD 2-16-26, FIT 13.6 ON 14LNR, LWD (GR, RES, NBGR, PWD, DEN, NEUT, SON, FPWD) CIRC BOTTOM UP
02/25/2026	TD	25533	OH	ST00BP00	13.0 WHILE BACKREAMING OUT OF HOLE, HOLE PACKED OFF & WENT TO LOSSES, STK DP @22620, PREP TO SEVER PIPE
03/04/2026	TD	25533	OH	ST00BP00	13.0 SEVERED DP, TF @21176, PREP TO PB & BYPASS
03/11/2026	TD	25533	OH	ST00BP00	13.0 REPD BOP, PREP TO BYPASS
03/18/2026	TD	25533	OH	ST00BP00	13.0 BYPASSED @19848
03/18/2026	TD	24014	BP1	ST00BP01	12.7 LWD (GR, RES, DEN, NEUT, CALP, ACOUSTIC TESTRAK) ENCOUNTERED TAR, EXPERIENCE BALLOONING & LOSSES, PULL UP TO 22810, SHUT WELL IN, C&C
03/25/2026	TD	24014	BP1	ST00BP01	12.7 PREP TO PB & BYPASS
04/01/2026	TD	24014	BP1	ST00BP01	12.7 BYPASSED @19676
04/01/2026	DRLG	23102	BP2	ST00BP02	12.7 LWD (GR, RES, PWD) ENCOUNTER TAR @23075
04/08/2026	TD	23300	BP2	ST00BP02	12.7 LWD (GR, RES, PWD) TOOLS FAILED FROM 23090-23300, PREP TO RUN 11 7/8LNR
04/15/2026	TD	23300	BP2	ST00BP02	12.7 11 7/8LNR @19443-23275, PREP TO DRILL OUT
04/22/2026	DRLG	24189	BP2	ST00BP02	12.7 PIT 13.6 ON 11 7/8LNR, LWD (GR, RES, PWD, SON)
04/29/2026	TD	25781	BP2	ST00BP02	12.7 LWD (GR, RES, PWD, SON) REAMING & HPU REPAIRS
05/06/2026	TD	25781	BP2	ST00BP02	12.7 REAMED TO 25781, RNG 9 7/8LNR
05/13/2026	TD	25781	BP2	ST00BP02	12.7 RAN 9 7/8LNR @23048-25743, PREP TO COMP
05/20/2026	TD	25781	BP2	ST00BP02	12.7 PREP TO COMP
05/27/2026	TD	25781	BP2	ST00BP02	12.7 COMPTG
06/03/2026	TD	25781	BP2	ST00BP02	12.7 COMPTG
06/10/2026	TD	25781	BP2	ST00BP02	12.7 COMPTG
06/17/2026	TD	25781	BP2	ST00BP02	12.7 COMPTG
06/24/2026	TD	25781	BP2	ST00BP02	12.7 COMPTG
07/01/2026	TD	25781	BP2	ST00BP02	12.7 COMPTG
07/08/2026	TD	25781	BP2	ST00BP02	12.7 COMPTG
07/15/2026	TD	25781	BP2	ST00BP02	12.7 COMPTG

ACTIVE

07/22/2026	TD	25781	BP2	ST00BP02	12.7	COMPTG
07/29/2026	TD	25781	BP2	ST00BP02	12.7	COMPTG
08/05/2026	TD	25781	BP2	ST00BP02	12.7	COMPTG
08/12/2026	TD	25781	BP2	ST00BP02	12.7	COMPTG
08/19/2026	TD	25781	BP2	ST00BP02	12.7	COMPTG, WOW, LOOP CURRENT 2.5. KNOTS
08/26/2026	TD	25781	BP2	ST00BP02	12.7	W/ON LOOP CURRENT 2.8 KNOTS
09/02/2026	TD	25781	BP2	ST00BP02	12.7	W/ON LOOP CURRENT 2.8 KNOTS
09/09/2026	TD	25781	BP2	ST00BP02	12.7	W/ON LOOP CURRENT 2.8 KNOTS

GREEN CYN	807	PROSPECT: ANCHOR
CHEVRON U.S.A. INC.	OCS: 31752	WELL: AP7
		Status: DRLG

807 FLD	Class: DEV	SS	API: 608114080200
----------------	-------------------	-----------	--------------------------

LOC 4045' FSL & 4475' FWL **of Block** 00807 GREEN CYN
LAT = 27.15117389 (27°09'04.226") **Lon** = -91.21088317 (-91°12'39.179")
X = 2,222,075 **Y** = 9,856,525 **PMD:** 33793 **PTVD:** 33536
PBHL: OH 4361' FSL & 6470' FWL **of Block** 807 GREEN CYN
ABHL: BP1 **MD:** 33710 **TVD:** 33482 S 211' @ E 480'
ATD OH: 33710 **BP1:** 33710 **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 04/28/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @5333 305' ; 22 @10547 FIT 11.7 ; 18LNR @10093-15575 FIT 14.0 ;
 16LNR @8003-24855 FIT 16.1 ; 14LNR @24460-30040 FIT 16.2 ; 10LNR @29362-33634

WD= 4953 **KB=** 75 **RIG:** DW TITAN / TRANSOCEAN
Date Reached TD: 07/02/2026

04/29/2026		OH	ST00BP00	36 @5333 W/305'P, PREP TO SPUD
05/06/2026	TD	10577	OH	ST00BP00 11.0 LWD(NBGR)RNG 22
05/13/2026	TD	10577	OH	ST00BP00 11.0 22 @10547, RAN BOP, TSTG BOP
05/20/2026	TD	15628	OH	ST00BP00 10.7 MPD 11.26, FIT 11.7 ON 22, LWD(NBGR, ARCVIS) PREP TO RUN 18LNR
05/27/2026	DRLG	22646	OH	ST00BP00 12.3 MPD 12.77, RAN 18LNR @10093-15575, FIT 14.0, LWD(NBGR, ARCVIS)
06/03/2026	TD	24930	OH	ST00BP00 13.0 MPD 13.15, LWD(NBGR, ARCVIS) RAN 16LNR @ 8003-24855, PREP TO TEST BOP
06/10/2026	TD	30164	OH	ST00BP00 14.9 MPD 15.56, TOOK FIT 16.1 ON 16LNR, LWD(NBGR, ARCVIS) WHILE @29096 HAD LOSSES, DECREASED MPD TO 15.5, HOLE PACKED OFF, RECD DP, HAD 5 BBL GAIN, SHUT IN, PREP TO RUN 14LNR
06/17/2026	DRLG	30615	OH	ST00BP00 14.9 MPD 15.59, RAN 14LNR @24460-30040, TOOK DFIT 16.2, LWD(NBGR, ARCVIS, SONSCOPE, STETH, ADN)
06/24/2026	TD	33710	OH	ST00BP00 14.9 MPD 15.63, LWD(NBGR, ARCVIS, SONSCOPE, STETH, ADN) WHILE @33710, DP STUCK, WHILE ATTEMPTING TO POOH, DP PARTED, TF @28190, FSG UNSUCCESSFUL, SEVERED DP @32256, UNABLE TO FREE DP, PREP TO RE-SEVER
07/01/2026	TD	33710	OH	ST00BP00 14.9 MPD 15.63, SEVERED DP @32167, SET OH PLUGS, TOC @29420, DRLG CEMENT TO BYPASS
07/08/2026	TD	33710	OH	ST00BP00 14.9 MPD 15.63, BYPASSED @30160
07/08/2026	TD	33710	BP1	ST00BP01 14.9 MPD 15.63, LWD(NBGR, ARCVIS) RAN WL, HXPT, HLDS, QCNT, PPC, MSIP @33700, LOGGING
07/15/2026	TD	33710	BP1	ST00BP01 14.9 MPD 15.63, RAN WL #2, PPC, HLDS @33600, RAN STK & SET 10LNR @29362-33634, RNG 10 1/4 TB
07/22/2026	TD	33710	BP1	ST00BP01 14.9 MPD 15.63, RAN 10 1/4TB @29362, COMPTG
07/29/2026	TD	33710	BP1	ST00BP01 14.9 MPD 15.63, COMPTG
08/05/2026	TD	33710	BP1	ST00BP01 14.9 MPD 15.63, COMPTG
08/12/2026	TD	33710	BP1	ST00BP01 14.9 MPD 15.63, COMPTG
08/19/2026	TD	33710	BP1	ST00BP01 14.9 MPD 15.63, COMPTG
08/26/2026	TD	33710	BP1	ST00BP01 14.9 MPD 15.63, COMPTG
09/02/2026	TD	33710	BP1	ST00BP01 14.9 MPD 15.63, COMPTG
09/09/2026	TD	33710	BP1	ST00BP01 14.9 MPD 15.63, W/ON LOOP CURRENT 1.5-2.5 KNOTS TO R.R.

GREEN CYN	825	PROSPECT: MAD DOG
BP EXPL	OCS: 9981	WELL: 18
		Status: DRLG

826 FLD	Class: INJ	API: 608114080600
----------------	-------------------	--------------------------

ACTIVE

LOC 1813' FSL & 3166' FWL of Block 00825 GREEN CYN
 LAT = 27.13120179 (27°07'52.326") LON = -90.33869377 (-90°20'19.298")
 X = 2,505,886 Y = 9,854,293 PMD: 24318 PTVD: 23342
 PBHL: OH 6886' FSL & 4588' FWL of Block 825 GREEN CYN
 ABHL: OH MD: 24280 TVD: 23308 N 5066' @ E 1414'
 ATD OH: 24280 BP1: BP2: BP3: BP4: BP5:

SPUD: 07/29/2026 SUSP: COMP: RR:
 CSG= OH 36 @5534 271' ; 22 @7670 PIT 12.6 ; 14 @17291 PIT 13.5

WD= 5182 KB= 81 RIG: OCEAN BLACKLION / NOBLE DRLG
 Date Reached TD: 08/27/2026

07/22/2026		OH	ST00BP00	BATCH SET
07/29/2026		OH	ST00BP00	36 @5534 W/271'P
08/05/2026 TD	7700	OH	ST00BP00 10.7	LWD (GR, RES, PWD) RAN 22 @7670, REPG BOP
08/12/2026 TD	7700	OH	ST00BP00 10.7	REPD BOP, RAN BOP, PREP TO DRILL OUT
08/19/2026 TD	17332	OH	ST00BP00 11.1	MPD 12.5, PIT 12.57 ON 22, LWD (GR, RES, PWD) PREP TO RUN 14
08/26/2026 DRLG	19090	OH	ST00BP00 11.8	MPD 12.48, RAN 14 @17291, PIT 13.51, LWD (GR, RES, PWD, SON, STETH)
09/02/2026 TD	24280	OH	ST00BP00 11.8	MPD 12.48, LWD (GR, RES, PWD, SON, STETH) PREP TO WL LOG
09/09/2026 TD	24280	OH	ST00BP00 11.8	MPD 12.48, DID NOT TAKE MDTs DUE TO POOR HOLE CONDITIONS, RAN NGI@24180 WHERE THEY ENCOUNTERED HOLE TIGHTENING, PREP TO P&A, WILL STO FOR #18ST

WALKER RIDGE 271 PROSPECT: MONUMENT
 BEACON OFFSHORE ENERGY OCS: 35080 WELL: MA4 Status: DRLG

272 FLD Class: DEV SS API: 608124015800

LOC 344' FNL & 4428' FWL of Block 00316 WALKER RIDGE
 LAT = 26.66366648 (26°39'49.199") LON = -91.55824140 (-91°33'29.669")
 X = 2,111,148 Y = 9,677,896 PMD: 34576 PTVD: 30787
 PBHL: OH 4278' FSL & 5060' FEL of Block 271 WALKER RIDGE
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 04/03/2026 SUSP: COMP: RR:
 CSG= OH 42 @6725 283' ; 28 @7967 ; 22 @10532

WD= 6367 KB= 75 RIG: DW ATLAS / TRANSOCEAN
 Date Reached TD:

11/12/2025		OH	ST00BP00	BATCH SET
04/08/2026 TD	8022	OH	ST00BP00 11.0	42 @6725 W/283'P, LWD (ONTRANK II) 28 @7967) WOW
04/15/2026 TD	10584	OH	ST00BP00 13.5	LWD (ONTRAK II) RAN 22 @10532, M/OFF 4-10-26, WILL RETURN
09/09/2026 TD	10584	OH	ST00BP00 13.5	M/ON 9-7-26, RNG BOP & RISER

WALKER RIDGE 677 PROSPECT: ST MALO
 CHEVRON U.S.A. INC. OCS: 18753 WELL: PS9 Status: DRLG

678 FLD Class: DEV SS API: 608124016200

LOC 4924' FNL & 261' FWL of Block 00678 WALKER RIDGE
 LAT = 26.29692250 (26°17'48.921") LON = -91.09201106 (-91°05'31.240")
 X = 2,265,381 Y = 9,546,596 PMD: 30443 PTVD: 28864
 PBHL: OH 4015' FSL & 494' FEL of Block 677 WALKER RIDGE
 ABHL: OH MD: 30400 TVD: 28835 S 6742' @ W 678'
 ATD OH: 30400 BP1: BP2: BP3: BP4: BP5:

SPUD: 04/04/2026 SUSP: COMP: RR:
 CSG= OH 36 @7452 313' ; 22 @10516 FIT 13.3 ; 14 @25658 FIT 14.6 ;
 9 7/8LNR @24454-30390 ; 9 7/8SCAB LNR @24244-24484

ACTIVE

WD= 7038 KB= 101 RIG: DW CONQUEROR / TRANSOCEAN
Date Reached TD: 05/06/2026

04/08/2026 TD	10556	OH	ST00BP00	10.5	36 @7452 W/313'P, LWD(NBGR) RAN 22 @10516, WOC
04/15/2026 DRLG	10585	OH	ST00BP00	11.7	RAN RISER & BOP, TOOK FIT 13.3 ON 22, LWD(NBGR, ARCVIS)
04/22/2026 DRLG	22028	OH	ST00BP00	11.7	MPD 12.21, MPD FINGERPRINTING, LWD(NBGR, ARCVIS)
04/29/2026 TD	25718	OH	ST00BP00	11.7	MPD 12.3, LWD(NBGR, ARCVIS) C&C, RNG 14
05/06/2026 DRLG	26262	OH	ST00BP00	13.2	MPD 13.94, RAN 14 @25658, FIT 14.6, LWD(ARCVIS, SADN, STETH, SONSCOPE)
05/13/2026 TD	30400	OH	ST00BP00	13.2	MPD 13.9, LWD(ARCVIS, SADN, STETH, SONSCOPE) RAN 9 7/8 LNR @24454-30390, WOC
05/20/2026 TD	30400	OH	ST00BP00	13.2	MPD 13.9, MADE UNSUCCESSFUL ATTEMPTS TO SET LNR-TOP PLUG & TA PKR, PREP TO SET TA CEMENT PLUG, WILL RELEASE RIG & RETURN TO COMP AT A LATER DATE
05/27/2026 TD	30400	OH	ST00BP00	13.2	MPD 13.9, SET CEMENT PLUG, TOC @23887, R.R.5-24-26
07/29/2026 TD	30400	OH	ST00BP00	13.2	MPD 13.9, M/ON 7-24-26, PREP TO DRILL OUT PLUGS, RUN SCAB LNR & COMP
08/05/2026 TD	30400	OH	ST00BP00	13.2	MPD 13.9, RAN 9 7/8 SCAB LNR @24244-24484, PREP TO COMP
08/12/2026 TD	30400	OH	ST00BP00	13.2	MPD 13.9, PREP TO COMP
08/19/2026 TD	30400	OH	ST00BP00	13.2	MPD 13.9, COMPTG
08/26/2026 TD	30400	OH	ST00BP00	13.2	MPD 13.9, COMPTG
09/02/2026 TD	30400	OH	ST00BP00	13.2	MPD 13.9, COMPTG
09/09/2026 TD	30400	OH	ST00BP00	13.2	MPD 13.9, COMPTG

MISSISSIPPI CYN
SHELL

477
OCS: 36962

PROSPECT: SISCO
WELL: 1

Status: DRLG

477 WC

Class: EXP

API: 608174152600

LOC 6170' FSL & 5791' FWL of Block 00477 MISSISSIPPI CYN
LAT = 28.51480163 (28°30'53.286") LON = -88.14444392 (-88°08'39.998")
X = 1,272,991 Y = 10,349,690 PMD: 30605 PTVD: 30522
PBHL: OH 5332' FSL & 5306' FWL of Block 477 MISSISSIPPI CYN
ABHL: OH MD: 29338 TVD: 29270 S 648' @ W 373'
ATD OH: 29338 BP1: BP2: BP3: BP4: BP5:

SPUD: 06/22/2026 SUSP: COMP: RR:
CSG= OH 38 @7132 197' ; 28 @8586 ; 22 @12775 FIT 12.1 ; 18 LNR @12600-19039 FIT 14.1 ;
9 3/8 LNR @26615-28063 FIT 15.8

WD= 6833 KB= 102 RIG: DW PONTUS / TRANSOCEAN
Date Reached TD: 08/28/2026

06/10/2026		OH	ST00BP00		LOCATION
06/24/2026 TD	8640	OH	ST00BP00	8.6	MPD OFF, RAN 38 @7132 W/197'P, LWD(EWR-M5) PREP TO RUN 28
07/01/2026 TD	12839	OH	ST00BP00	13.6	MPD OFF, LWD(EWR-M5) RAN 28 @8586, RAN 22 @ 12775, RNG RISER & BOP
07/08/2026 DRLG	15780	OH	ST00BP00	12.1	CML 11.8, TOOK FIT 12.1 ON 22, LWD(BASESTAR, RESISTAR, XBAT)
07/15/2026 TD	19200	OH	ST00BP00	12.1	CML 11.9, LWD(BASESTAR, RESISTAR, XBAT) RAN 18 LNR @12600-19039, WOC
07/22/2026 TD	21875	OH	ST00BP00	13.4	CML 13.48, TOOK FIT 14.1 ON 18 LNR, LWD(GR, RESISTAR, PWD, DEN, NEUT, X-BAT, GEOTAP) WOW
07/29/2026 TD	22795	OH	ST00BP00	13.4	CML 13.4, LWD(GR, RESISTAR, PWD, DEN, NEUT, X-BAT, GEOTAP) PERFORMED OPEN HOLE FIT 14.1 @ 22749, POOH TO TEST BOP
08/05/2026 DRLG	24025	OH	ST00BP00	14.1	CML 13.95, LWD(GR, RESISTAR, PWD, DEN, NEUT, X-BAT, GEOTAP)
08/12/2026 TD	26318	OH	ST00BP00	14.0	CML 13.95, LWD(GR, RESISTAR, PWD, DEN, NEUT, X-BAT, GEOTAP) PULLED BHA DUE TO SLOW DRILLING, ON TRIP FOR NEW BHA

ACTIVE

08/19/2026 DRLG 26995 OH ST00BP00 14.9 WHILE @26995,MUD 14.9,CML 15.2,LWD(GR,PWD,DEN,NEUT,RESISTAR,XBAT,GEOTAP)RAN 12.25 X 11.97 @26909,FIT 15.42,DRILING W/LWD(ABGR,GR,PWD,SON,LITHOSTAR,RESISTAR,GEOTAP)
 08/26/2026 TD 28275 OH ST00BP00 14.8 CML 15.1,,LWD(GR,PWD,DEN,NEUT,RESISTAR,XBAT,GEOTAP)RAN 9 3/8LNR @26615-28063,PREP TO DRILL OUT
 09/02/2026 TD 29338 OH ST00BP00 15.0 CML 15.35,FIT 15.76 ON 9 3/8LNR,LWD(ABGR,GR,PWD,DEN,NEUT,RESISTAR,XBAT,GEOTAP)NO OH PLUGS,CEMENTED THE ENTIRE OPEN HOLE,TOC @ 27963,PREP TO P&A
 09/09/2026 TD 29338 OH ST00BP00 15.0 CML 15.35,PULLING BOP,PREP TO P&A

MISSISSIPPI CYN
SHELL

807
OCS: 7963

PROSPECT: MARS
WELL: A23ST3

Status: DRLG

807 FLD

Class: INJ

API: 608174049403

LOC 3657' FNL & 5612' FWL of Block 00807 MISSISSIPPI CYN
 LAT = 28.16944737(28°10'10.011") LON = -89.22300178(-89°13'22.806")
 X = 924,332 Y = 10,228,983 PMD: 18621 PTVD: 15777
 PBHL: OH 3657' FNL & 5612' FWL of Block 807 MISSISSIPPI CYN
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 08/05/2026 SUSP: COMP: RR:
 CSG= OH OLD(36 @3224 ; 26 @4311 ; 20 @5377 ; 16 @7105 ; 14LNR @6491-9120 ; 13 3/8LNR @6191-13115 ; 11 7/8LNR @9092-13572)
 7 5/8LNR @12339-17830

WD= 2945 KB= 191 RIG: H&P 201 / H&P DRLG
 Date Reached TD:

08/12/2026 TD 17835 OH ST03BP00 12.1 MPD 12.9,STO #A-23ST2 @14798,LWD(ONTRAK) PREP TO RUN 7 5/8LNR
 08/19/2026 TD 17835 OH ST03BP00 12.1 MPD 12.9,RAN 7 5/8LNR @12339-17830,PREP TO RUN TB
 08/26/2026 TD 17835 OH ST03BP00 12.1 MPD 12.9,PREP TO RUN TB
 09/02/2026 TD 17835 OH ST03BP00 12.1 MPD 12.9,RAN 7 5/8 X 9 7/8TB @12365,PAUSED OPERATIONS DUE TO LOOP CURRENT 2.8 KNOTS, WILL PERFORM 3 WEEK RIG MAINTENANCE WHILE WAITING ON LOOP CURRENT
 09/09/2026 TD 17835 OH ST03BP00 12.1 MPD 12.9,PAUSED OPERATIONS,W/ON LOOP CURRENT 2.8 KNOTS

MISSISSIPPI CYN
SHELL

809
OCS: 5868

PROSPECT: PRINCESS
WELL: P13

Status: PERM

807 FLD

Class: DEV

API: 608174152800

LOC 1359' FNL & 7724' FEL of Block 00809 MISSISSIPPI CYN
 LAT = 28.17744749(28°10'38.811") LON = -89.11706670(-89°07'01.440")
 X = 958,516 Y = 10,231,281 PMD: PTVD:
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: SUSP: COMP: RR:

WD= 3630 KB= RIG: NOBLE VOYAGER / NOBLE DRLG
 Date Reached TD:

09/02/2026 OH ST00BP00 BATCH SET

SOUTH TIMBALIER
CANTIUM, LLC

23
OCS: 386

PROSPECT:
WELL: SJ23ST2

Status: PERM

BM 2 FLD

Class: DEV

API: 177154068302

LOC 1988' FNL & 4152' FEL of Block 00023 SOUTH TIMBALIER
 LAT = 29.02531357(29°01'31.129") LON = -90.16091768(-90°09'39.304")

ACTIVE

X = 2,374,734 **Y** = 132,342 **PMD:** **PTVD:**
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: **SUSP:** **COMP:** **RR:**
CSG= OH OLD(36 @290 ; 16 @1000 ; 10 3/4 @3538 ; 7 @8815 ; 5 @8054)

WD= 48 **KB=** **RIG:** ENTERPRISE 205 / ENTERPRISE DRLG
Date Reached TD:

09/02/2026 OH ST02BP00 STO #SJ-23ST, LOCATION

BAY MARCHAND **3** **PROSPECT:**
CANTIUM, LLC **SL: 1367** **WELL: 4ST2** **Status: PERM**

2 FLD **Class: DEV** **API: 177142022902/248359**

LOC 3853' FNL & 3925' FEL **of Block** 00003 BAY MARCHAND
LAT = 29.07760528 (29°04'39.379") **LON** = -90.17245947 (-90°10'20.854")
X = 2,370,853 **Y** = 151,319 **PMD:** **PTVD:**
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: **SUSP:** **COMP:** **RR:**
CSG= OH OLD(16 @527 ; 9 5/8 @1365)

WD= 37 **KB=** 90 **RIG:** ENTERPRISE 205 / ENTERPRISE DRLG
Date Reached TD:

09/02/2026 OH ST02BP00 STO #4ST, LOCATION

