

**OFFSHORE OIL SCOUTS ASSOCIATION
GULF ATLANTIC**

WEEKLY DRILLING REPORT

DEEP WATER

Wednesday, February 18, 2026





OFFSHORE OIL SCOUTS

PROPRIETARY

STATEMENT



This information is provided by exclusive agreement with The Offshore Oil Scouts Association. The recipient acknowledges that the data and materials are proprietary information and trade secret, whether or not any portion thereof may be validly copyrighted or patented. Any reproduction or other use without the express written consent of The Association President will be pursued to the fullest extent of the law.

Table of Contents

NEW LOCATIONS

WALKER RIDGE Block 425 WELL 5 MURPHY EXPLORATION & PROD

MISSISSIPPI CYN Block 812 WELL KI2 SHELL

ACTIVE

GARDEN BANKS Block 959 WELL 10 SHELL

GARDEN BANKS Block 959 WELL 7 SHELL

GARDEN BANKS Block 959 WELL 9 SHELL

GARDEN BANKS Block 959 WELL SP203 SHELL

ALAMINOS CYN Block 772 WELL WS402 SHELL

ALAMINOS CYN Block 857 WELL GA23 SHELL

KEATHLEY CYN Block 918 WELL 5ST ANADARKO PETROLEUM CORPOR

GREEN CYN Block 641 WELL IN3 CHEVRON U.S.A. INC.

GREEN CYN Block 680 WELL 8 ANADARKO PETROLEUM CORPOR

GREEN CYN Block 782 WELL MD15 BP EXPLORATION & PRODUCTI

GREEN CYN Block 807 WELL AP4ST CHEVRON U.S.A. INC.

GREEN CYN Block 868 WELL 3ST BP EXPL

WALKER RIDGE Block 29 WELL A12 CHEVRON U.S.A. INC.

MISSISSIPPI CYN Block 385 WELL 4 MURPHY EXPLORATION & PROD

MISSISSIPPI CYN Block 393 WELL VX4 SHELL

MISSISSIPPI CYN Block 519 WELL SS4 TALOS ENERGY OFFSHORE LLC

MISSISSIPPI CYN Block 522 WELL 7 BP EXPL

MISSISSIPPI CYN Block 651 WELL 2 CHEVRON U.S.A. INC.

MISSISSIPPI CYN Block 759 WELL ZA2ST BEACON OFFSHORE ENERGY

MISSISSIPPI CYN Block 778 WELL 14 BP EXPL & PROD INC.

WELLS REACHING TD

GARDEN BANKS Block 959 WELL 9 SHELL

GREEN CYN Block 782 WELL MD15 BP EXPLORATION & PRODUCTI

MISSISSIPPI CYN Block 385 WELL 4 MURPHY EXPLORATION & PROD

SUSPENDED

MISSISSIPPI CYN Block 778 WELL 14 BP EXPL & PROD INC.

COMPLETED

GARDEN BANKS Block 959 WELL 10 SHELL

GARDEN BANKS Block 959 WELL 7 SHELL

GARDEN BANKS Block 959 WELL 9 SHELL

NEW LOCATIONS

WALKER RIDGE 425 PROSPECT: CHINOOK
 MURPHY EXPLORATION & PRO OCS: 16987 WELL: 5 Status: NEW

469 FLD Class: DEV API: 608124015900

LOC 23' FNL & 7298' FEL of Block 00469 WALKER RIDGE
 LAT = 26.51968595 (26°31'10.869") LON = -90.53022803 (-90°31'48.821")
 X = 2,447,902 Y = 9,630,697 PMD: 26880 PTVD: 26183
 PBHL: OH 793' FSL & 5559' FWL of Block 425 WALKER RIDGE
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: SUSP: COMP: RR:

WD= 8844 KB= RIG: STANLEY LAFOSSE / NOBLE DRLG

Date Reached TD:

02/18/2026 OH ST00BP00 LOCATION

MISSISSIPPI CYN 812 PROSPECT: KAIKIAS
 SHELL OCS: 34461 WELL: KI2 Status: NEW

768 FLD Class: INJ SS API: 608174152400

LOC 6675' FSL & 5760' FEL of Block 00812 MISSISSIPPI CYN
 LAT = 28.15827055 (28°09'29.774") LON = -88.96312064 (-88°57'47.234")
 X = 1,008,000 Y = 10,223,475 PMD: 29835 PTVD: 26815
 PBHL: OH 7513' FSL & 2732' FWL of Block 812 MISSISSIPPI CYN
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: SUSP: COMP: RR:

WD= 4547 = RIG: STENA EVOLUTION / STENA DRILLING

Date Reached TD:

02/18/2026 OH ST00BP00 PREP TO SPUD

ACTIVE

GARDEN BANKS **959** **PROSPECT: SPARTA**
SHELL **OCS: 30876** **WELL: 10** **Status: P&A**

958 FLD **Class: EXP** **API: 608074034400**

LOC 4206' FSL & 5895' FWL **of Block** 00959 GARDEN BANKS
LAT = 27.03014579 (27°01'48.525") **LON** = -92.23044693 (-92°13'49.609")
X = 1,890,855 **Y** = 9,809,166 **PMD:** 5607 **PTVD:**
ATD OH: 5607 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 02/06/2026 **SUSP:** **COMP:** 02/09/2026 **RR:** 02/09/2026

WD= 4355 **KB=** 102 **RIG:** DW PONTUS / TRANSOCEAN
Date Reached TD: 02/08/2026

02/04/2026 OH ST00BP00 IS A SHALLOW PILOT HOLE THAT WE ARE DRILLING IN THE SPARTA FIELD TO TEST A POTENTIAL DRILL CENTER
 02/11/2026 TD 5607 OH ST00BP00 11.5 LWD (GR, RES, PWD, NMR, DEN, NEUT, SON) PREP TO P&A
 02/18/2026 TD 5607 OH ST00BP00 11.5 SET PLUG, TOC @4607, P&A

GARDEN BANKS **959** **PROSPECT: SPARTA**
SHELL **OCS: 30876** **WELL: 7** **Status: P&A**

958 FLD **Class: EXP** **API: 608074034100**

LOC 5911' FSL & 4421' FWL **of Block** 00959 GARDEN BANKS
LAT = 27.03486225 (27°02'05.504") **LON** = -92.23494415 (-92°14'05.799")
X = 1,889,381 **Y** = 9,810,871 **PMD:** 5427 **PTVD:**
ATD OH: 5525 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 02/03/2026 **SUSP:** **COMP:** 02/05/2026 **RR:** 02/05/2026

WD= 4325 **KB=** 102 **RIG:** DW PONTUS / TRANSOCEAN
Date Reached TD: 02/04/2026

02/04/2026 OH ST00BP00 IS A SHALLOW PILOT HOLE THAT WE ARE DRILLING IN THE SPARTA FIELD TO TEST A POTENTIAL DRILL CENTER, RIGGING UP
 02/11/2026 TD 5525 OH ST00BP00 11.5 LWD (GR, RES, PWD, NMR, DEN, NEUT, SON) SET ABANDONMENT CEMENT PLUG, TOC @4427, P&A (HOLD)
 02/18/2026 TD 5525 OH ST00BP00 11.5 P&A

GARDEN BANKS **959** **PROSPECT: SPARTA**
SHELL **OCS: 30876** **WELL: 9** **Status: P&A**

958 FLD **Class: EXP** **API: 608074034300**

LOC 4168' FSL & 5819' FWL **of Block** 00959 GARDEN BANKS
LAT = 27.03004250 (27°01'48.153") **LON** = -92.23068116 (-92°13'50.452")
X = 1,890,779 **Y** = 9,809,128 **PMD:** 5604 **PTVD:**
ATD OH: 5604 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 02/10/2026 **SUSP:** **COMP:** 02/13/2026 **RR:** 02/13/2026

WD= 4352 **KB=** **RIG:** DW PONTUS / TRANSOCEAN
Date Reached TD: 02/13/2026

02/04/2026 OH ST00BP00 IS A SHALLOW PILOT HOLE THAT WE ARE DRILLING IN THE SPARTA FIELD TO TEST A POTENTIAL DRILL CENTER
 02/18/2026 TD 5604 OH ST00BP00 11.5 LWD (GR, RES, PWD) NMR, DEN, NEUT, SON) SET PLUG, TOC @4604, P&A

ACTIVE

GARDEN BANKS **959** **PROSPECT: SPARTA**
SHELL **OCS: 30876** **WELL: SP203** **Status: TA**

958 FLD **Class: DEV** **SS** **API: 608074033200**

LOC 7507' FNL & 3623' FWL **of Block** 00959 GARDEN BANKS
LAT = 27.04154036 (27°02'29.545") **LON** = -92.23735115 (-92°14'14.464")

X = 1,888,583 **Y** = 9,813,293 **PMD:** 31527 **PTVD:** 31019

PBHL: OH 6135' FSL & 1793' FWL **of Block** 959 GARDEN BANKS

ABHL: OH **MD:** 31158 **TVD:** 30655 S 2211' @ W 1830'

ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 09/05/2025 **SUSP:** **COMP:** **RR:**
CSG= OH 42 @4630 274' ; 32 @5559 ; 28 @6704 ; 22 @10164 FIT 15.4 ; 14 @24315 FIT 16.7

WD= 4269 **KB=** 87 **RIG:** STENA EVOLUTION / STENA DRILLING

Date Reached TD:

06/04/2025		OH	ST00BP00		BATCH SET
09/10/2025	DRLG	6108	OH	ST00BP00 12.1	42 @4630 W/274'P, 32 @5559, M/OFF 9-6-25, M/ON 9-8-25, LWD (GR, RES, PWD)
09/17/2025	TD	10214	OH	ST00BP00 13.0	28 @6704, LWD (GR, RES, PWD) RNG 22
09/24/2025	TD	10214	OH	ST00BP00 13.0	22 @10164, M/OFF 9-15-25, WILL RETURN
12/10/2025	TD	10214	OH	ST00BP00 13.0	M/ON 12-6-25, RIGGING UP
12/17/2025	TD	10214	OH	ST00BP00 13.0	FINISHED RIGGING UP, PREP TO DRILL AHEAD
12/24/2025	TD	24365	OH	ST00BP00 16.3	CML 15.9, FIT 15.4 ON 22, LWD (GR, RES, PWD, SON) PREP TO RUN 14
12/31/2025	DRLG	24535	OH	ST00BP00 16.3	CML 16.1, RAN 14 @24315, FIT 16.66, LWD (GR, RES, PWD)
01/07/2026	DRLG	31158	OH	ST00BP00 16.3	CML 16.3, LWD (GR, RES, PWD) ORIG MD, 31108, TVD 30615
01/14/2026	TD	31158	OH	ST00BP00 16.3	CML 16.3, WELL CONTROL WORK DECISION NOT TO DRILL AHEAD, PREP TO PB & BYPASS
01/21/2026	TD	31158	OH	ST00BP00 16.3	CML 16.3, SET 2 OPEN HOLE PLUGS, PREP TO SET KICKOFF PLUG & BYPASS
01/28/2026	TD	31158	OH	ST00BP00 16.3	CML 16.3, SET KICKOFF PLUG, TOC @23915, PREP TO BYPASS
02/04/2026	TD	31158	OH	ST00BP00 16.3	CML 16.3, DRILLED CEMENT W/BYPASS BHA, OBSERVED LOSSES INDICATING INADEQUATE CEMENT, COULD NOT BYPASS, SET ADDL PLUG, TOC @ 24439, SETTING PLUG #5 TO BYPASS
02/11/2026	TD	31158	OH	ST00BP00 16.3	CML 16.3, SET PLUG #5, TOC @23924, PREP TO T/A, WILL RETURN TO BYPASS
02/18/2026	TD	31158	OH	ST00BP00 16.3	CML 16.3, T/A 2-10-26, WILL RETURN

ALAMINOS CYN **772** **PROSPECT: WHALE**
SHELL **OCS: 35153** **WELL: WS402** **Status: DRLG**

772 FLD **Class: EXP** **API: 608054011300**

LOC 2004' FSL & 1776' FWL **of Block** 00772 ALAMINOS CYN
LAT = 26.18711206 (26°11'13.603") **LON** = -94.76103014 (-94°45'39.709")

X = 1,063,056 **Y** = 9,506,004 **PMD:** 21735 **PTVD:** 21678

PBHL: OH 1688' FSL & 1147' FWL **of Block** 772 ALAMINOS CYN

ABHL: OH **MD:** 21716 **TVD:** 21658 S 313' @ W 651'

ATD OH: 21716 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 04/08/2025 **SUSP:** **COMP:** **RR:**
CSG= OH 38 @9124 202' ; 28 @10795 ; 22 @12725 FIT 11.1 ; 16LNR @12379-14640 FIT 11.8 ; 14LNR @14380-18239 FIT 11.8 ; 9 5/8LNR @17468-21711

WD= 8820 **KB=** 102 **RIG:** DW POSEIDON / TRANSOCEAN

Date Reached TD: 01/20/2026

04/02/2025		OH	ST00BP00		BATCH SET
04/09/2025		OH	ST00BP00		RIGGING UP

ACTIVE

04/16/2025	DRLG	12164	OH	ST00BP00	10.5	38 @9124 W/202'P,28 @10795,LWD (GR,RES,PWD)
04/23/2025	TD	12770	OH	ST00BP00	10.5	LWD (GR,RES,PWD) 22 @12725,M/OFF 4-20-25, WILL RETURN
12/17/2025	TD	12770	OH	ST00BP00	10.5	M/ON 12-13-25,RIGGING UP
12/24/2025	TD	12770	OH	ST00BP00	10.5	RNG RISER
12/31/2025	TD	14650	OH	ST00BP00	9.2	MPD 10.1,FIT 11.07 ON 22,LWD (GR,RES,PWD) PREP TO WL THEN RUN 16
01/07/2026	TD	18370	OH	ST00BP00	10.8	MPD OFF,UNABLE TO WL SECTION AS PLANNED, RAN 16LNR @12379-14640,FIT 11.75 ,LWD (GR, RES,PWD) PREP TO WL
01/14/2026	TD	18370	OH	ST00BP00	10.8	MPD OFF,RAN WL,GR.DEN.NEUT,SON,CALP @18370, ATTEMPTED MDT FOR PRESSURES,FAILED TO OPERATE,TOOK MDTs (PRESS & SAMP) PREP TO RUN 14LNR
01/21/2026	TD	18370	OH	ST00BP00	10.8	MPD OFF,RAN 14LNR @14380-18239,PREP TO DRILL OUT
01/28/2026	TD	21716	OH	ST00BP00	9.6	MPD 10.1,FIT 11.84 ON 14LNR,LWD (ARCVIS,DEN, NEUT,STETH) TOOK OPEN HOLE DFIT 10.81,PREP TO LOG
02/04/2026	TD	21716	OH	ST00BP00	9.6	MPD 10.1,RAN WL,MSIP,NGI,3PPC @21716,TOOK MDT (PRESS) RAN 9 5/8LNR @17468-21711,RAN 10 3/4 X 9 5/8TB @17513,COMPTG
02/11/2026	TD	21716	OH	ST00BP00	9.6	MPD 10.1,COMPTG
02/18/2026	TD	21716	OH	ST00BP00	9.6	MPD 10.1,COMPTG

**ALAMINOS CYN
SHELL**

857

PROSPECT: GREAT WHITE

OCS: 17565

WELL: GA23

Status: DRLG

857 FLD

Class: DEV

API: 608054006000

LOC 2836' FNL & 4006' FWL of Block 00857 ALAMINOS CYN
 LAT = 26.12847000 (26°07'42.492") LON = -94.89819000 (-94°53'53.484")
 X = 1,017,766 Y = 9,485,324 PMD: 18967 PTVD: 18736
 PBHL: OH 3934' FNL & 2485' FWL of Block 857 ALAMINOS CYN
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 11/08/2007 SUSP: COMP: RR:
 CSG= OH 36 @8084 193' ; 22 @9169 ; 16 @10476 LOT 9.9 ;
 13 3/8LNR @10409-11931 LOT 10.4 ; 11 3/4 @14033 LOT 10.2

WD= 7819 KB= 203 RIG: H&P 205 / H&P DRLG
 Date Reached TD:

10/31/2007			OH			(BATCH SET)
11/14/2007	TD	10517	OH		10.0	36 @8084W/193'P,LWD (GR,RES,PWD) @9169,NO SWC,22 @9169,LWD (GR,RES,PWD) @10517,NO SWC, 16 @10476,M/OFF 11-10-07 (WILL RET
01/07/2026	TD	10517	OH	ST00BP00	10.0	M/ON 1-4-26,RIGGING UP
01/14/2026	TD	11964	OH	ST00BP00	9.0	MPD 9.4,LOT 9.87 ON 16,LWD (GR,RES,PWD) PREP TO RUN 13 3/8LNR
01/21/2026	TD	11964	OH	ST00BP00	9.0	MPD 9.4,RAN 13 3/8LNR @10409-11931,PREP TO DRILL OUT
01/28/2026	TD	14083	OH	ST00BP00	9.6	MPD 10.1,LOT 10.44 ON 13 3/8LNR,LWD (GR,RES, PWD) PREP TO RUN 11 3/4
02/04/2026	TD	14096	OH	ST00BP00	8.6	MPD OFF,RAN 11 3/4 @14033,LOT 10.23,UNABLE TO OPEN REAMER,TIH W/NEW BHA
02/11/2026	TD	14096	OH	ST00BP00	8.6	MPD OFF,PERFORMED RIG MAINTENANCE,PREP TO DRILL AHEAD
02/18/2026	TD	14647	OH	ST00BP00	8.6	MPD OFF,LWD (GR,RES,PWD) PREP TO RUN 9 5/8LNR

KEATHLEY CYN

ANADARKO PETROLEUM CORPO

918

PROSPECT: HADRIAN NORTH

OCS: 32654

WELL: 5ST

Status: DRLG

875 FLD

Class: DEV

Hrz/SS

API: 608084007901

LOC 7073' FSL & 648' FWL of Block 00919 KEATHLEY CYN

ACTIVE

LAT = 26.07798692 (26°04'40.753") **LON** = -92.05968484 (-92°03'34.865")
X = 1,948,968 **Y** = 9,463,553 **PMD**: 21396 **PTVD**: 18451
PBHL: OH 5657' FNL & 1059' FEL **of Block** 918 KEATHLEY CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 01/29/2026 **SUSP:** **COMP:** **RR:**
CSG= OH OLD(36 @7774 ; 28 @8592 ; 22 @11296 ; 14 @13443)
 9 7/8LNR @12989-19328

WD= 7387 **KB**= 81 **RIG**: OCEAN BLACKHAWK / NOBLE DRLG

Date Reached TD:

02/04/2026 TD 19360 OH ST01BP00 11.6 STO #5 @13605,MPD 12.6,LWD (GR, RES, PWD)
 CIRCULATING
 02/11/2026 TD 19360 OH ST01BP00 11.7 MPD 12.6,RAN 9 7/8LNR @12989-19328,RAN 10
 1/8 X 10 3/4TB @12989,PREP TO DRILL OUT &
 TEST LNR
 02/18/2026 TD 19360 OH ST01BP00 11.7 MPD 12.6,C/O HOLE,PREP TO DRILL OUT & TEST
 LNR

GREEN CYN **641** **PROSPECT: TAHITI**
CHEVRON U.S.A. INC. **OCS: 16770** **WELL: IN3** **Status: DRLG**

640 FLD **Class: INJ** **SS** **API: 608114079200**

LOC 2536' FSL & 3287' FEL **of Block** 00596 GREEN CYN
LAT = 27.35813862 (27°21'29.299") **LON** = -90.74348842 (-90°44'36.558")
X = 2,372,713 **Y** = 9,934,216 **PMD**: 28933 **PTVD**: 27185
PBHL: OH 2933' FNL & 1731' FWL **of Block** 641 GREEN CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 06/28/2025 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @4401 308' ; 22 @6237 FIT 14.0 ; 18LNR @5785-11042 FIT 16.1 ;
 16LNR @4393-19634

WD= 4012 **KB**= 106 **RIG**: DW ASGARD / TRANSOCEAN

Date Reached TD:

06/18/2025 OH ST00BP00 BATCH SET
 07/02/2025 TD 6275 OH ST00BP00 10.5 36 @4401 W/308'P,LWD (GR, PWD) 22 @6237,WOC
 07/09/2025 TD 6275 OH ST00BP00 10.5 M/OFF 7-1-25,WILL RETURN
 01/21/2026 TD 6275 OH ST00BP00 10.5 MIR TO RESUME DRILLING OPERATIONS
 01/28/2026 TD 6275 OH ST00BP00 10.5 M/ON 1-19-26,BWM,RAN RISER & BOP,PULLING
 BOP FOR REPAIR
 02/04/2026 TD 11187 OH ST00BP00 12.7 REPD BOP,RAN BOP,FIT 14.0 ON 22,LWD (GR, RES,
 PWD)PREP TO RUN 18LNR
 02/11/2026 DRLG 15067 OH ST00BP00 13.8 MPD 14.6,RAN 18LNR @5785-11042,FIT 16.1,
 LWD (EWR (GR, RES, PWD))
 02/18/2026 TD 19780 OH ST00BP00 14.4 MPD 15.1,LWD (EWR (GR, RES, PWD)RAN 16LNR @
 4393-19634,WOC

GREEN CYN **680** **PROSPECT: BANDIT**
ANADARKO PETROLEUM CORPO **OCS: 22987** **WELL: 8** **Status: DRLG**

680 FLD **Class: EXP** **SS** **API: 608114079400**

LOC 2799' FSL & 3000' FWL **of Block** 00680 GREEN CYN
LAT = 27.27518670 (27°16'30.672") **LON** = -90.96961747 (-90°58'10.623")
X = 2,299,800 **Y** = 9,902,799 **PMD**: 38000 **PTVD**:
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 09/03/2025 **SUSP:** **COMP:** **RR:**
CSG= OH 42 @5397 304' ; 28 @6366 ; 22 @9763 FIT 12.5 ; 18LNR @9466-17071 FIT 15.1 ;
 16LNR @8456-20960 FIT 16.6 ; 14 @23805 FIT 16.4 ; 11 7/8LNR @23484-24683 FIT 16.4 ;
 9 7/8LNR @24407-30310 FIT 16.4

WD= 5013 KB= 80
Date Reached TD:

RIG: DS-16 / VALARIS

08/27/2025		OH	ST00BP00		RIG ON LOCATION, PERFORMING BETWEEN WELL MAINTENANCE
09/03/2025		OH	ST00BP00		PERFORMING BETWEEN WELL MAINTENANCE
09/10/2025	TD	9800	OH	ST00BP00	12.0 42 @5397 W/304'P, LWD (GR, RES, APWD) 28 @6366, 22 @9763, WOC
09/17/2025	TD	9800	OH	ST00BP00	10.5 RAN RISER & BOP, TSTD MPD, BOP TEST FAILED, PULLING RISER & BOP
09/24/2025	DRLG	9975	OH	ST00BP00	10.5 MPD 11.2, FIT 12.5 ON 22, REPD BOP, RERAN BOP & RISER, LWD (GR, RES, APWD, ABGR)
10/01/2025	DRLG	15395	OH	ST00BP00	11.2 MPD 11.6, LWD (GR, RES, APWD, ABGR)
10/08/2025	TD	17090	OH	ST00BP00	11.3 MPD 11.6, LWD (GR, RES, APWD, ABGR) 18LNR @ 9466-17071, PREP TO TEST LNR
10/15/2025	TD	21020	OH	ST00BP00	14.0 MPD 14.2, FIT 15.10 ON 18LNR, LWD (GR, RES, APWD, ABGR, SON) PREP TO RUN 16LNR
10/22/2025	DRLG	22474	OH	ST00BP00	15.2 MPD 16.0, RAN 16LNR @8456-20960, FIT 16.6, LWD (GR, RES, ABGR, SON, DEN, NEUT, APWD)
10/29/2025	TD	24003	OH	ST00BP00	15.2 MPD 16.2, LWD (GR, RES, ABGR, SON, DEN, NEUT, APWD) WELL BEGAN TO FLOW WHEN TRYING TO REDUCE MPD @24003, WELL FLOWED @15.8, SHUT-IN WELL, CIRC TO GET WELL STATIC, SQUEEZED CEMENT IN OPEN HOLE, ROLLED SURFACE MUD WEIGHT TO 15.9, PREP TO DRILL OUT CEMENT
11/05/2025	TD	24003	OH	ST00BP00	15.9 MPD 16.1, DRILLED OUT CEMENT TO BOTTOM OF HOLE, RNG 14
11/12/2025	TD	24003	OH	ST00BP00	15.8 NO MPD, RAN 14 @23805, DRILLED OUT SHOE & TOOK DYNAMIC LOT 16.4, SET PKR @23640, PREP TO SQUEEZE CEMENT
11/19/2025	TD	24262	OH	ST00BP00	15.4 MPD 16.08, DRILLED OUT TO 23815, TOOK DFIT 16.4, ROLLED OVER MUD TO 15.7, DRILLED OUT TO 23971, TAKING LOSSES, LCM PILLS, REDUCED MUD TO 15.4, DRILLED RAT HOLE TO 24050, TOOK DLOT TO 16.12, LWD (GR, RES, ABGR, SON, DEN, NEUT, APWD, GEOTAP) REAMED OUT HOLE, UNABLE TO CLOSE REAMER, WORKING ON CLOSING REAMER
11/26/2025	TD	24262	OH	ST00BP00	15.4 MPD 16.1, CLOSED REAMER, SQUEEZED CEMENT IN OPEN-HOLE, PREP TO DRILL OUT & DRILL AHEAD
12/03/2025	TD	24729	OH	ST00BP00	15.4 MPD 16.0, LWD (GR, RES, ABGR, SON, APWD, GEOTAP) RAN 11 7/8LNR @23484-24683, FINGERPRINTING MPD, PREP TO DRILL OUT & TEST LNR
12/10/2025	TD	24739	OH	ST00BP00	15.4 FIT FAILED, SQUEEZING CEMENT
12/17/2025	DRLG	27251	OH	ST00BP00	15.5 MPD 16.2, SQUEEZED CEMENT, FIT 16.4 ON 11 7/8LNR, LWD (GR, RES, ABGR, SON, APWD, DEN, NEUT, GEOTAP)
12/24/2025	DRLG	30350	OH	ST00BP00	15.5 MPD 16.2, LWD (GR, RES, ABGR, SON, APWD, DEN, NEUT, GEOTAP)
12/31/2025	TD	30553	OH	ST00BP00	15.9 MPD OFF, LWD (GR, RES, ABGR, SON, APWD, DEN, NEUT, GEOTAP) RAN WL, ZAIT, NGI, SONSCANNER, XPT @ 30495, TOOK MDT (PRESS & SAMP) NO RECOVERY ON SAMP, PREP TO LOG
01/07/2026	TD	30553	OH	ST00BP00	15.9 RERAN MDT TO COLLECT SAMPLES, RAN 9 7/8LNR @ 24407-30310, FINGERPRINTING MPD
01/14/2026	TD	31806	OH	ST00BP00	15.4 MPD 16.2, RAN FIT 16.4 ON 9 7/8LNR, LWD (GR, RES, APWD) REAL TIME LWD WORKING INTERMITTENTLY, CHANGING OUT BHA
01/21/2026	TD	33728	OH	ST00BP00	15.4 MPD 16.2, LWD (GR, RES, APWD) OBSERVED LOSSES, SHUT-IN WELL, PUMPED CEMENT INTO OPEN HOLE, WOC
01/28/2026	TD	33728	OH	ST00BP00	16.0 NO MPD, RAN WL, ZAIT, QCNT, HLDS, HXPT @32966, RAN USIT, PREP TO LOG W/ORA TOOL
02/04/2026	TD	33728	OH	ST00BP00	16.0 NO MPD, ATTEMPTED ORA LOG TOOL, STUCK & RECD TOOL, PREP TO DRILL HEAD
02/11/2026	TD	35553	OH	ST00BP00	15.2 MPD 16.1, LWD (GR, RES, PWD) POOH TO REPLACE BHA
02/18/2026	TD	36535	OH	ST00BP00	15.2 MPD 16.1, LWD (GR, RES, PWD) WELL STARTED TO FLOW, SHUT-IN WELL, WOO

ACTIVE

GREEN CYN 782 PROSPECT: MAD DOG
 BP EXPLORATION & PRODUCT OCS: 15610 WELL: MD15 Status: DRLG

826 FLD Class: DEV API: 608114061200

LOC 7228' FSL & 6166' FEL of Block 00782 GREEN CYN
 LAT = 27.18830922 (27°11'17.913") LON = -90.26861424 (-90°16'07.011")
 X = 2,528,234 Y = 9,875,548 PMD: 25478 PTVD: 22443
 PBHL: OH 3471' FNL & 2401' FWL of Block 782 GREEN CYN
 ABHL: OH MD: 25533 TVD: 22524 N 5168' @ W 7266'
 ATD OH: 25533 BP1: BP2: BP3: BP4: BP5:

SPUD: 11/07/2013 SUSP: COMP: RR:
 CSG= OH 36 @4886 290' ; 22 @7094 FIT 10.8 ; 16LNR @6488-12455 FIT 15.1 ;
 14LNR @12154-19648 FIT 13.6

WD= 4428 KB= 168 RIG: MAD DOG SPAR / VALARIS
 Date Reached TD: 02/16/2026

09/11/2013		OH	ST00BP00		(APPROVED PERMIT 9-6-13) (BATCH SET)
10/09/2013		OH	ST00BP00		M/ON 10-7-13, PREP TO RUN 36"
10/16/2013		OH	ST00BP00		M/ON 10-7-13, 36 @4886W/290'P, M/OFF 10-10-13 (WILL RET)
11/13/2013	TD	7125	OH	ST00BP00	14.0 M/ON 11-6-13, LWD (GR, RES) PREP TO RUN 22"
11/20/2013	TD	7125	OH	ST00BP00	14.0 22" @7094, WOC
11/27/2013	TD	7125	OH	ST00BP00	14.0 M/OFF 11-19-13 (WILL RETURN)
12/24/2025	TD	7125	OH	ST00BP00	14.0 M/ON 12-14-25, C/O TO DRILL AHEAD
12/31/2025	DRLG	10664	OH	ST00BP00	10.1 FIT 10.79 ON 22, LWD (GR, RES, PWD)
01/07/2026	TD	12460	OH	ST00BP00	10.2 LWD (GR, RES, PWD) PREP TO RUN 16LNR
01/14/2026	TD	12460	OH	ST00BP00	10.2 16LNR @6488-12455, PREP TO DRILL OUT & TEST LNR
01/21/2026	DRLG	18287	OH	ST00BP00	13.9 FIT 15.06 ON 16LNR, LWD (GR, RES, PWD, SON, NBGR)
01/28/2026	TD	19659	OH	ST00BP00	14.1 LWD (GR, RES, PWD, SON, NBGR) RNG 14LNR
02/04/2026	TD	19659	OH	ST00BP00	14.2 14LNR @12154-19648, WOC
02/11/2026	TD	19659	OH	ST00BP00	14.2 PREP TO DRILL OUT & TEST 14LNR
02/18/2026	TD	25533	OH	ST00BP00	13.0 FIT 13.6 ON 14LNR, LWD (GR, RES, NBGR, PWD, DEN, NEUT, SON, FPWD) CIRC BOTTOM UP

GREEN CYN 807 PROSPECT: ANCHOR
 CHEVRON U.S.A. INC. OCS: 31752 WELL: AP4ST Status: DRLG

807 FLD Class: DEV API: 608114076101

LOC 4140' FSL & 4160' FWL of Block 00807 GREEN CYN
 LAT = 27.15144755 (27°09'05.211") LON = -91.21184754 (-91°12'42.651")
 X = 2,221,760 Y = 9,856,620 PMD: 34201 PTVD: 33113
 PBHL: OH 6892' FNL & 3414' FWL of Block 807 GREEN CYN
 ABHL: OH MD: 34287 TVD: 33154 N 5226' @ W 902'
 ATD OH: 34287 BP1: BP2: BP3: BP4: BP5:

SPUD: 08/29/2025 SUSP: COMP: RR:
 CSG= OH OLD(36 @5365 ; 28 @5676 ; 22 @10502 ; 18LNR @10115-15448 ; 16LNR @8048-24029 ;
 14LNR @22659-27240 ; 11 7/8LNR @26917-30800)
 10LNR @26642-34261

WD= 4954 KB= 75 RIG: DW TITAN / TRANSOCEAN
 Date Reached TD: 09/04/2025

09/03/2025	DRLG	32245	OH	ST01BP00	15.0 MPD 15.7, STO #AP-4 @31002, LWD (ARCVIS, SONSCOPE, ADN) ENCOUNTERED BALLOONING, CONTINUING DRILLING AHEAD
09/10/2025	TD	34287	OH	ST01BP00	15.0 MPD 15.8, LWD (ARCVIS, SONSCOPE, ADN) REAMING, PREP TO TAKE STETH PRESSURES
09/17/2025	TD	34287	OH	ST01BP00	15.0 MPD 15.74, TOOK STETH PRESSURES, WHILE RNG 10LNR, HAD BALLOONING, PERFORMED BLEED CYCLES, RAN 10LNR @26642-34261, ATTEMPT TO

ACTIVE

WALKER RIDGE 29 PROSPECT: BIG FOOT
 CHEVRON U.S.A. INC. OCS: 16942 WELL: A12 Status: DRLG

29 FLD Class: DEV SS API: 608124005900

LOC 7578' FSL & 6940' FEL of Block 00029 WALKER RIDGE
 LAT = 26.93254406(26°55'57.159") LON = -90.52019528(-90°31'12.703")
 X = 2,448,260 Y = 9,780,858 PMD: 23284 PTVD: 21486
 PBHL: OH 3381' FSL & 7270' FEL of Block 29 WALKER RIDGE
 ABHL: OH MD: 23217 TVD: 21452 S 4194' @ W 355'
 ATD OH: 23217 BP1: BP2: BP3: BP4: BP5:

SPUD: 02/24/2013 SUSP: COMP: RR:
 CSG= OH 36 @5590 307' ; 22 @8753 FIT 12.3 ; 16LNR @5677-16836 FIT 13.0 ;
 9 7/8LNR @16518-23216

WD= 5189 KB= 226 RIG: MODS 400 / NABORS OS
 Date Reached TD: 02/07/2026

12/07/2011	OH	ST00BP00		'MIOCENE' (WILL BATCH SET CASING) (PERMIT APPROVED 12-1-11)
12/14/2011	OH	ST00BP00		M/ON 12-7-11, 36 @5590W/307'P, M/OFF 12-8-11 (WILL RET)
02/27/2013 DRLG	7085	OH	ST00BP00 16.0	M/ON 2-21-13, LWD (GR, RES, ARC, TELESCOPE, PWD)
03/06/2013 TD	8798	OH	ST00BP00 13.0	LWD (GR, RES, ARC, TELESCOPE, PWD) @8798, NO SWC, 22 @8753, M/OFF 3-2-13 (WILL RET)
03/27/2013 TD	8798	OH	ST00BP00 13.0	M/ON 3-22-13, INSTALLED T/A CAP, M/OFF 3-23-13 (WILL RET)
01/07/2026 TD	8798	OH	ST00BP00 13.0	M/ON 1-3-26, RIGGING UP
01/14/2026 TD	8798	OH	ST00BP00 13.0	PRESSURE TESTED CSG & TESTED BOP, DRILLING OUT CEMENT
01/21/2026 TD	16950	OH	ST00BP00 10.8	FIT 12.3 ON 22, LWD (ARCVIS, NBGR) PREP TO RUN 16LNR
01/28/2026 TD	16950	OH	ST00BP00 10.8	WHILE POOH HAD LOSSES, RAN 16LNR @ 5677-16836, PREP TO DRILL OUT & TEST LNR
02/04/2026 TD	17274	OH	ST00BP00 11.9	FIT 13.0 ON 16LNR, LWD (ARCVIS, NBGR, SONSCOPE, STETH, SADN) CUTTING LINE PLUGGED, CLEARING LINE
02/11/2026 TD	23217	OH	ST00BP00 12.3	CLEARED PLUGGED CUTTING LINE, LWD (ARCVIS, NBGR, SONSCOPE, STETH, SADN) TOOK STETH PRESSURES, RNG 9 7/8LNR
02/18/2026 TD	23217	OH	ST00BP00 12.3	9 7/8LNR @16518-23216, PREP TO SET PKR FOR PRESSURE TESTS

MISSISSIPPI CYN 385 PROSPECT: BANJO
 MURPHY EXPLORATION & PRO OCS: 35821 WELL: 4 Status: DRLG

429 FLD Class: EXP API: 608174152000

LOC 3919' FSL & 5946' FWL of Block 00385 MISSISSIPPI CYN
 LAT = 28.59394988(28°35'38.220") LON = -88.34229783(-88°20'32.272")
 X = 1,209,786 Y = 10,379,119 PMD: 13124 PTVD: 12882
 PBHL: OH 4298' FSL & 6776' FWL of Block 385 MISSISSIPPI CYN
 ABHL: OH MD: 12906 TVD: 12724 S 122' @ E 691'
 ATD OH: 12906 BP1: 12684 BP2: BP3: BP4: BP5:

SPUD: 11/22/2025 SUSP: COMP: RR:
 CSG= OH 36 @6439 316' ; 28 @7055 ; 22 @9014 FIT 10.7 ; 18LNR @8629-9999 FIT 11.1 ;
 14 @11039 FIT 11.9 ; 11 7/8LNR @10685-12035 FIT 12.3 ; 9 7/8LNR @11869-12681

WD= 6033 KB= 87 RIG: STANLEY LAFOSSE / NOBLE DRLG
 Date Reached TD: 02/13/2026

11/19/2025	OH	ST00BP00		LOCATION
11/26/2025 TD	7200	OH	ST00BP00 8.6	36 @6439 W/316'P, LWD (GR, RES, PWD) 28 @7055,) WOC

ACTIVE

12/03/2025	TD	9064	OH	ST00BP00	12.5	22 @9014, LWD (GR, RES, PWD)M/OFF 11-30-25, WILL RETURN
01/14/2026	TD	10044	OH	ST00BP00	9.8	M/ON 1-6-26, TOOK FIT 10.74 ON 22, LWD (GR, RES, PWD)OBSERVED GAINS, MONITORED PRESSURES & VOLUMES, TIH W/18
01/21/2026	DRLG	11895	OH	ST00BP00	10.1	18LNR @8629-9999, FIT 11.1, RAN 14 @11039, FIT 11.89, LWD (GR, RES, PWD, SON)
01/28/2026	TD	12906	OH	ST00BP00	11.8	WHILE @12070, MUD 11.1, LWD (GR, RES, PWD, SON) RAN 11 7/8LNR @10685-12035, FIT 12.29, LWD (GR, RES, PWD, DEN, NEUT)GAINS WERE OBSERVED, WEIGHTED UP, C&C
02/04/2026	TD	12906	OH	ST00BP00	11.8	PERFORMED & COMPLETED PRESSURE TEST PROGRAM, PUMPED CEMENT PLUGS, TOC @12423 TO CONTROL GAINS, PREP TO DRILL OUT TO PERFORM WL LOGS
02/11/2026	TD	12906	OH	ST00BP00	11.8	DECISION WAS MADE TO NOT DRILL OUT & LOG BECAUSE OF CONCERNS FOR WELLBORE STABILITY, DRILLED OUT & BYPASSED @12040, WHILE @12550, BYPASS HOLE, MUD 11.6, LWD (GR, RES, PWD, DEN, NEUT)RAN WL, CSNG, XMR, DSN, SDL, STXB, MCI, RDT (PRESS & SAMP) @12550
02/11/2026	TD	12684	BP1	ST00BP01	11.6	LWD (GR, RES, PWD, DEN, NEUT)PREP TO WL LOG
02/18/2026	TD	12697	BP1	ST00BP01	11.6	RAN RDT (PRESS & SAMP)LWD (GR, RES, PWD, DEN, NEUT)RAN 9 7/8LNR @11869-12681, TSTG BOP

MISSISSIPPI CYN **393** **PROSPECT: VICKSBURG**
SHELL **OCS: 26254** **WELL: VX4** **Status: DRLG**

393 FLD **Class: DEV** **API: 608174152300**

LOC 5792' FNL & 836' FEL of **Block** 00393 MISSISSIPPI CYN
LAT = 28.61433938 (28°36'51.622") **LON** = -87.91927269 (-87°55'09.382")
X = 1,345,564 **Y** = 10,385,248 **PMD**: 25775 **PTVD**: 24777
PBHL: OH 6734' FSL & 3574' FEL of **Block** 393 MISSISSIPPI CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**
SPUD: 01/18/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 38 @7700 198' ; 28 @8789 ; 22 @11741 FIT 11.2 ; 16LNR @11299-17893 FIT 13.5 ; 12 1/4 X 11 7/8 @22957 FIT 15.1

WD= 7400 **KB=** 102 **RIG:** DW PROTEUS / TRANSOCEAN
Date Reached TD:

01/07/2026			OH	ST00BP00		LOCATION
01/21/2026			OH	ST00BP00		PREP TO SPUD
01/28/2026	TD	11933	OH	ST00BP00	12.0	38 @7700 W/198'P, 28 @8789, LWD (ARCVIS, PWD) 22 @11741, PREP TO RUN RISER & BOP
02/04/2026	TD	17960	OH	ST00BP00	11.0	CML 11.1, FIT 11.21 ON 22, LWD (GR, RES, PWD) PREP TO RUN 16LNR
02/11/2026	TD	23005	OH	ST00BP00	13.0	CML 13.1, RAN 16LNR @11299-17893, FIT 13.45, LWD (GR, RES, PWD) PREP TO RUN 12 1/4 X 11 7/8
02/18/2026	DRLG	23899	OH	ST00BP00	14.3	CML 14.5, RAN 12 1/4 X 11 7/8 @22957, FIT 15.14, LWD (ARCVIS, MICROSCOPE)

MISSISSIPPI CYN **519** **PROSPECT: CPN**
TALOS ENERGY OFFSHORE LL **OCS: 27278** **WELL: SS4** **Status: DRLG**

607 FLD **Class: EXP** **API: 608174152200**

LOC 1732' FSL & 4738' FWL of **Block** 00519 MISSISSIPPI CYN
LAT = 28.45812155 (28°27'29.238") **LON** = -88.24572549 (-88°14'44.612")
X = 1,240,258 **Y** = 10,329,411 **PMD**: 13495 **PTVD**: 13397
PBHL: OH 1155' FSL & 5242' FWL of **Block** 519 MISSISSIPPI CYN
ABHL: OH **MD:** 13440 **TVD:** 13258 S 571' @ E 501'
ATD OH: 13440 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 01/03/2026 **SUSP:** **COMP:** **RR:**

ACTIVE

CSG= OH 36 @6876 186' ; 28 @8500 ; 22 @10299 FIT 11.2 ; 14 @12087 FIT 12.2 ;
10 3/4 @13396

WD= 6526 KB= 164 RIG: WEST VELA / SEADRILL
Date Reached TD: 01/15/2026

12/31/2025		OH	ST00BP00		RIGGING UP
01/07/2026	DRLG	9901	OH	ST00BP00 16.0	36 @6876 W/186,28 @8500,LWD(ARCVIS)
01/14/2026	TD	10380	OH	ST00BP00 13.0	LWD(ARCVIS) 22 @10299,RAN BOP & RISER, PREP TO DRILL OUT & TAKE FIT
01/21/2026	TD	13440	OH	ST00BP00 11.5	FIT 11.2 ON 22,WHILE @12138,10.6, LWD(ARCVIS)RAN 14 @12087,FIT 12.2, LWD(ARCVIS, STETH, SONSCOPE, SADN)RAN WL, ZAIT, RT SCANNER @13440,TOOK MDTs(PRESS & SAMP) TOOK RSWC, SPOTTED PILL,C&C
01/28/2026	TD	13440	OH	ST00BP00 11.5	10 3/4 @13396,COMPTG
02/04/2026	TD	13440	OH	ST00BP00 11.5	COMPTG
02/11/2026	TD	13440	OH	ST00BP00 11.5	COMPTG
02/18/2026	TD	13440	OH	ST00BP00 11.5	PREP TO R.R.

MISSISSIPPI CYN 522 PROSPECT: NAKIKA
BP EXPL OCS: 8823 WELL: 7 Status: DRLG

522 FLD Class: DEV API: 608174152100

LOC 3195' FSL & 2704' FWL of Block 00522 MISSISSIPPI CYN
LAT = 28.46337181(28°27'48.139") LON = -88.10418881(-88°06'15.080")

X = 1,285,744 Y = 10,330,875 PMD: 15500 PTVD: 15476

PBHL: OH 3808' FSL & 3056' FWL of Block 522 MISSISSIPPI CYN

ABHL: OH MD: 15523 TVD: 15499 S 318' @ W 110'

ATD OH: 15523 BP1: BP2: BP3: BP4: BP5:

SPUD: 12/21/2025 SUSP: COMP: RR:

CSG= OH 36 @7282 189' ; 28 @9062 ; 16 @12436 FIT 11.8 ; 9 7/8LNR @12250-15490

WD= 7012 KB= 81 RIG: OCEAN BLACK LION / DIAMOND OS
Date Reached TD: 01/08/2026

12/24/2025	DRLG	7571	OH	ST00BP00 16.0	36 @7282W/189,LWD(GR,RES,APWD)
12/31/2025	TD	12528	OH	ST00BP00 13.5	28 @9062,LWD(GR,RES,APWD)16 @12436,WOC
01/07/2026	TD	12528	OH	ST00BP00 10.6	RAN BOP & RISER, PREP TO DRILL OUT & TEST 16
01/14/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37,FIT 11.81 ON 16,LWD(GR,RES,PWD, ABGR,FPWD,SON,DEN,NEUT)BEGAN RNG 9 7/8LNR, HIT OBSTRUCTION @11087,POOH WHILE DISCUSSING FORWARD PLAN
01/21/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37,MILLED OUT OBSTRUCTIONS IN 16, C/O PRIOR TO RUNNING 9 7/8LNR
01/28/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37,RAN 9 7/8LNR @12250-15490, PERFORMING DOWN HOLE FIT
02/04/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37,COMPTG
02/11/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37,COMPTG
02/18/2026	TD	15523	OH	ST00BP00 10.4	MPD 11.37,COMPTG

MISSISSIPPI CYN 651 PROSPECT: BALLYMORE
CHEVRON U.S.A. INC. OCS: 34454 WELL: 2 Status: DRLG

651 WC Class: INJ API: 608174140800

LOC 275' FSL & 3217' FWL of Block 00607 MISSISSIPPI CYN
LAT = 28.36692731(28°22'00.938") LON = -88.24938930(-88°14'57.801")

X = 1,238,737 Y = 10,296,275 PMD: 30520 PTVD: 30069

PBHL: OH 2716' FNL & 4006' FWL of Block 651 MISSISSIPPI CYN

ABHL: OH MD: 30576 TVD: 30162 S 2799' @ E 822'

ATD OH: 21426 BP1: 30576 BP2: BP3: BP4: BP5:

SPUD: 05/01/2019 SUSP: COMP: RR:

ACTIVE

CSG= OH 36 @6924 306' ; 28 @7550 ; 22 @11625 FIT 11.8 ; 18LNR @11180-15683 LOT 13.4 ;
 16 @22608 FIT 15.0 ; 14 @25166 FIT 15.8 ; 11 7/8LNR @24742-27460 FIT 16.1 ;
 10 1/8LNR @23151-28884 FIT 15.7 ; 10LNR EXTENTION @21096-23204

WD= 6536 KB= 101 RIG: DW CONQUERER / TRANSOCEAN

Date Reached TD:

03/20/2019		OH	ST00BP00		LOCATION
05/01/2019		OH	ST00BP00		BETWEEN WELL MAINTENANCE
05/08/2019	TD	36	11650	OH	ST00BP00 13.5 36 @6924 W/306'P,28 @7550,22 @11625, LWD(AUTOTRAK,ONTRAK)RNG RISER & BOP
05/15/2019	TD	15800	OH	ST00BP00 11.0	FIT 11.8 ON 22,LWD(AUTOTRAK,ONTRAK)18LNR @ 11180-15683,PREP TO DRILL OUT FOR LOT
05/22/2019	TD	21426	OH	ST00BP00 12.7	LOT 13.4 ON 18LNR,LWD(AUTOTRAK,ONTRAK, ZONETRAK)PLUGGING BACK TO BYPASS HOLE CONDITIONS
05/29/2019	TD	21426	OH	ST00BP00 12.7	PB & BYPASSED @18381
05/29/2019	TD	22660	BP1	ST00BP01 12.7	LWD(AUTOTRAK,ONTRAK,ZONETRAK)RNG 16
06/05/2019	TD	22672	BP1	ST00BP01 12.7	16 @22608,FIT 15.0,MILLED CONE BROKE OFF BHA,C&C WHILE TOH W/JUNK BASKET
06/12/2019	TD	23948	BP1	ST00BP01 13.5	RECD JUNK,LWD(AUTOTRAK,ONTRAK,SOUNDTRAK, ZONETRAK)TRIPPING FOR BHA
06/19/2019	TD	25200	BP1	ST00BP01 13.8	LWD(AUTOTRAK,ONTRAK,SOUNDTRAK,ZONETRAK)14 @ 25166,WOC
06/26/2019	TD	27490	BP1	ST00BP01 14.3	FIT 15.8 ON 14,LWD(AUTOTRAK,ONTRAK, SOUNDTRAK,ZONETRAK)PREP TO RUN 11 7/8LNR
07/03/2019	DRLG	29150	BP1	ST00BP01 15.0	11 7/8LNR @24742-27460,FIT 16.1, LWD(AUTOTRAK,ONTRAK,SOUNDTRAK,ZONETRAK,ORD, CCN)
07/17/2019	DRLG	29725	BP1	ST00BP01 14.8	WHILE @29450,15.1,LWD(AUTOTRAK,ONTRAK, SOUNDTRAK,ZONETRAK,ORD,CCN)STK & SET 10 1/8LNR @23151-28884,FIT 15.7,LWD(AUTOTRAK, ONTRAK)
07/24/2019	TD	30287	BP1	ST00BP01 14.8	LWD(AUTOTRAK,ONTRAK - CAME OFF @29745) RIH W/"MAD PASS" LWD(AUTOTRAK.ONTRAK.SOUNDTRAK, MAGTRAK,FRACVIEW,ORD,CCN)
07/31/2019	TD	30576	BP1	ST00BP01 14.8	"MAD PASS" LWD(AUTOTRAK,ONTRAK.SOUNDTRAK, MAGTRAK,FRACVIEW,ORD,CCN) @29515-30287, LWD(AUTOTRAK,ONTRAK.SOUNDTRAK,MAGTRAK, FRACVIEW,ORD,CCN)MREX,CDL,CN,FTEX @30540, TAKING RCX/SENTINEL(PRESS & SAMP)
08/07/2019	TD	30576	BP1	ST00BP01 14.8	REC'D RCX/SENTINEL(PRESS & SAMP)SCB IMAGE/ACOUSTIC @30520,OH PLUGS,CIBP @27896, SETTING ADDL CEMT PLUGS(CONV CORED)
08/14/2019	TD	30576	BP1	ST00BP01 14.8	CIBP @8500,R.R.
01/21/2026	TD	30576	BP1	ST00BP01 14.8	RIG IN TRANSIT,WILL BYPASS FOR #2BP2,ORIG PBHL 2836 FNL 4125 FWL BLK 651,ORIG PTDS 30937 MD 35500 TVD
01/28/2026	TD	30576	BP1	ST00BP01 14.8	M/ON 1-20-26,BWM,RNG BOP, WILL PB & BYPASS TO DRILL WATER INJECTION WELL
02/04/2026	TD	30576	BP1	ST00BP01 14.8	RAN & TSTD BOP,DRILLING OUT PLUGS TO BYPASS
02/11/2026	TD	30576	BP1	ST00BP01 14.8	DRILLED OUT CIBP,DRILLING OUT CEMENT PLUGS
02/18/2026	TD	30576	BP1	ST00BP01 14.8	DRILLED OUT CEMENT PLUGS,RAN 10LNR EXTENSION @21096-23204,PREP TO DRILL OUT LOWER CEMENT PLUGS

MISSISSIPPI CYN	759	PROSPECT: ZEPHYRUS
BEACON OFFSHORE ENERGY	OCS: 35833	WELL: ZA2ST Status: DRLG

759 FLD Class: DEV SS API: 608174151601

LOC 3148' FSL & 5157' FEL of Block 00759 MISSISSIPPI CYN
 LAT = 28.18509906(28°11'06.357") LON = -89.40424635(-89°24'15.287")

X = 866,043 Y = 10,235,788 PMD: 26694 PTVD: 24742

PBHL: OH 578' FSL & 7144' FWL of Block 759 MISSISSIPPI CYN

ABHL: OH MD: 26270 TVD: 24421 S 2514' @ W 3534'

ATD OH: 26270 BP1: BP2: BP3: BP4: BP5:

ACTIVE

SPUD: 12/07/2025 **SUSP:** **COMP:** **RR:**
CSG= OH OLD(38 @3806 ; 32 @4259 ; 28 @5737 ; 22 @8765 ; 18LNR @7884-11389 ; 16LNR @10995-14392 ; 14 @22455)
 9 7/8LNR @18027-26261

WD= 3533 **KB=** 75 **RIG:** DW ATLAS / TRANSOCEAN
Date Reached TD: 12/23/2025

12/10/2025 TD	18428	OH	ST00BP00	15.5	MPD OFF,MILLED WDW @18374-18418,FIT 16.76, STO #ZA-2 @18418,NO LWD,TIH W/BHA TO DRILL AHEAD
12/17/2025 TD	24765	OH	ST00BP00	15.6	LWD(ONTRAK II,ZONETRAK G,SOUNDTRAK,TESTRAK,LITHOTRAK(ORD,CCN)POOH TO TEST BOP & MPD
12/24/2025 DRLG	25155	OH	ST00BP00	15.7	MPD 16.38,TSTD BOP & MPD,FINGERPRINTED MPD,LWD(ONTRAK II,ZONETRAK G,SOUNDTRAK,TESTRAK,LITHOTRAK)
12/31/2025 TD	26270	OH	ST00BP00	16.3	MPD 16.57,WHILE @25315,TOOK OPEN HOLE DFIT 16.69,LWD(ONTRAK II,ZONETRAK G,SOUNDTRAK,TESTRAK,LITHOTRAK)PREP TO WL LOG
01/07/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,RAN WL,MCI,STRATAEXAMINER,SON @ 26200,TOOK RDTs(PRESS & SAMP)TOOK ROT SWC,RNG 9 7/8LNR
01/07/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,RAN 9 7/8LNR @18027-26261,RAN 9 7/8TB @18027,PREP TO COMP
01/21/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,PREP TO COMP
01/28/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
02/04/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
02/11/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
02/18/2026 TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG

MISSISSIPPI CYN **778** **PROSPECT: THUNDER HORSE**
BP EXPL & PROD INC. **OCS: 9868** **WELL: 14** **Status: SUSP**

778 FLD **Class: DEV** **API: 608174103200**

LOC 353' FSL & 2342' FWL **of Block** 00778 MISSISSIPPI CYN
LAT = 28.19036000 (28°11'25.296") **LON** = -88.49596000 (-88°29'45.456")
X = 1,158,662 **Y** = 10,232,993 **PMD:** 22220 **PTVD:** 21562
PBHL: OH 2799' FSL & 4185' FWL **of Block** 778 MISSISSIPPI CYN
ABHL: OH **MD:** 22285 **TVD:** 21619 N 1847' @ E 2452'
ATD OH: 22285 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 08/04/2004 **SUSP:** 02/16/2026 **COMP:** **RR:** 02/16/2026
CSG= OH 38 @6401 271' ; 20 @9337 FIT 12.3 ; 16LNR @6915-14231 FIT 13.1 ;
 14LNR @13987-17490 FIT 13.8 ; 9 7/8LNR @17227-22285

WD= 6037 **KB=** 122 **RIG:** PDQ / VALARIS
Date Reached TD: 12/10/2025

01/07/2004		OH			"THUNDER HORSE PROSPECT"WILL BATCH SET CSG
01/28/2004		OH			38 X 36 @6401W/271'P, (PRESET)
08/11/2004 TD	9337	OH		12.5	LWD(ARC,PWD) @9337,NO SWC,20@9337,WOW
08/18/2004 TD	9337	OH		12.5	M/OFF 8-9-04(WILL RET)
10/22/2025 TD	9337	OH	ST00BP00	12.5	M/ON 10-16-25,PREP TO C/O
10/29/2025 TD	9337	OH	ST00BP00	12.5	RAN BOP,HAD ISSUE W/BOP,PULLED BOP & TROUBLESHOOTING
11/05/2025 TD	9337	OH	ST00BP00	12.5	COMPLETED BOP TSTG & TROUBLESHOOTING,TIH W/DRILLING BHA
11/12/2025 TD	14371	OH	ST00BP00	11.6	FIT 12.33 ON 20,LWD(GR,RES,APWD,SON)PREP TO RUN 16LNR
11/19/2025 TD	14371	OH	ST00BP00	11.6	16LNR @6915-14231,WHILE TIH W/BHA DROPPED OBJECT LANDED ON RIG FLOOR,OPERATIONS SUSPENDED FOR INVESTIGATION
11/26/2025 DRLG	14887	OH	ST00BP00	11.6	FIT 13.05 ON 16LNR,LWD(GR,RES,APWD,SON)
12/03/2025 TD	17490	OH	ST00BP00	12.6	LWD(GR,RES,APWD,SON)PREP TO RUN 14LNR
12/10/2025 DRLG	19425	OH	ST00BP00	13.0	14LNR @13987-17490,FIT 13.81,LWD(GR,RES,

12/17/2025	TD	22285	OH	ST00BP00	13.0	APWD, ABGR, DEN, NEUT, SON, STETH) LWD (GR, RES, APWD, ABGR, DEN, NEUT, SON, STETH) PREP TO RUN 9 7/8LNR
12/24/2025	TD	22285	OH	ST00BP00	13.0	9 7/8LNR @17227-22285, WOC
12/31/2025	TD	22285	OH	ST00BP00	13.0	RAN WL, USIT @22285, LOG REVEALED PROBLEMS W/9 7/8LNR, PREP TO PERF & SQUEEZE 9 7/8LNR
01/07/2026	TD	22285	OH	ST00BP00	13.0	SQUEEZED 9 7/8LNR, MITIGATED LNR ISSUES, PREP TO COMP
01/14/2026	TD	22285	OH	ST00BP00	13.0	COMPTG
01/21/2026	TD	22285	OH	ST00BP00	13.0	COMPTG
01/28/2026	TD	22285	OH	ST00BP00	13.0	COMPTG
02/04/2026	TD	22285	OH	ST00BP00	13.0	SET 9 7/8TB @17246, COMPTG
02/11/2026	TD	22285	OH	ST00BP00	13.0	COMPTG
02/18/2026	TD	22285	OH	ST00BP00	13.0	R.R.



WELLS REACHING TD

GARDEN BANKS 959 PROSPECT: SPARTA
SHELL OCS: 30876 WELL: 9 Status: P&A

958 FLD Class: EXP API: 608074034300

LOC 4168' FSL & 5819' FWL of Block 00959 GARDEN BANKS
LAT = 27.03004250 (27°01'48.153") LON = -92.23068116 (-92°13'50.452")
X = 1,890,779 Y = 9,809,128 PMD: 5604 PTVD:
ATD OH: 5604 BP1: BP2: BP3: BP4: BP5:

SPUD: 02/10/2026 SUSP: COMP: 02/13/2026 RR: 02/13/2026

WD= 4352 KB= RIG: DW PONTUS / TRANSOCEAN
Date Reached TD: 02/13/2026

02/04/2026 OH ST00BP00 IS A SHALLOW PILOT HOLE THAT WE ARE
DRILLING IN THE SPARTA FIELD TO TEST A
POTENTIAL DRILL CENTER
02/18/2026 TD 5604 OH ST00BP00 11.5 LWD (GR, RES, PWD) NMR, DEN, NEUT, SON) SET PLUG,
TOC @4604, P&A

GREEN CYN 782 PROSPECT: MAD DOG
BP EXPLORATION & PRODUCT OCS: 15610 WELL: MD15 Status: DRLG

826 FLD Class: DEV API: 608114061200

LOC 7228' FSL & 6166' FEL of Block 00782 GREEN CYN
LAT = 27.18830922 (27°11'17.913") LON = -90.26861424 (-90°16'07.011")
X = 2,528,234 Y = 9,875,548 PMD: 25478 PTVD: 22443
PBHL: OH 3471' FNL & 2401' FWL of Block 782 GREEN CYN
ABHL: OH MD: 25533 TVD: 22524 N 5168' @ W 7266'
ATD OH: 25533 BP1: BP2: BP3: BP4: BP5:

SPUD: 11/07/2013 SUSP: COMP: RR:
CSG= OH 36 @4886 290' ; 22 @7094 FIT 10.8 ; 16LNR @6488-12455 FIT 15.1 ;
14LNR @12154-19648 FIT 13.6

WD= 4428 KB= 168 RIG: MAD DOG SPAR / VALARIS
Date Reached TD: 02/16/2026

09/11/2013 OH ST00BP00 (APPROVED PERMIT 9-6-13) (BATCH SET)
10/09/2013 OH ST00BP00 M/ON 10-7-13, PREP TO RUN 36"
10/16/2013 OH ST00BP00 M/ON 10-7-13, 36 @4886W/290' P, M/OFF
10-10-13 (WILL RET)
11/13/2013 TD 7125 OH ST00BP00 14.0 M/ON 11-6-13, LWD (GR, RES) PREP TO RUN 22"
11/20/2013 TD 7125 OH ST00BP00 14.0 22" @7094, WOC
11/27/2013 TD 7125 OH ST00BP00 14.0 M/OFF 11-19-13 (WILL RETURN)
12/24/2025 TD 7125 OH ST00BP00 14.0 M/ON 12-14-25, C/O TO DRILL AHEAD
12/31/2025 DRLG 10664 OH ST00BP00 10.1 FIT 10.79 ON 22, LWD (GR, RES, PWD)
01/07/2026 TD 12460 OH ST00BP00 10.2 LWD (GR, RES, PWD) PREP TO RUN 16LNR
01/14/2026 TD 12460 OH ST00BP00 10.2 16LNR @6488-12455, PREP TO DRILL OUT & TEST
LNR
01/21/2026 DRLG 18287 OH ST00BP00 13.9 FIT 15.06 ON 16LNR, LWD (GR, RES, PWD, SON, NBGR)
01/28/2026 TD 19659 OH ST00BP00 14.1 LWD (GR, RES, PWD, SON, NBGR) RNG 14LNR
02/04/2026 TD 19659 OH ST00BP00 14.2 14LNR @12154-19648, WOC
02/11/2026 TD 19659 OH ST00BP00 14.2 PREP TO DRILL OUT & TEST 14LNR
02/18/2026 TD 25533 OH ST00BP00 13.0 FIT 13.6 ON 14LNR, LWD (GR, RES, NBGR, PWD, DEN,
NEUT, SON, FPWD) CIRC BOTTOM UP

MISSISSIPPI CYN 385 PROSPECT: BANJO
MURPHY EXPLORATION & PRO OCS: 35821 WELL: 4 Status: DRLG

429 FLD Class: EXP API: 608174152000

LOC 3919' FSL & 5946' FWL **of Block** 00385 MISSISSIPPI CYN
LAT = 28.59394988 (28°35'38.220") **LON** = -88.34229783 (-88°20'32.272")
X = 1,209,786 **Y** = 10,379,119 **PMD**: 13124 **PTVD**: 12882
PBHL: OH 4298' FSL & 6776' FWL **of Block** 385 MISSISSIPPI CYN
ABHL: OH **MD**: 12906 **TVD**: 12724 S 122' @ E 691'
ATD OH: 12906 **BP1**: 12684 **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: 11/22/2025 **SUSP**: **COMP**: **RR**:
CSG= OH 36 @6439 316' ; 28 @7055 ; 22 @9014 FIT 10.7 ; 18LNR @8629-9999 FIT 11.1 ;
 14 @11039 FIT 11.9 ; 11 7/8LNR @10685-12035 FIT 12.3 ; 9 7/8LNR @11869-12681

WD= 6033 **KB**= 87 **RIG**: STANLEY LAFOSSE / NOBLE DRLG
Date Reached TD: 02/13/2026

Date	Time	OH	ST	BP	Time	Description
11/19/2025		OH	ST00BP00			LOCATION
11/26/2025	TD	7200	OH	ST00BP00	8.6	36 @6439 W/316' P, LWD (GR, RES, PWD) 28 @7055,) WOC
12/03/2025	TD	9064	OH	ST00BP00	12.5	22 @9014, LWD (GR, RES, PWD) M/OFF 11-30-25, WILL RETURN
01/14/2026	TD	10044	OH	ST00BP00	9.8	M/ON 1-6-26, TOOK FIT 10.74 ON 22, LWD (GR, RES, PWD) OBSERVED GAINS, MONITORED PRESSURES & VOLUMES, TIH W/18
01/21/2026	DRLG	11895	OH	ST00BP00	10.1	18LNR @8629-9999, FIT 11.1, RAN 14 @11039, FIT 11.89, LWD (GR, RES, PWD, SON)
01/28/2026	TD	12906	OH	ST00BP00	11.8	WHILE @12070, MUD 11.1, LWD (GR, RES, PWD, SON) RAN 11 7/8LNR @10685-12035, FIT 12.29, LWD (GR, RES, PWD, DEN, NEUT) GAINS WERE OBSERVED, WEIGHTED UP, C&C
02/04/2026	TD	12906	OH	ST00BP00	11.8	PERFORMED & COMPLETED PRESSURE TEST PROGRAM, PUMPED CEMENT PLUGS, TOC @12423 TO CONTROL GAINS, PREP TO DRILL OUT TO PERFORM WL LOGS
02/11/2026	TD	12906	OH	ST00BP00	11.8	DECISION WAS MADE TO NOT DRILL OUT & LOG BECAUSE OF CONCERNS FOR WELLBORE STABILITY, DRILLED OUT & BYPASSED @12040, WHILE @12550, BYPASS HOLE, MUD 11.6, LWD (GR, RES, PWD, DEN, NEUT) RAN WL, CSNG, XMR, DSN, SDL, STXB, MCI, RDT (PRESS & SAMP) @12550
02/11/2026	TD	12684	BP1	ST00BP01	11.6	LWD (GR, RES, PWD, DEN, NEUT) PREP TO WL LOG
02/18/2026	TD	12697	BP1	ST00BP01	11.6	RAN RDT (PRESS & SAMP) LWD (GR, RES, PWD, DEN, NEUT) RAN 9 7/8LNR @11869-12681, TSTG BOP

COMPLETED

GARDEN BANKS **959** **PROSPECT: SPARTA**
SHELL **OCS: 30876** **WELL: 10** **Status: P&A**

958 FLD **Class: EXP** **API: 608074034400**

LOC 4206' FSL & 5895' FWL **of Block** 00959 GARDEN BANKS
LAT = 27.03014579 (27°01'48.525") **LON** = -92.23044693 (-92°13'49.609")
X = 1,890,855 **Y** = 9,809,166 **PMD:** 5607 **PTVD:**
ATD OH: 5607 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 02/06/2026 **SUSP:** **COMP:** 02/09/2026 **RR:** 02/09/2026

WD= 4355 **KB=** 102 **RIG:** DW PONTUS / TRANSOCEAN
Date Reached TD: 02/08/2026

02/04/2026 OH ST00BP00 IS A SHALLOW PILOT HOLE THAT WE ARE
 DRILLING IN THE SPARTA FIELD TO TEST A
 POTENTIAL DRILL CENTER
 02/11/2026 TD 5607 OH ST00BP00 11.5 LWD (GR, RES, PWD, NMR, DEN, NEUT, SON) PREP TO
 P&A
 02/18/2026 TD 5607 OH ST00BP00 11.5 SET PLUG, TOC @4607, P&A

GARDEN BANKS **959** **PROSPECT: SPARTA**
SHELL **OCS: 30876** **WELL: 7** **Status: P&A**

958 FLD **Class: EXP** **API: 608074034100**

LOC 5911' FSL & 4421' FWL **of Block** 00959 GARDEN BANKS
LAT = 27.03486225 (27°02'05.504") **LON** = -92.23494415 (-92°14'05.799")
X = 1,889,381 **Y** = 9,810,871 **PMD:** 5427 **PTVD:**
ATD OH: 5525 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 02/03/2026 **SUSP:** **COMP:** 02/05/2026 **RR:** 02/05/2026

WD= 4325 **KB=** 102 **RIG:** DW PONTUS / TRANSOCEAN
Date Reached TD: 02/04/2026

02/04/2026 OH ST00BP00 IS A SHALLOW PILOT HOLE THAT WE ARE
 DRILLING IN THE SPARTA FIELD TO TEST A
 POTENTIAL DRILL CENTER, RIGGING UP
 02/11/2026 TD 5525 OH ST00BP00 11.5 LWD (GR, RES, PWD, NMR, DEN, NEUT, SON) SET
 ABANDONMENT CEMENT PLUG, TOC @4427, P&A (HOLD)
 02/18/2026 TD 5525 OH ST00BP00 11.5 P&A

GARDEN BANKS **959** **PROSPECT: SPARTA**
SHELL **OCS: 30876** **WELL: 9** **Status: P&A**

958 FLD **Class: EXP** **API: 608074034300**

LOC 4168' FSL & 5819' FWL **of Block** 00959 GARDEN BANKS
LAT = 27.03004250 (27°01'48.153") **LON** = -92.23068116 (-92°13'50.452")
X = 1,890,779 **Y** = 9,809,128 **PMD:** 5604 **PTVD:**
ATD OH: 5604 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 02/10/2026 **SUSP:** **COMP:** 02/13/2026 **RR:** 02/13/2026

WD= 4352 **KB=** **RIG:** DW PONTUS / TRANSOCEAN
Date Reached TD: 02/13/2026

02/04/2026 OH ST00BP00 IS A SHALLOW PILOT HOLE THAT WE ARE
 DRILLING IN THE SPARTA FIELD TO TEST A
 POTENTIAL DRILL CENTER
 02/18/2026 TD 5604 OH ST00BP00 11.5 LWD (GR, RES, PWD) NMR, DEN, NEUT, SON) SET PLUG,
 TOC @4604, P&A

COMPLETED