

**OFFSHORE OIL SCOUTS ASSOCIATION
GULF ATLANTIC**

WEEKLY DRILLING REPORT

DEEP WATER

Wednesday, February 25, 2026





OFFSHORE OIL SCOUTS

PROPRIETARY

STATEMENT



This information is provided by exclusive agreement with The Offshore Oil Scouts Association. The recipient acknowledges that the data and materials are proprietary information and trade secret, whether or not any portion thereof may be validly copyrighted or patented. Any reproduction or other use without the express written consent of The Association President will be pursued to the fullest extent of the law.

Table of Contents

NEW LOCATIONS

[KEATHLEY CYN Block 247 WELL 1 BP EXPL](#)

ACTIVE

[GARDEN BANKS Block 959 WELL 6 SHELL](#)

[GARDEN BANKS Block 959 WELL 8 SHELL](#)

[ALAMINOS CYN Block 772 WELL WS402 SHELL](#)

[ALAMINOS CYN Block 857 WELL GA23 SHELL](#)

[KEATHLEY CYN Block 918 WELL 5ST ANADARKO PETROLEUM CORPOR](#)

[GREEN CYN Block 641 WELL IN3 CHEVRON U.S.A. INC.](#)

[GREEN CYN Block 680 WELL 8 ANADARKO PETROLEUM CORPOR](#)

[GREEN CYN Block 743 WELL DC105 BP EXPL](#)

[GREEN CYN Block 782 WELL MD15 BP EXPLORATION & PRODUCTI](#)

[GREEN CYN Block 807 WELL AP4ST CHEVRON U.S.A. INC.](#)

[GREEN CYN Block 868 WELL 3ST BP EXPL](#)

[WALKER RIDGE Block 29 WELL A12 CHEVRON U.S.A. INC.](#)

[WALKER RIDGE Block 425 WELL 5 MURPHY EXPLORATION & PROD](#)

[MISSISSIPPI CYN Block 385 WELL 4 MURPHY EXPLORATION & PROD](#)

[MISSISSIPPI CYN Block 393 WELL VX4 SHELL](#)

[MISSISSIPPI CYN Block 519 WELL SS4 TALOS ENERGY OFFSHORE LLC](#)

[MISSISSIPPI CYN Block 522 WELL 7 BP EXPL](#)

[MISSISSIPPI CYN Block 651 WELL 2 CHEVRON U.S.A. INC.](#)

[MISSISSIPPI CYN Block 759 WELL ZA2ST BEACON OFFSHORE ENERGY](#)

[MISSISSIPPI CYN Block 812 WELL KI2 SHELL](#)

SUSPENDED

[MISSISSIPPI CYN Block 519 WELL SS4 TALOS ENERGY OFFSHORE LLC](#)

COMPLETED

[GARDEN BANKS Block 959 WELL 6 SHELL](#)

[GARDEN BANKS Block 959 WELL 8 SHELL](#)

ACTIVE

GARDEN BANKS 959 PROSPECT: SPARTA
 SHELL OCS: 30876 WELL: 6 Status: ABDNL

958 FLD Class: EXP API: 608074034000

LOC 5717' FSL & 4035' FWL of Block 00959 GARDEN BANKS
 LAT = 27.03433485 (27°02'03.605") LON = -92.23613383 (-92°14'10.082")
 X = 1,888,995 Y = 9,810,677 PMD: 5417 PTVD:
 PBHL: OH F L & F L of Block 959 GARDEN BANKS
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: SUSP: COMP: RR:

WD= 4315 KB= RIG: DW PONTUS / TRANSOCEAN
 Date Reached TD:

02/04/2026 OH ST00BP00 IS A SHALLOW PILOT HOLE THAT WE ARE
 DRILLING IN THE SPARTA FIELD TO TEST A
 POTENTIAL DRILL CENTER
 02/25/2026 OH ST00BP00 CANCELLED PERMIT 2-18-26

GARDEN BANKS 959 PROSPECT: SPARTA
 SHELL OCS: 30876 WELL: 8 Status: ABDNL

958 FLD Class: EXP API: 608074034200

LOC 5780' FSL & 4899' FWL of Block 00959 GARDEN BANKS
 LAT = 27.03449378 (27°02'04.178") LON = -92.23347783 (-92°14'00.520")
 X = 1,889,859 Y = 9,810,740 PMD: 5447 PTVD:
 PBHL: OH F L & F L of Block 959 GARDEN BANKS
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: SUSP: COMP: RR:

WD= 4345 KB= RIG: DW PONTUS / TRANSOCEAN
 Date Reached TD:

02/04/2026 OH ST00BP00 IS A SHALLOW PILOT HOLE THAT WE ARE
 DRILLING IN THE SPARTA FIELD TO TEST A
 POTENTIAL DRILL CENTER
 02/25/2026 OH ST00BP00 CANCELLED PERMIT 2-18-26

ALAMINOS CYN 772 PROSPECT: WHALE
 SHELL OCS: 35153 WELL: WS402 Status: DRLG

772 FLD Class: EXP API: 608054011300

LOC 2004' FSL & 1776' FWL of Block 00772 ALAMINOS CYN
 LAT = 26.18711206 (26°11'13.603") LON = -94.76103014 (-94°45'39.709")
 X = 1,063,056 Y = 9,506,004 PMD: 21735 PTVD: 21678
 PBHL: OH 1688' FSL & 1147' FWL of Block 772 ALAMINOS CYN
 ABHL: OH MD: 21716 TVD: 21658 S 313' @ W 651'
 ATD OH: 21716 BP1: BP2: BP3: BP4: BP5:

SPUD: 04/08/2025 SUSP: COMP: RR:
 CSG= OH 38 @9124 202' ; 28 @10795 ; 22 @12725 FIT 11.1 ;
 16LNR @12379-14640 FIT 11.8 ; 14LNR @14380-18239 FIT 11.8 ; 9 5/8LNR @17468-21711

WD= 8820 KB= 102 RIG: DW POSEIDON / TRANSOCEAN
 Date Reached TD: 01/20/2026

04/02/2025 OH ST00BP00 BATCH SET
 04/09/2025 OH ST00BP00 RIGGING UP
 04/16/2025 DRLG 12164 OH ST00BP00 10.5 38 @9124 W/202'P, 28 @10795, LWD (GR, RES, PWD)
 04/23/2025 TD 12770 OH ST00BP00 10.5 LWD (GR, RES, PWD) 22 @12725, M/OFF 4-20-25,

WILL RETURN

12/17/2025	TD	12770	OH	ST00BP00	10.5	M/ON 12-13-25,RIGGING UP
12/24/2025	TD	12770	OH	ST00BP00	10.5	RNG RISER
12/31/2025	TD	14650	OH	ST00BP00	9.2	MPD 10.1,FIT 11.07 ON 22,LWD(GR,RES,PWD) PREP TO WL THEN RUN 16
01/07/2026	TD	18370	OH	ST00BP00	10.8	MPD OFF,UNABLE TO WL SECTION AS PLANNED, RAN 16LNR @12379-14640,FIT 11.75 ,LWD(GR, RES,PWD)PREP TO WL
01/14/2026	TD	18370	OH	ST00BP00	10.8	MPD OFF,RAN WL,GR.DEN.NEUT,SON,CALP @18370, ATTEMPTED MDT FOR PRESSURES,FAILED TO OPERATE,TOOK MDTs(PRESS & SAMP)PREP TO RUN 14LNR
01/21/2026	TD	18370	OH	ST00BP00	10.8	MPD OFF,RAN 14LNR @14380-18239,PREP TO DRILL OUT
01/28/2026	TD	21716	OH	ST00BP00	9.6	MPD 10.1,FIT 11.84 ON 14LNR,LWD(ARCVIS,DEN, NEUT,STETH)TOOK OPEN HOLE DFIT 10.81,PREP TO LOG
02/04/2026	TD	21716	OH	ST00BP00	9.6	MPD 10.1,RAN WL,MSIP,NGI,3PPC @21716,TOOK MDT(PRESS) RAN 9 5/8LNR @17468-21711,RAN 10 3/4 X 9 5/8TB @17513,COMPTG
02/11/2026	TD	21716	OH	ST00BP00	9.6	MPD 10.1,COMPTG
02/18/2026	TD	21716	OH	ST00BP00	9.6	MPD 10.1,COMPTG
02/25/2026	TD	21716	OH	ST00BP00	9.6	MPD 10.1,COMPTG

ALAMINOS CYN **857** **PROSPECT: GREAT WHITE**
SHELL **OCS: 17565** **WELL: GA23** **Status: DRLG**

857 FLD **Class: DEV** **API: 608054006000**

LOC 2836' FNL & 4006' FWL **of Block** 00857 ALAMINOS CYN
LAT = 26.12847000 (26°07'42.492") **LON** = -94.89819000 (-94°53'53.484")
X = 1,017,766 **Y** = 9,485,324 **PMD:** 18967 **PTVD:** 18736
PBHL: OH 3934' FNL & 2485' FWL **of Block** 857 ALAMINOS CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 11/08/2007 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @8084 193' ; 22 @9169 ; 16 @10476 LOT 9.9 ;
 13 3/8LNR @10409-11931 LOT 10.4 ; 11 3/4 @14033 LOT 10.2

WD= 7819 **KB=** 203 **RIG:** H&P 205 / H&P DRLG
Date Reached TD:

10/31/2007			OH			(BATCH SET)
11/14/2007	TD	10517	OH		10.0	36 @8084W/193'P,LWD(GR,RES,PWD) @9169,NO SWC,22 @9169,LWD(GR,RES,PWD) @10517,NO SWC, 16 @10476,M/OFF 11-10-07(WILL RET
01/07/2026	TD	10517	OH	ST00BP00	10.0	M/ON 1-4-26,RIGGING UP
01/14/2026	TD	11964	OH	ST00BP00	9.0	MPD 9.4,LOT 9.87 ON 16,LWD(GR,RES,PWD)PREP TO RUN 13 3/8LNR
01/21/2026	TD	11964	OH	ST00BP00	9.0	MPD 9.4,RAN 13 3/8LNR @10409-11931,PREP TO DRILL OUT
01/28/2026	TD	14083	OH	ST00BP00	9.6	MPD 10.1,LOT 10.44 ON 13 3/8LNR,LWD(GR,RES, PWD)PREP TO RUN 11 3/4
02/04/2026	TD	14096	OH	ST00BP00	8.6	MPD OFF,RAN 11 3/4 @14033,LOT 10.23,UNABLE TO OPEN REAMER,TIH W/NEW BHA
02/11/2026	TD	14096	OH	ST00BP00	8.6	MPD OFF,PERFORMED RIG MAINTENANCE,PREP TO DRILL AHEAD
02/18/2026	TD	14647	OH	ST00BP00	8.6	MPD OFF,LWD(GR,RES,PWD)PREP TO RUN 9 5/8LNR
02/25/2026	TD	14647	OH	ST00BP00	8.6	MPD,PERFORMED CHECK TRIP W/DUMB IRON BHA, WOW TO RUN 9 7/8LNR

KEATHLEY CYN **918** **PROSPECT: HADRIAN NORTH**
ANADARKO PETROLEUM CORPO **OCS: 32654** **WELL: 5ST** **Status: DRLG**

875 FLD **Class: DEV** **API: 608084007901**

LOC 7073' FSL & 648' FWL **of Block** 00919 KEATHLEY CYN
LAT = 26.07798692 (26°04'40.753") **LON** = -92.05968484 (-92°03'34.865")

ACTIVE

X = 1,948,968 Y = 9,463,553 PMD: 21396 PTVD: 18451
PBHL: OH 5657' FNL & 1059' FEL of Block 918 KEATHLEY CYN
ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 01/29/2026 SUSP: COMP: RR:
CSG= OH OLD(36 @7774 ; 28 @8592 ; 22 @11296 ; 14 @13443)
9 7/8LNR @12989-19328

WD= 7387 KB= 81 RIG: OCEAN BLACKHAWK / NOBLE DRLG

Date Reached TD:

02/04/2026 TD 19360 OH ST01BP00 11.6 STO #5 @13605,MPD 12.6,LWD (GR,RES,PWD)
CIRCULATING
02/11/2026 TD 19360 OH ST01BP00 11.7 MPD 12.6,RAN 9 7/8LNR @12989-19328,RAN 10
1/8 X 10 3/4TB @12989,PREP TO DRILL OUT &
TEST LNR
02/18/2026 TD 19360 OH ST01BP00 11.7 MPD 12.6,C/O HOLE,PREP TO DRILL OUT & TEST
LNR
02/25/2026 TD 19360 OH ST01BP00 11.7 MPD 12.6,ENCOUNTERED TAR,SQUEEZED SHOE,
PREP TO DRILL OUT & TEST LNR

GREEN CYN 641 PROSPECT: TAHITI
CHEVRON U.S.A. INC. OCS: 16770 WELL: IN3 Status: DRLG

640 FLD Class: INJ SS API: 608114079200

LOC 2536' FSL & 3287' FEL of Block 00596 GREEN CYN
LAT = 27.35813862(27°21'29.299") LON = -90.74348842(-90°44'36.558")
X = 2,372,713 Y = 9,934,216 PMD: 28933 PTVD: 27185
PBHL: OH 2933' FNL & 1731' FWL of Block 641 GREEN CYN
ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 06/28/2025 SUSP: COMP: RR:
CSG= OH 36 @4401 308' ; 22 @6237 FIT 14.0 ; 18LNR @5785-11042 FIT 16.1 ;
16LNR @4393-19634 FIT 16.2

WD= 4012 KB= 106 RIG: DW ASGARD / TRANSOCEAN

Date Reached TD:

06/18/2025 OH ST00BP00 BATCH SET
07/02/2025 TD 6275 OH ST00BP00 10.5 36 @4401 W/308'P,LWD (GR,PWD) 22 @6237,WOC
07/09/2025 TD 6275 OH ST00BP00 10.5 M/OFF 7-1-25,WILL RETURN
01/21/2026 TD 6275 OH ST00BP00 10.5 MIR TO RESUME DRILLING OPERATIONS
01/28/2026 TD 6275 OH ST00BP00 10.5 M/ON 1-19-26,BWM,RAN RISER & BOP,PULLING
BOP FOR REPAIR
02/04/2026 TD 11187 OH ST00BP00 12.7 REPD BOP,RAN BOP,FIT 14.0 ON 22,LWD (GR,RES,
PWD,NBGR) PREP TO RUN 18LNR
02/11/2026 DRLG 15067 OH ST00BP00 13.8 MPD 14.6,RAN 18LNR @5785-11042,FIT 16.1,
LWD (NBGR,EWR)
02/18/2026 TD 19780 OH ST00BP00 14.4 MPD 15.1,LWD (EWR (NBGR,EWR) RAN 16LNR @
4393-19634,WOC
02/25/2026 DRLG 20254 OH ST00BP00 14.4 MPD 15.1,DRILLED OUT 16 SHOE,LOT FAILED,
PUMPED LCM,CEMENT SQUEEZE,DRILL OUT,FIT
16.2 ON 16LNR,LWD (NBGR,EWR)

GREEN CYN 680 PROSPECT: BANDIT
ANADARKO PETROLEUM CORPO OCS: 22987 WELL: 8 Status: DRLG

680 FLD Class: EXP SS API: 608114079400

LOC 2799' FSL & 3000' FWL of Block 00680 GREEN CYN
LAT = 27.27518670(27°16'30.672") LON = -90.96961747(-90°58'10.623")
X = 2,299,800 Y = 9,902,799 PMD: 38000 PTVD:
ATD OH: 36535 BP1: BP2: BP3: BP4: BP5:

SPUD: 09/03/2025 SUSP: COMP: RR:
CSG= OH 42 @5397 304' ; 28 @6366 ; 22 @9763 FIT 12.5 ; 18LNR @9466-17071 FIT 15.1 ;
16LNR @8456-20960 FIT 16.6 ; 14 @23805 FIT 16.4 ; 11 7/8LNR @23484-24683 FIT 16.4 ;

9 7/8LNR @24407-30310 FIT 16.4

WD= 5013 KB= 80 RIG: DS-16 / VALARIS

Date Reached TD: 02/16/2026

08/27/2025		OH	ST00BP00		RIG ON LOCATION, PERFORMING BETWEEN WELL MAINTENANCE
09/03/2025		OH	ST00BP00		PERFORMING BETWEEN WELL MAINTENANCE
09/10/2025	TD	9800	OH	ST00BP00	12.0 42 @5397 W/304'P, LWD(GR, RES, APWD) 28 @6366, 22 @9763, WOC
09/17/2025	TD	9800	OH	ST00BP00	10.5 RAN RISER & BOP, TSTD MPD, BOP TEST FAILED, PULLING RISER & BOP
09/24/2025	DRLG	9975	OH	ST00BP00	10.5 MPD 11.2, FIT 12.5 ON 22, REPD BOP, RERAN BOP & RISER, LWD(GR, RES, APWD, ABGR)
10/01/2025	DRLG	15395	OH	ST00BP00	11.2 MPD 11.6, LWD(GR, RES, APWD, ABGR)
10/08/2025	TD	17090	OH	ST00BP00	11.3 MPD 11.6, LWD(GR, RES, APWD, ABGR) 18LNR @ 9466-17071, PREP TO TEST LNR
10/15/2025	TD	21020	OH	ST00BP00	14.0 MPD 14.2, FIT 15.10 ON 18LNR, LWD(GR, RES, APWD, ABGR, SON) PREP TO RUN 16LNR
10/22/2025	DRLG	22474	OH	ST00BP00	15.2 MPD 16.0, RAN 16LNR @8456-20960, FIT 16.6, LWD(GR, RES, ABGR, SON, DEN, NEUT, APWD)
10/29/2025	TD	24003	OH	ST00BP00	15.2 MPD 16.2, LWD(GR, RES, ABGR, SON, DEN, NEUT, APWD) WELL BEGAN TO FLOW WHEN TRYING TO REDUCE MPD @24003, WELL FLOWED @15.8, SHUT-IN WELL, CIRC TO GET WELL STATIC, SQUEEZED CEMENT IN OPEN HOLE, ROLLED SURFACE MUD WEIGHT TO 15.9, PREP TO DRILL OUT CEMENT
11/05/2025	TD	24003	OH	ST00BP00	15.9 MPD 16.1, DRILLED OUT CEMENT TO BOTTOM OF HOLE, RNG 14
11/12/2025	TD	24003	OH	ST00BP00	15.8 NO MPD, RAN 14 @23805, DRILLED OUT SHOE & TOOK DYNAMIC LOT 16.4, SET PKR @23640, PREP TO SQUEEZE CEMENT
11/19/2025	TD	24262	OH	ST00BP00	15.4 MPD 16.08, DRILLED OUT TO 23815, TOOK DFIT 16.4, ROLLED OVER MUD TO 15.7, DRILLED OUT TO 23971, TAKING LOSSES, LCM PILLS, REDUCED MUD TO 15.4, DRILLED RAT HOLE TO 24050, TOOK DLOT TO 16.12, LWD(GR, RES, ABGR, SON, DEN, NEUT, APWD, GEOTAP) REAMED OUT HOLE, UNABLE TO CLOSE REAMER, WORKING ON CLOSING REAMER
11/26/2025	TD	24262	OH	ST00BP00	15.4 MPD 16.1, CLOSED REAMER, SQUEEZED CEMENT IN OPEN-HOLE, PREP TO DRILL OUT & DRILL AHEAD
12/03/2025	TD	24729	OH	ST00BP00	15.4 MPD 16.0, LWD(GR, RES, ABGR, SON, APWD, GEOTAP) RAN 11 7/8LNR @23484-24683, FINGERPRINTING MPD, PREP TO DRILL OUT & TEST LNR
12/10/2025	TD	24739	OH	ST00BP00	15.4 FIT FAILED, SQUEEZING CEMENT
12/17/2025	DRLG	27251	OH	ST00BP00	15.5 MPD 16.2, SQUEEZED CEMENT, FIT 16.4 ON 11 7/8LNR, LWD(GR, RES, ABGR, SON, APWD, DEN, NEUT, GEOTAP)
12/24/2025	DRLG	30350	OH	ST00BP00	15.5 MPD 16.2, LWD(GR, RES, ABGR, SON, APWD, DEN, NEUT, GEOTAP)
12/31/2025	TD	30553	OH	ST00BP00	15.9 MPD OFF, LWD(GR, RES, ABGR, SON, APWD, DEN, NEUT, GEOTAP) RAN WL, ZAIT, NGI, SONSCANNER, XPT @ 30495, TOOK MDT(PRESS & SAMP) NO RECOVERY ON SAMP, PREP TO LOG
01/07/2026	TD	30553	OH	ST00BP00	15.9 RERAN MDT TO COLLECT SAMPLES, RAN 9 7/8LNR @ 24407-30310, FINGERPRINTING MPD
01/14/2026	TD	31806	OH	ST00BP00	15.4 MPD 16.2, RAN FIT 16.4 ON 9 7/8LNR, LWD(GR, RES, APWD) REAL TIME LWD WORKING INTERMITTENTLY, CHANGING OUT BHA
01/21/2026	TD	33728	OH	ST00BP00	15.4 MPD 16.2, LWD(GR, RES, APWD) OBSERVED LOSSES, SHUT-IN WELL, PUMPED CEMENT INTO OPEN HOLE, WOC
01/28/2026	TD	33728	OH	ST00BP00	16.0 NO MPD, RAN WL, ZAIT, QCNT, HLDS, HXPT @32966, RAN USIT, PREP TO LOG W/ORA TOOL
02/04/2026	TD	33728	OH	ST00BP00	16.0 NO MPD, ATTEMPTED ORA LOG TOOL, STUCK & RECD TOOL, PREP TO DRILL HEAD
02/11/2026	TD	35553	OH	ST00BP00	15.2 MPD 16.1, LWD(GR, RES, PWD) POOH TO REPLACE BHA
02/18/2026	TD	36535	OH	ST00BP00	15.2 MPD 16.1, LWD(GR, RES, PWD) WELL STARTED TO FLOW, SHUT-IN WELL, WOO

ACTIVE

Page 8 of 18

02/25/2026 TD 36535 OH ST00BP00 15.2 MPD 16.1, SQUEEZED CEMENT IN OPEN HOLE, DRILLED OUT TO 33298, PREP TO LOG

GREEN CYN **743** **PROSPECT: ATLANTIS**
BP EXPL **OCS: 15607** **WELL: DC105** **Status: DRLG**

743 FLD **Class: DEV** **API: 608114079800**

LOC 6013' FSL & 6929' FWL **of Block** 00743 GREEN CYN
LAT = 27.22372461 (27°13'25.409") **LON** = -90.03257889 (-90°01'57.284")
X = 2,604,689 **Y** = 9,890,173 **PMD**: 20782 **PTVD**: 18337
PBHL: OH 4104' FSL & 241' FWL **of Block** 743 GREEN CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: **SUSP:** **COMP:** **RR:**
WD= 6838 **KB**= **RIG**: OCEAN BLACK HORNET / NOBLE DRLG
Date Reached TD:

02/04/2026 OH ST00BP00 MIR

GREEN CYN **782** **PROSPECT: MAD DOG**
BP EXPLORATION & PRODUCT **OCS: 15610** **WELL: MD15** **Status: DRLG**

826 FLD **Class: DEV** **API: 608114061200**

LOC 7228' FSL & 6166' FEL **of Block** 00782 GREEN CYN
LAT = 27.18830922 (27°11'17.913") **LON** = -90.26861424 (-90°16'07.011")
X = 2,528,234 **Y** = 9,875,548 **PMD**: 25478 **PTVD**: 22443
PBHL: OH 3471' FNL & 2401' FWL **of Block** 782 GREEN CYN
ABHL: OH **MD**: 25533 **TVD**: 22524 N 5168' @ W 7266'
ATD OH: 25533 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 11/07/2013 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @4886 290' ; 22 @7094 FIT 10.8 ; 16LNR @6488-12455 FIT 15.1 ; 14LNR @12154-19648 FIT 13.6

WD= 4428 **KB**= 168 **RIG**: MAD DOG SPAR / VALARIS
Date Reached TD: 02/16/2026

09/11/2013 OH ST00BP00 (APPROVED PERMIT 9-6-13) (BATCH SET)
 10/09/2013 OH ST00BP00 M/ON 10-7-13, PREP TO RUN 36"
 10/16/2013 OH ST00BP00 M/ON 10-7-13, 36 @4886W/290'P, M/OFF 10-10-13 (WILL RET)
 11/13/2013 TD 7125 OH ST00BP00 14.0 M/ON 11-6-13, LWD (GR, RES) PREP TO RUN 22"
 11/20/2013 TD 7125 OH ST00BP00 14.0 22" @7094, WOC
 11/27/2013 TD 7125 OH ST00BP00 14.0 M/OFF 11-19-13 (WILL RETURN)
 12/24/2025 TD 7125 OH ST00BP00 14.0 M/ON 12-14-25, C/O TO DRILL AHEAD
 12/31/2025 DRLG 10664 OH ST00BP00 10.1 FIT 10.79 ON 22, LWD (GR, RES, PWD)
 01/07/2026 TD 12460 OH ST00BP00 10.2 LWD (GR, RES, PWD) PREP TO RUN 16LNR
 01/14/2026 TD 12460 OH ST00BP00 10.2 16LNR @6488-12455, PREP TO DRILL OUT & TEST LNR
 01/21/2026 DRLG 18287 OH ST00BP00 13.9 FIT 15.06 ON 16LNR, LWD (GR, RES, PWD, SON, NBGR)
 01/28/2026 TD 19659 OH ST00BP00 14.1 LWD (GR, RES, PWD, SON, NBGR) RNG 14LNR
 02/04/2026 TD 19659 OH ST00BP00 14.2 14LNR @12154-19648, WOC
 02/11/2026 TD 19659 OH ST00BP00 14.2 PREP TO DRILL OUT & TEST 14LNR
 02/18/2026 TD 25533 OH ST00BP00 13.0 FIT 13.6 ON 14LNR, LWD (GR, RES, NBGR, PWD, DEN, NEUT, SON, FPWD) CIRC BOTTOM UP
 02/25/2026 TD 25533 OH ST00BP00 13.0 WHILE BACKREAMING OUT OF HOLE, HOLE PACKED OFF & WENT TO LOSSES, STK DP @22620, PREP TO SEVER PIPE

GREEN CYN **807** **PROSPECT: ANCHOR**
CHEVRON U.S.A. INC. **OCS: 31752** **WELL: AP4ST** **Status: DRLG**

807 FLD **Class: DEV** **API: 608114076101**

LOC 4140' FSL & 4160' FWL **of Block** 00807 GREEN CYN

ACTIVE

LAT = 27.15144755 (27°09'05.211") **LON** = -91.21184754 (-91°12'42.651")

X = 2,221,760 **Y** = 9,856,620 **PMD**: 34201 **PTVD**: 33113

PBHL: OH 6892' FNL & 3414' FWL **of Block** 807 GREEN CYN

ABHL: OH **MD**: 34287 **TVD**: 33154 N 5226' @ W 902'

ATD OH: 34287 **BP1**: **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: 08/29/2025 **SUSP**:

COMP:

RR:

CSG= OH OLD(36 @5365 ; 28 @5676 ; 22 @10502 ; 18LNR @10115-15448 ; 16LNR @8048-24029 ; 14LNR @22659-27240 ; 11 7/8LNR @26917-30800) 10LNR @26642-34261

WD= 4954 **KB**= 75 **RIG**: DW TITAN / TRANSOCEAN

Date Reached TD: 09/04/2025

09/03/2025	DRLG	32245	OH	ST01BP00	15.0	MPD 15.7, STO #AP-4 @31002, LWD (ARCVIS, SONSCOPE, ADN) ENCOUNTERED BALLOONING, CONTINUING DRILLING AHEAD
09/10/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8, LWD (ARCVIS, SONSCOPE, ADN) REAMING, PREP TO TAKE STETH PRESSURES
09/17/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.74, TOOK STETH PRESSURES, WHILE RNG 10LNR, HAD BALLOONING, PERFORMED BLEED CYCLES, RAN 10LNR @26642-34261, ATTEMPT TO SET LNR HANGER, WAS UNSUCCESSFUL, LNR CEMENTED WHILE IN TENSION, PREP FOR TOP-DOWN SQUEEZE
09/24/2025	DRLG	34287	OH	ST01BP00	15.0	MPD 15.74, RNG 10.25 X 11.25TB
10/01/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8, UNABLE TO RUN TB PAST 22740, POOH, FOUND MISSING COLLARS & STABILIZERS, COULD NOT PULL STRING THROUGH WELLHEAD, SET CEMENT PLUG FROM 9035-8486, CUT & PULLED 10.25 TB, LOWER PART ASSUMED TO DROP TO TOC @8486, TAGGED, TF @7079, PREP TO FSH
10/08/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8, FSG FOR DRILL COLLAR & CENTRALIZER DEBRIS, MULTIPLE DEPTHS
10/15/2025	TD	34287	OH	ST01BP00	15.0	FSG
10/22/2025	TD	34287	OH	ST01BP00	15.0	FSG
10/29/2025	TD	34287	OH	ST01BP00	15.0	FSG
11/05/2025	TD	34287	OH	ST01BP00	15.0	FSG
11/12/2025	TD	34287	OH	ST01BP00	15.0	FSG
11/19/2025	TD	34287	OH	ST01BP00	15.0	FSG
11/26/2025	TD	34287	OH	ST01BP00	15.0	FSG
12/03/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8, COMPLETED FSG OPERATIONS, RAN 10 1/4TB @26642, PREP TO TEST TB
12/10/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8, TESTED PRODUCTION TB, PREP TO COMP
12/17/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8, PREP TO COMP
12/24/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8, FOUND LEAK IN BOP, SWAPPING OUT BOP BEFORE COMPLETING WELL
12/31/2025	TD	34287	OH	ST01BP00	15.0	MPD 15.8, RAN BOP #2, PREP TO COMP
01/07/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8, COMPTG
01/14/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8, COMPTG
01/21/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8, COMPTG
01/28/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8, COMPTG
02/04/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8, COMPTG
02/11/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8, COMPTG
02/18/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8, COMPTG
02/25/2026	TD	34287	OH	ST01BP00	15.0	MPD 15.8, COMPTG

GREEN CYN

868

PROSPECT: MAD DOG

BP EXPL

OCs: 33859

WELL: 3ST

Status: DRLG

868 FLD

Class: INJ

SS

API: 608114078801

LOC 1808' FNL & 4353' FWL **of Block** 00868 GREEN CYN

LAT = 27.12209393 (27°07'19.538") **LON** = -90.38394502 (-90°23'02.202")

X = 2,491,233 **Y** = 9,850,672 **PMD**: 23027 **PTVD**: 22729

PBHL: OH 2786' FNL & 2757' FWL **of Block** 868 GREEN CYN

ABHL: OH **MD**: 22985 **TVD**: 22689 S 977' @ W 1586'

ATD OH: 22985 **BP1**: **BP2**: **BP3**: **BP4**: **BP5**:

ACTIVE

SPUD: 12/28/2025 **SUSP:** **COMP:** **RR:**
CSG= OH OLD(36 @4735 ; 28 @5850 ; 22 @8782 ; 14 @17321)
 9 7/8LNR @16783-22925

WD= 4362 **KB=** 103 **RIG:** DW INVICTUS / TRANSOCEAN
Date Reached TD: 01/02/2026

01/07/2026 TD	22985	OH	ST01BP00	12.7	STO #3 @17411, LWD (GR, RES, APWD, FPWD, NBGR, SON, DEN, NEUT) PREP TO LOG
01/14/2026 TD	22985	OH	ST01BP00	12.7	MPD 12.75, RAN WL, NGI @22935, TOOK MDTs (PRESS & SAMP) FROM 22121-22817, PREP TO RUN 9 7/8LNR
01/21/2026 TD	22985	OH	ST01BP00	12.7	MPD 12.75, RAN 9 7/8LNR @16783-22925, PREP TO COMP
01/28/2026 TD	22985	OH	ST01BP00	12.7	MPD 12.75, COMPTG
02/04/2026 TD	22985	OH	ST01BP00	12.7	MPD 12.75, COMPTG
02/11/2026 TD	22985	OH	ST01BP00	12.7	MPD 12.75, COMPTG
02/18/2026 TD	22985	OH	ST01BP00	12.7	MPD 12.75, COMPTG
02/25/2026 TD	22985	OH	ST01BP00	12.7	MPD 12.75, COMPTG

WALKER RIDGE **29** **PROSPECT: BIG FOOT**
CHEVRON U.S.A. INC. **OCS: 16942** **WELL: A12** **Status: DRLG**

29 FLD **Class: DEV** **SS** **API: 608124005900**

LOC 7578' FSL & 6940' FEL **of Block** 00029 WALKER RIDGE
LAT = 26.93254406 (26°55'57.159") **LON** = -90.52019528 (-90°31'12.703")
X = 2,448,260 **Y** = 9,780,858 **PMD:** 23284 **PTVD:** 21486
PBHL: OH 3381' FSL & 7270' FEL **of Block** 29 WALKER RIDGE
ABHL: OH **MD:** 23217 **TVD:** 21452 S 4194' @ W 355'
ATD OH: 23217 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 02/24/2013 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @5590 307' ; 22 @8753 FIT 12.3 ; 16LNR @5677-16836 FIT 13.0 ;
 9 7/8LNR @16518-23216

WD= 5189 **KB=** 226 **RIG:** MODS 400 / NABORS OS
Date Reached TD: 02/07/2026

12/07/2011		OH	ST00BP00		'MIOCENE' (WILL BATCH SET CASING) (PERMIT APPROVED 12-1-11)
12/14/2011		OH	ST00BP00		M/ON 12-7-11, 36 @5590W/307'P, M/OFF 12-8-11 (WILL RET)
02/27/2013 DRLG	7085	OH	ST00BP00	16.0	M/ON 2-21-13, LWD (GR, RES, ARC, TELESCOPE, PWD)
03/06/2013 TD	8798	OH	ST00BP00	13.0	LWD (GR, RES, ARC, TELESCOPE, PWD) @8798, NO SWC, 22 @8753, M/OFF 3-2-13 (WILL RET)
03/27/2013 TD	8798	OH	ST00BP00	13.0	M/ON 3-22-13, INSTALLED T/A CAP, M/OFF 3-23-13 (WILL RET)
01/07/2026 TD	8798	OH	ST00BP00	13.0	M/ON 1-3-26, RIGGING UP
01/14/2026 TD	8798	OH	ST00BP00	13.0	PRESSURE TESTED CSG & TESTED BOP, DRILLING OUT CEMENT
01/21/2026 TD	16950	OH	ST00BP00	10.8	FIT 12.3 ON 22, LWD (ARCVIS, NBGR) PREP TO RUN 16LNR
01/28/2026 TD	16950	OH	ST00BP00	10.8	WHILE POOH HAD LOSSES, RAN 16LNR @ 5677-16836, PREP TO DRILL OUT & TEST LNR
02/04/2026 TD	17274	OH	ST00BP00	11.9	FIT 13.0 ON 16LNR, LWD (ARCVIS, NBGR, SONSCOPE, STETH, SADN) CUTTING LINE PLUGGED, CLEARING LINE
02/11/2026 TD	23217	OH	ST00BP00	12.3	CLEARED PLUGGED CUTTING LINE, LWD (ARCVIS, NBGR, SONSCOPE, STETH, SADN) TOOK STETH PRESSURES, RNG 9 7/8LNR
02/18/2026 TD	23217	OH	ST00BP00	12.3	9 7/8LNR @16518-23216, PREP TO SET PKR FOR PRESSURE TESTS
02/25/2026 TD	23217	OH	ST00BP00	12.3	PRESSURE TESTED LNR, RNG 9 7/8 X 11.15TB

WALKER RIDGE **425** **PROSPECT: CHINOOK**
MURPHY EXPLORATION & PRO **OCS: 16987** **WELL: 5** **Status: PERM**

469 FLD **Class: DEV** **API: 608124015900**

ACTIVE

LOC 23' FNL & 7298' FEL **of Block** 00469 WALKER RIDGE
LAT = 26.51968595(26°31'10.869") **LON** = -90.53022803(-90°31'48.821")
X = 2,447,902 **Y** = 9,630,697 **PMD**: 26880 **PTVD**: 26183
PBHL: OH 793' FSL & 5559' FWL **of Block** 425 WALKER RIDGE
ATD OH: **BP1**: **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: **SUSP**: **COMP**: **RR**:

WD= 8844 **KB**= **RIG**: STANLEY LAFOSSE / NOBLE DRLG
Date Reached TD:

02/18/2026 OH ST00BP00 LOCATION

MISSISSIPPI CYN **385** **PROSPECT: BANJO**
MURPHY EXPLORATION & PRO **OCS: 35821** **WELL: 4** **Status: SUSP**

429 FLD **Class: EXP** **API: 608174152000**

LOC 3919' FSL & 5946' FWL **of Block** 00385 MISSISSIPPI CYN
LAT = 28.59394988(28°35'38.220") **LON** = -88.34229783(-88°20'32.272")
X = 1,209,786 **Y** = 10,379,119 **PMD**: 13124 **PTVD**: 12882
PBHL: OH 4298' FSL & 6776' FWL **of Block** 385 MISSISSIPPI CYN
ABHL: OH **MD**: 12906 **TVD**: 12724 S 122' @ E 691'
ATD OH: 12906 **BP1**: 12684 **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: 11/22/2025 **SUSP**: 02/20/2026 **COMP**: **RR**: 02/20/2026

CSG= OH 36 @6439 316' ; 28 @7055 ; 22 @9014 FIT 10.7 ; 18LNR @8629-9999 FIT 11.1 ;
 14 @11039 FIT 11.9 ; 11 7/8LNR @10685-12035 FIT 12.3 ; 9 7/8LNR @11869-12681

WD= 6033 **KB**= 87 **RIG**: STANLEY LAFOSSE / NOBLE DRLG
Date Reached TD: 02/13/2026

11/19/2025		OH	ST00BP00		LOCATION
11/26/2025 TD	7200	OH	ST00BP00	8.6	36 @6439 W/316'P, LWD (GR, RES, PWD) 28 @7055,) WOC
12/03/2025 TD	9064	OH	ST00BP00	12.5	22 @9014, LWD (GR, RES, PWD) M/OFF 11-30-25, WILL RETURN
01/14/2026 TD	10044	OH	ST00BP00	9.8	M/ON 1-6-26, TOOK FIT 10.74 ON 22, LWD (GR, RES, PWD) OBSERVED GAINS, MONITORED PRESSURES & VOLUMES, TIH W/18
01/21/2026 DRLG	11895	OH	ST00BP00	10.1	18LNR @8629-9999, FIT 11.1, RAN 14 @11039, FIT 11.89, LWD (GR, RES, PWD, SON)
01/28/2026 TD	12906	OH	ST00BP00	11.8	WHILE @12070, MUD 11.1, LWD (GR, RES, PWD, SON) RAN 11 7/8LNR @10685-12035, FIT 12.29, LWD (GR, RES, PWD, DEN, NEUT) GAINS WERE OBSERVED, WEIGHTED UP, C&C
02/04/2026 TD	12906	OH	ST00BP00	11.8	PERFORMED & COMPLETED PRESSURE TEST PROGRAM, PUMPED CEMENT PLUGS, TOC @12423 TO CONTROL GAINS, PREP TO DRILL OUT TO PERFORM WL LOGS
02/11/2026 TD	12906	OH	ST00BP00	11.8	DECISION WAS MADE TO NOT DRILL OUT & LOG BECAUSE OF CONCERNS FOR WELLBORE STABILITY, DRILLED OUT & BYPASSED @12040, WHILE @12550, BYPASS HOLE, MUD 11.6, LWD (GR, RES, PWD, DEN, NEUT) RAN WL, CSNG, XMR, DSN, SDL, STXB, MCI, RDT (PRESS & SAMP) @12550
02/11/2026 TD	12684	BP1	ST00BP01	11.6	LWD (GR, RES, PWD, DEN, NEUT) PREP TO WL LOG
02/18/2026 TD	12697	BP1	ST00BP01	11.6	RAN RDT (PRESS & SAMP) LWD (GR, RES, PWD, DEN, NEUT) RAN 9 7/8LNR @11869-12681, TSTG BOP
02/25/2026 TD	12697	BP1	ST00BP01	11.6	R.R. (HOLD FOR ABHL IN THE BYPASS HOLE)

MISSISSIPPI CYN **393** **PROSPECT: VICKSBURG**
SHELL **OCS: 26254** **WELL: VX4** **Status: DRLG**

393 FLD **Class: DEV** **API: 608174152300**

LOC 5792' FNL & 836' FEL **of Block** 00393 MISSISSIPPI CYN

ACTIVE

LAT = 28.61433938 (28°36'51.622") LON = -87.91927269 (-87°55'09.382")

X = 1,345,564 Y = 10,385,248 PMD: 25775 PTVD: 24777

PBHL: OH 6734' FSL & 3574' FEL of Block 393 MISSISSIPPI CYN

ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 01/18/2026 SUSP: COMP: RR:
CSG= OH 38 @7700 198' ; 28 @8789 ; 22 @11741 FIT 11.2 ; 16LNR @11299-17893 FIT 13.5 ;
12 1/4 X 11 7/8 @22957 FIT 15.1 ; 8 5/8LNR @22430-25552

WD= 7400 KB= 102 RIG: DW PROTEUS / TRANSOCEAN
Date Reached TD:

01/07/2026 OH ST00BP00 LOCATION
01/21/2026 OH ST00BP00 PREP TO SPUD
01/28/2026 TD 11933 OH ST00BP00 12.0 38 @7700 W/198'P, 28 @8789, LWD (ARCVIS, PWD)
22 @11741, PREP TO RUN RISER & BOP
02/04/2026 TD 17960 OH ST00BP00 11.0 CML 11.1, FIT 11.21 ON 22, LWD (GR, RES, PWD)
PREP TO RUN 16LNR
02/11/2026 TD 23005 OH ST00BP00 13.0 CML 13.1, RAN 16LNR @11299-17893, FIT 13.45,
LWD (GR, RES, PWD) PREP TO RUN 12 1/4 X 11 7/8
02/18/2026 DRLG 23899 OH ST00BP00 14.3 CML 14.5, RAN 12 1/4 X 11 7/8 @22957, FIT
15.14, LWD (ARCVIS, MICROSCOPE)
02/25/2026 TD 25557 OH ST00BP00 14.4 CML 14.7, LWD (ARCVIS, MICROSCOPE) RAN 8
5/8LNR @22430-25552, PREP TO DRILL OUT
SHOETRACK

MISSISSIPPI CYN 519 PROSPECT: CPN
TALOS ENERGY OFFSHORE LL OCS: 27278 WELL: SS4 Status: SUSP

607 FLD Class: EXP API: 608174152200

LOC 1732' FSL & 4738' FWL of Block 00519 MISSISSIPPI CYN
LAT = 28.45812155 (28°27'29.238") LON = -88.24572549 (-88°14'44.612")

X = 1,240,258 Y = 10,329,411 PMD: 13495 PTVD: 13397

PBHL: OH 1155' FSL & 5242' FWL of Block 519 MISSISSIPPI CYN

ABHL: OH MD: 13440 TVD: 13258 S 571' @ E 501'

ATD OH: 13440 BP1: BP2: BP3: BP4: BP5:

SPUD: 01/03/2026 SUSP: 02/19/2026 COMP: RR: 02/19/2026
CSG= OH 36 @6876 186' ; 28 @8500 ; 22 @10299 FIT 11.2 ; 14 @12087 FIT 12.2 ;
10 3/4 @13396

WD= 6526 KB= 164 RIG: WEST VELA / SEADRILL
Date Reached TD: 01/15/2026

12/31/2025 OH ST00BP00 RIGGING UP
01/07/2026 DRLG 9901 OH ST00BP00 16.0 36 @6876 W/186, 28 @8500, LWD (ARCVIS)
01/14/2026 TD 10380 OH ST00BP00 13.0 LWD (ARCVIS) 22 @10299, RAN BOP & RISER, PREP
TO DRILL OUT & TAKE FIT
01/21/2026 TD 13440 OH ST00BP00 11.5 FIT 11.2 ON 22, WHILE @12138, 10.6,
LWD (ARCVIS) RAN 14 @12087, FIT 12.2,
LWD (ARCVIS, STETH, SONSCOPE, SADN) RAN WL, ZAIT,
RT SCANNER @13440, TOOK MDTs (PRESS & SAMP)
TOOK RSWC, SPOTTED PILL, C&C
01/28/2026 TD 13440 OH ST00BP00 11.5 10 3/4 @13396, COMPTG
02/04/2026 TD 13440 OH ST00BP00 11.5 COMPTG
02/11/2026 TD 13440 OH ST00BP00 11.5 COMPTG
02/18/2026 TD 13440 OH ST00BP00 11.5 PREP TO R.R.
02/25/2026 TD 13440 OH ST00BP00 11.5 R.R.

MISSISSIPPI CYN 522 PROSPECT: NAKIKA
BP EXPL OCS: 8823 WELL: 7 Status: DRLG

522 FLD Class: DEV API: 608174152100

LOC 3195' FSL & 2704' FWL of Block 00522 MISSISSIPPI CYN
LAT = 28.46337181 (28°27'48.139") LON = -88.10418881 (-88°06'15.080")

X = 1,285,744 Y = 10,330,875 PMD: 15500 PTVD: 15476

ACTIVE

PBHL: OH 3808' FSL & 3056' FWL **of Block** 522 MISSISSIPPI CYN
ABHL: OH **MD:** 15523 **TVD:** 15499 S 318' @ W 110'
ATD OH: 15523 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 12/21/2025 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @7282 189' ; 28 @9062 ; 16 @12436 FIT 11.8 ; 9 7/8LNR @12250-15490

WD= 7012 **KB=** 81 **RIG:** OCEAN BLACK LION / DIAMOND OS
Date Reached TD: 01/08/2026

12/24/2025	DRLG	7571	OH	ST00BP00	16.0	36 @7282W/189, LWD(GR, RES, APWD)
12/31/2025	TD	12528	OH	ST00BP00	13.5	28 @9062, LWD(GR, RES, APWD) 16 @12436, WOC
01/07/2026	TD	12528	OH	ST00BP00	10.6	RAN BOP & RISER, PREP TO DRILL OUT & TEST 16
01/14/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, FIT 11.81 ON 16, LWD(GR, RES, PWD, ABGR, FPWD, SON, DEN, NEUT) BEGAN RNG 9 7/8LNR, HIT OBSTRUCTION @11087, POOH WHILE DISCUSSING FORWARD PLAN
01/21/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, MILLED OUT OBSTRUCTIONS IN 16, C/O PRIOR TO RUNNING 9 7/8LNR
01/28/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, RAN 9 7/8LNR @12250-15490, PERFORMING DOWN HOLE FIT
02/04/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, COMPTG
02/11/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, COMPTG
02/18/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, COMPTG
02/25/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, COMPTG

MISSISSIPPI CYN **651** **PROSPECT: BALLYMORE**
CHEVRON U.S.A. INC. **OCS: 34454** **WELL: 2** **Status: DRLG**

651 WC **Class: INJ** **API: 608174140800**

LOC 275' FSL & 3217' FWL **of Block** 00607 MISSISSIPPI CYN
LAT = 28.36692731 (28°22'00.938") **LON** = -88.24938930 (-88°14'57.801")
X = 1,238,737 **Y** = 10,296,275 **PMD:** 30520 **PTVD:** 30069
PBHL: OH 2716' FNL & 4006' FWL **of Block** 651 MISSISSIPPI CYN
ABHL: OH **MD:** 30576 **TVD:** 30162 S 2799' @ E 822'
ATD OH: 21426 **BP1:** 30576 **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 05/01/2019 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @6924 306' ; 28 @7550 ; 22 @11625 FIT 11.8 ; 18LNR @11180-15683 LOT 13.4 ; 16 @22608 FIT 15.0 ; 14 @25166 FIT 15.8 ; 11 7/8LNR @24742-27460 FIT 16.1 ; 10 1/8LNR @23151-28884 FIT 15.7 ; 10LNR EXTENTION @21096-23204

WD= 6536 **KB=** 101 **RIG:** DW CONQUERER / TRANSOCEAN
Date Reached TD:

03/20/2019		OH	ST00BP00	LOCATION
05/01/2019		OH	ST00BP00	BETWEEN WELL MAINTENANCE
05/08/2019	TD	11650	OH	ST00BP00 13.5 36 @6924 W/306'P, 28 @7550, 22 @11625, LWD(AUTOTRAK, ONTRAK) RNG RISER & BOP
05/15/2019	TD	15800	OH	ST00BP00 11.0 FIT 11.8 ON 22, LWD(AUTOTRAK, ONTRAK) 18LNR @ 11180-15683, PREP TO DRILL OUT FOR LOT
05/22/2019	TD	21426	OH	ST00BP00 12.7 LOT 13.4 ON 18LNR, LWD(AUTOTRAK, ONTRAK, ZONETRAK) PLUGGING BACK TO BYPASS HOLE CONDITIONS
05/29/2019	TD	21426	OH	ST00BP00 12.7 PB & BYPASSED @18381
05/29/2019	TD	22660	BP1	ST00BP01 12.7 LWD(AUTOTRAK, ONTRAK, ZONETRAK) RNG 16
06/05/2019	TD	22672	BP1	ST00BP01 12.7 16 @22608, FIT 15.0, MILLED CONE BROKE OFF BHA, C&C WHILE TOH W/JUNK BASKET
06/12/2019	TD	23948	BP1	ST00BP01 13.5 RECD JUNK, LWD(AUTOTRAK, ONTRAK, SOUNDTRAK, ZONETRAK) TRIPPING FOR BHA
06/19/2019	TD	25200	BP1	ST00BP01 13.8 LWD(AUTOTRAK, ONTRAK, SOUNDTRAK, ZONETRAK) 14 @ 25166, WOC
06/26/2019	TD	27490	BP1	ST00BP01 14.3 FIT 15.8 ON 14, LWD(AUTOTRAK, ONTRAK, SOUNDTRAK, ZONETRAK) PREP TO RUN 11 7/8LNR
07/03/2019	DRLG	29150	BP1	ST00BP01 15.0 11 7/8LNR @24742-27460, FIT 16.1, LWD(AUTOTRAK, ONTRAK, SOUNDTRAK, ZONETRAK, ORD, CCN)

07/17/2019 DRLG 29725 BP1 ST00BP01 14.8 WHILE @29450,15.1,LWD(AUTOTRAK,ONTRAK,
SOUNDTRAK,ZONETRAK,ORD,CCN)STK & SET 10
1/8LNR @23151-28884,FIT 15.7,LWD(AUTOTRAK,
ONTRAK)

07/24/2019 TD 30287 BP1 ST00BP01 14.8 LWD(AUTOTRAK,ONTRAK - CAME OFF @29745) RIH
W/"MAD PASS" LWD(AUTOTRAK.ONTRAK.SOUNDTRAK,
MAGTRAK,FRACVIEW,ORD,CCN)

07/31/2019 TD 30576 BP1 ST00BP01 14.8 "MAD PASS" LWD(AUTOTRAK,ONTRAK.SOUNDTRAK,
MAGTRAK,FRACVIEW,ORD,CCN) @29515-30287,
LWD(AUTOTRAK,ONTRAK.SOUNDTRAK,MAGTRAK,
FRACVIEW,ORD,CCN)MREX,CDL,CN,FTEX @30540,
TAKING RCX/SENTINEL(PRESS & SAMP)

08/07/2019 TD 30576 BP1 ST00BP01 14.8 REC'D RCX/SENTINEL(PRESS & SAMP)SCB
IMAGE/ACOUSTIC @30520,OH PLUGS,CIBP @27896,
SETTING ADDL CEMT PLUGS(CONV CORED)

08/14/2019 TD 30576 BP1 ST00BP01 14.8 CIBP @8500,R.R.

01/21/2026 TD 30576 BP1 ST00BP01 14.8 RIG IN TRANSIT,WILL BYPASS FOR #2BP2,ORIG
PBHL 2836 FNL 4125 FWL BLK 651,ORIG PTDS
30937 MD 35500 TVD

01/28/2026 TD 30576 BP1 ST00BP01 14.8 M/ON 1-20-26,BWM,RNG BOP, WILL PB & BYPASS
TO DRILL WATER INJECTION WELL

02/04/2026 TD 30576 BP1 ST00BP01 14.8 RAN & TSTD BOP,DRILLING OUT PLUGS TO
BYPASS

02/11/2026 TD 30576 BP1 ST00BP01 14.8 DRILLED OUT CIBP,DRILLING OUT CEMENT PLUGS

02/18/2026 TD 30576 BP1 ST00BP01 14.8 DRILLED OUT CEMENT PLUGS,RAN 10LNR
EXTENSION @21096-23204,PREP TO DRILL OUT
LOWER CEMENT PLUGS

02/25/2026 TD 30576 BP1 ST00BP01 14.8 DRILLED OUT CEMENT PLUG #3 & CIBP,FAILED
PRESSURE TEST ON 10.175LNR,PUMPED A 700'
PLUG,TESTED PLUG,PREP TO DRILL OUT CEMENT
TO BYPASS

MISSISSIPPI CYN 759 **PROSPECT: ZEPHYRUS**
BEACON OFFSHORE ENERGY **OCS: 35833** **WELL: ZA2ST** **Status: DRLG**

759 FLD **Class: DEV** **SS** **API: 608174151601**

LOC 3148' FSL & 5157' FEL **of Block** 00759 MISSISSIPPI CYN
LAT = 28.18509906(28°11'06.357") **LON** = -89.40424635(-89°24'15.287")
X = 866,043 **Y** = 10,235,788 **PMD:** 26694 **PTVD:** 24742
PBHL: OH 578' FSL & 7144' FWL **of Block** 759 MISSISSIPPI CYN
ABHL: OH **MD:** 26270 **TVD:** 24421 S 2514' @ W 3534'
ATD OH: 26270 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 12/07/2025 **SUSP:** **COMP:** **RR:**
CSG= OH OLD(38 @3806 ; 32 @4259 ; 28 @5737 ; 22 @8765 ; 18LNR @7884-11389 ; 16LNR @10995-
14392 ; 14 @22455)
9 7/8LNR @18027-26261

WD= 3533 **KB=** 75 **RIG:** DW ATLAS / TRANSOCEAN
Date Reached TD: 12/23/2025

12/10/2025 TD 18428 OH ST00BP00 15.5 MPD OFF,MILLED WDW @18374-18418,FIT 16.76,
STO #ZA-2 @18418,NO LWD,TIH W/BHA TO DRILL
AHEAD

12/17/2025 TD 24765 OH ST00BP00 15.6 LWD(ONTRAK II,ZONETRAK G,SOUNDTRAK,TESTRAK,
LITHOTRAK(ORD,CCN)POOH TO TEST BOP & MPD

12/24/2025 DRLG 25155 OH ST00BP00 15.7 MPD 16.38,TSTD BOP & MPD,FINGERPRINTED MPD,
LWD(ONTRAK II,ZONETRAK G,SOUNDTRAK,TESTRAK,
LITHOTRAK)

12/31/2025 TD 26270 OH ST00BP00 16.3 MPD 16.57,WHILE @25315,TOOK OPEN HOLE DFIT
16.69,LWD(ONTRAK II,ZONETRAK G,SOUNDTRAK,
TESTRAK,LITHOTRAK)PREP TO WL LOG

01/07/2026 TD 26270 OH ST00BP00 16.3 MPD 16.57,RAN WL,MCI,STRATAEXAMINER,SON @
26200,TOOK RDTS(PRESS & SAMP)TOOK ROT SWC,
RNG 9 7/8LNR

01/07/2026 TD 26270 OH ST00BP00 16.3 MPD 16.57,RAN 9 7/8LNR @18027-26261,RAN 9
7/8TB @18027,PREP TO COMP

01/21/2026 TD 26270 OH ST00BP00 16.3 MPD 16.57,PREP TO COMP

SUSPENDED


MISSISSIPPI CYN 519 PROSPECT: CPN
TALOS ENERGY OFFSHORE LL OCS: 27278 WELL: SS4 Status: SUSP

607 FLD Class: EXP API: 608174152200

LOC 1732' FSL & 4738' FWL of Block 00519 MISSISSIPPI CYN
LAT = 28.45812155(28°27'29.238") LON = -88.24572549(-88°14'44.612")
X = 1,240,258 Y = 10,329,411 PMD: 13495 PTVD: 13397
PBHL: OH 1155' FSL & 5242' FWL of Block 519 MISSISSIPPI CYN
ABHL: OH MD: 13440 TVD: 13258 S 571' @ E 501'
ATD OH: 13440 BP1: BP2: BP3: BP4: BP5:
SPUD: 01/03/2026 SUSP: 02/19/2026 COMP: RR: 02/19/2026
CSG= OH 36 @6876 186' ; 28 @8500 ; 22 @10299 FIT 11.2 ; 14 @12087 FIT 12.2 ;
10 3/4 @13396

WD= 6526 KB= 164 RIG: WEST VELA / SEADRILL
Date Reached TD: 01/15/2026

12/31/2025 OH ST00BP00 RIGGING UP
01/07/2026 DRLG 9901 OH ST00BP00 16.0 36 @6876 W/186,28 @8500,LWD(ARCVIS)
01/14/2026 TD 10380 OH ST00BP00 13.0 LWD(ARCVIS) 22 @10299,RAN BOP & RISER,PREP
TO DRILL OUT & TAKE FIT
01/21/2026 TD 13440 OH ST00BP00 11.5 FIT 11.2 ON 22,WHILE @12138,10.6,
LWD(ARCVIS)RAN 14 @12087,FIT 12.2,
LWD(ARCVIS,STETH,SONSCOPE,SADN)RAN WL,ZAIT,
RT SCANNER @13440,TOOK MDTs(PRESS & SAMP)
TOOK RSWC,SPOTTED PILL,C&C
01/28/2026 TD 13440 OH ST00BP00 11.5 10 3/4 @13396,COMPTG
02/04/2026 TD 13440 OH ST00BP00 11.5 COMPTG
02/11/2026 TD 13440 OH ST00BP00 11.5 COMPTG
02/18/2026 TD 13440 OH ST00BP00 11.5 PREP TO R.R.
02/25/2026 TD 13440 OH ST00BP00 11.5 R.R.



COMPLETED

GARDEN BANKS 959 PROSPECT: SPARTA
 SHELL OCS: 30876 WELL: 6 Status: ABDNL

958 FLD Class: EXP API: 608074034000

LOC 5717' FSL & 4035' FWL of Block 00959 GARDEN BANKS
 LAT = 27.03433485 (27°02'03.605") LON = -92.23613383 (-92°14'10.082")
 X = 1,888,995 Y = 9,810,677 PMD: 5417 PTVD:
 PBHL: OH F L & F L of Block 959 GARDEN BANKS
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: SUSP: COMP: RR:

WD= 4315 KB= RIG: DW PONTUS / TRANSOCEAN
 Date Reached TD:

02/04/2026 OH ST00BP00 IS A SHALLOW PILOT HOLE THAT WE ARE
 DRILLING IN THE SPARTA FIELD TO TEST A
 POTENTIAL DRILL CENTER
 02/25/2026 OH ST00BP00 CANCELLED PERMIT 2-18-26

GARDEN BANKS 959 PROSPECT: SPARTA
 SHELL OCS: 30876 WELL: 8 Status: ABDNL

958 FLD Class: EXP API: 608074034200

LOC 5780' FSL & 4899' FWL of Block 00959 GARDEN BANKS
 LAT = 27.03449378 (27°02'04.178") LON = -92.23347783 (-92°14'00.520")
 X = 1,889,859 Y = 9,810,740 PMD: 5447 PTVD:
 PBHL: OH F L & F L of Block 959 GARDEN BANKS
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: SUSP: COMP: RR:

WD= 4345 KB= RIG: DW PONTUS / TRANSOCEAN
 Date Reached TD:

02/04/2026 OH ST00BP00 IS A SHALLOW PILOT HOLE THAT WE ARE
 DRILLING IN THE SPARTA FIELD TO TEST A
 POTENTIAL DRILL CENTER
 02/25/2026 OH ST00BP00 CANCELLED PERMIT 2-18-26