

**OFFSHORE OIL SCOUTS ASSOCIATION
GULF ATLANTIC**

WEEKLY DRILLING REPORT

DEEP WATER

Wednesday, March 18, 2026





OFFSHORE OIL SCOUTS

PROPRIETARY

STATEMENT



This information is provided by exclusive agreement with The Offshore Oil Scouts Association. The recipient acknowledges that the data and materials are proprietary information and trade secret, whether or not any portion thereof may be validly copyrighted or patented. Any reproduction or other use without the express written consent of The Association President will be pursued to the fullest extent of the law.

Table of Contents

NEW LOCATIONS

[GREEN CYN Block 640 WELL PS12 CHEVRON U.S.A. INC.](#)

[MISSISSIPPI CYN Block 41 WELL 1 ANADARKO PETROLEUM CORPOR](#)

[MISSISSIPPI CYN Block 807 WELL MB9ST2 SHELL](#)

ACTIVE

[ALAMINOS CYN Block 772 WELL WS402 SHELL](#)

[ALAMINOS CYN Block 857 WELL GA23 SHELL](#)

[KEATHLEY CYN Block 247 WELL 1 BP EXPL](#)

[KEATHLEY CYN Block 918 WELL 5ST ANADARKO PETROLEUM CORPOR](#)

[GREEN CYN Block 641 WELL IN3 CHEVRON U.S.A. INC.](#)

[GREEN CYN Block 680 WELL 8 ANADARKO PETROLEUM CORPOR](#)

[GREEN CYN Block 743 WELL DC105 BP EXPL](#)

[GREEN CYN Block 782 WELL MD15 BP EXPLORATION & PRODUCTI](#)

[GREEN CYN Block 825 WELL 14 BP EXPL](#)

[WALKER RIDGE Block 29 WELL A12 CHEVRON U.S.A. INC.](#)

[WALKER RIDGE Block 425 WELL 5 MURPHY EXPLORATION & PROD](#)

[WALKER RIDGE Block 508 WELL SN220 SHELL](#)

[MISSISSIPPI CYN Block 393 WELL VX4 SHELL](#)

[MISSISSIPPI CYN Block 522 WELL 7 BP EXPL](#)

[MISSISSIPPI CYN Block 651 WELL 2 CHEVRON U.S.A. INC.](#)

[MISSISSIPPI CYN Block 759 WELL ZA2ST BEACON OFFSHORE ENERGY](#)

[MISSISSIPPI CYN Block 812 WELL KI2 SHELL](#)

SUSPENDED

[MISSISSIPPI CYN Block 522 WELL 7 BP EXPL](#)

[MISSISSIPPI CYN Block 759 WELL ZA2ST BEACON OFFSHORE ENERGY](#)

COMPLETED

[GREEN CYN Block 680 WELL 8 ANADARKO PETROLEUM CORPOR](#)

NEW LOCATIONS

GREEN CYN **640** **PROSPECT: TAHITI**
CHEVRON U.S.A. INC. **OCS: 20082** **WELL: PS12** **Status: NEW**

640 FLD **Class: DEV** **SS** **API: 608114079900**

LOC 2935' FSL & 6192' FEL **of Block** 00640 GREEN CYN
LAT = 27.31582371 (27°18'56.965") **LON** = -90.75329106 (-90°45'11.848")
X = 2,369,808 **Y** = 9,918,775 **PMD:** **PTVD:**
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: **SUSP:** **COMP:** **RR:**

WD= 4302 **KB=** 101 **RIG:** DW CONQUEROR / TRANSOCEAN
Date Reached TD:

03/18/2026 OH ST00BP00 BATCH SET

MISSISSIPPI CYN **41** **PROSPECT: KING NORTH**
ANADARKO PETROLEUM CORPO **OCS: 35962** **WELL: 1** **Status: NEW**

41 FLD **Class: DEV** **API: 608174152500**

LOC 4616' FNL & 837' FWL **of Block** 00085 MISSISSIPPI CYN
LAT = 28.92229073 (28°55'20.247") **LON** = -87.96627211 (-87°57'58.580")
X = 1,331,397 **Y** = 10,497,304 **PMD:** 17595 **PTVD:** 13804
PBHL: OH 2794' FSL & 656' FWL **of Block** 41 MISSISSIPPI CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: **SUSP:** **COMP:** **RR:**

WD= 5179 **KB=** 80 **RIG:** VALARIS DS-16 / VALARIS
Date Reached TD:

03/18/2026 OH ST00BP00 RIG ON LOCATION, W/O WEATHER TO JET 36

MISSISSIPPI CYN **807** **PROSPECT: OLYMPUS**
SHELL **OCS: 7963** **WELL: MB9ST2** **Status: NEW**

807 FLD **Class: DEV** **SS** **API: 608174122502**

LOC 6889' FNL & 379' FWL **of Block** 00807 MISSISSIPPI CYN
LAT = 28.16029650 (28°09'37.067") **LON** = -89.23905186 (-89°14'20.587")
X = 919,099 **Y** = 10,225,751 **PMD:** 18150 **PTVD:** 16772
PBHL: OH 3982' FNL & 2929' FWL **of Block** 807 MISSISSIPPI CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: **SUSP:** **COMP:** **RR:**

CSG= OH OLD(38 @3386 ; 32 @4324 ; 28 @5181 ; 22 @5947 ; 18LNR @5593-8797 ; 14 @11771 ; 11 7/8LNR @11618-15295 ; 7 5/8LNR @14084-17418)

WD= 3036 **KB=** 232 **RIG:** OLYMPUS N-88 / H&P DRLG
Date Reached TD:

03/18/2026 OH ST02BP00 STO MC 806 #MB-9ST

Date Reached TD:

10/31/2007		OH		(BATCH SET)
11/14/2007 TD	10517	OH	10.0	36 @8084W/193'P, LWD (GR, RES, PWD) @9169, NO SWC, 22 @9169, LWD (GR, RES, PWD) @10517, NO SWC, 16 @10476, M/OFF 11-10-07 (WILL RET
01/07/2026 TD	10517	OH	ST00BP00	10.0 M/ON 1-4-26, RIGGING UP
01/14/2026 TD	11964	OH	ST00BP00	9.0 MPD 9.4, LOT 9.87 ON 16, LWD (GR, RES, PWD) PREP TO RUN 13 3/8LNR
01/21/2026 TD	11964	OH	ST00BP00	9.0 MPD 9.4, RAN 13 3/8LNR @10409-11931, PREP TO DRILL OUT
01/28/2026 TD	14083	OH	ST00BP00	9.6 MPD 10.1, LOT 10.44 ON 13 3/8LNR, LWD (GR, RES, PWD) PREP TO RUN 11 3/4
02/04/2026 TD	14096	OH	ST00BP00	8.6 MPD OFF, RAN 11 3/4 @14033, LOT 10.23, UNABLE TO OPEN REAMER, TIH W/NEW BHA
02/11/2026 TD	14096	OH	ST00BP00	8.6 MPD OFF, PERFORMED RIG MAINTENANCE, PREP TO DRILL AHEAD
02/18/2026 TD	14647	OH	ST00BP00	8.6 MPD OFF, LWD (GR, RES, PWD) PREP TO RUN 9 5/8LNR
02/25/2026 TD	14647	OH	ST00BP00	8.6 MPD, PERFORMED CHECK TRIP W/DUMB IRON BHA, WOW TO RUN 9 7/8LNR
03/04/2026 TD	14647	OH	ST00BP00	8.6 MPD OFF, PERFORMED ANOTHER CHECK TRIP W/DUMB IRON BHA, RAN 9 5/8LNR @13636-14622, PREP TO DRILL OUT 9 5/8 SHOETRACK
03/11/2026 TD	14647	OH	ST00BP00	9.4 MPD OFF, BEGAN DRILLING 9 5/8 SHOETRACK, BHA GOT STK @14642, UNABLE TO JAR FREE, PREP TO RUN WL TO DETERMINE FREE POINT
03/18/2026 TD	14647	OH	ST00BP00	9.4 MPD OFF, BACKED OFF, TF @14416, COULD NOT RECOVER FSH, PREP TO PUMP CEMENT PLUG ON TOF TO BYPASS

KEATHLEY CYN **247** **PROSPECT: WEST BUMP**
BP EXPL **OCS: 25790** **WELL: 1** **Status: DRLG**

247 WC **Class: EXP** **SS** **API: 608084008000**

LOC 4688' FNL & 360' FWL **of Block** 00291 KEATHLEY CYN
LAT = 26.70215909 (26°42'07.773") **LON** = -92.63788429 (-92°38'16.383")
X = 1,758,600 **Y** = 9,689,392 **PMD:** 34548 **PTVD:** 33548
PBHL: OH 780' FSL & 757' FWL **of Block** 247 KEATHLEY CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: **SUSP:** **COMP:** **RR:**

WD= 5722 **KB=** **RIG:** DW INVICTUS / TRANSOCEAN

Date Reached TD:

02/25/2026	OH	ST00BP00	LOCATION
03/18/2026	OH	ST00BP00	RIGGING UP

KEATHLEY CYN **918** **PROSPECT: HADRIAN NORTH**
ANADARKO PETROLEUM CORPO **OCS: 32654** **WELL: 5ST** **Status: DRLG**

875 FLD **Class: DEV** **Hzr/SS** **API: 608084007901**

LOC 7073' FSL & 648' FWL **of Block** 00919 KEATHLEY CYN
LAT = 26.07798692 (26°04'40.753") **LON** = -92.05968484 (-92°03'34.865")
X = 1,948,968 **Y** = 9,463,553 **PMD:** 21396 **PTVD:** 18451
PBHL: OH 5657' FNL & 1059' FEL **of Block** 918 KEATHLEY CYN
ATD OH: 19360 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 01/29/2026 **SUSP:** **COMP:** **RR:**
CSG= OH OLD(36 @7774 ; 28 @8592 ; 22 @11296 ; 14 @13443)
 9 7/8LNR @12989-19328

WD= 7387 **KB=** 81 **RIG:** OCEAN BLACKHAWK / NOBLE DRLG

Date Reached TD:

02/04/2026	TD	19360	OH	ST01BP00	11.6	STO #5 @13605,MPD 12.6,LWD (GR,RES,PWD) CIRCULATING
02/11/2026	TD	19360	OH	ST01BP00	11.7	MPD 12.6,RAN 9 7/8LNR @12989-19328,RAN 10 1/8 X 10 3/4TB @12989,PREP TO DRILL OUT & TEST LNR
02/18/2026	TD	19360	OH	ST01BP00	11.7	MPD 12.6,C/O HOLE,PREP TO DRILL OUT & TEST LNR
02/25/2026	TD	19360	OH	ST01BP00	11.7	MPD 12.6,ENCOUNTERED TAR,SQUEEZED SHOE, PREP TO DRILL OUT & TEST LNR
03/04/2026	TD	19360	OH	ST01BP00	11.7	MPD 12.6,UNABLE TO DRILL OUT DUE TO HOLE CONDITIONS,WOO
03/11/2026	TD	19360	OH	ST01BP00	12.3	NO MPD,CHANGED OUT SUBSEA CONTROL MODULE ON SUBSEA TREE,PREP TO BYPASS
03/18/2026	TD	19360	OH	ST01BP00	12.3	NO MPD,SET CIBP @17191,SET WHIPSTOCK @ 17183,MILLED WDW @17152-17172,FIT 13.1, BYPASSED @17172
03/18/2026	DRLG	17346	BP1	ST01BP01	11.5	MPD 12.29,LWD (GR,RES,PWD)

GREEN CYN **641** **PROSPECT: TAHITI**
CHEVRON U.S.A. INC. **OCS: 16770** **WELL: IN3** **Status: DRLG**

640 FLD **Class: INJ** **SS** **API: 608114079200**

LOC 2536' FSL & 3287' FEL **of Block** 00596 GREEN CYN
LAT = 27.35813862 (27°21'29.299") **LO**N = -90.74348842 (-90°44'36.558")
X = 2,372,713 **Y** = 9,934,216 **PMD:** 28933 **PTVD:** 27185
PBHL: OH 2933' FNL & 1731' FWL **of Block** 641 GREEN CYN
ABHL: OH **MD:** 28848 **TVD:** 27104 S 5455' @ E 5006'
ATD OH: 28848 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 06/28/2025 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @4401 308' ; 22 @6237 FIT 14.0 ; 18LNR @5785-11042 FIT 16.1 ;
 16LNR @4393-19634 FIT 16.2 ; 14LNR @19233-22442 FIT 15.1 ; 9 7/8LNR @22116-28833

WD= 4012 **KB=** 106 **RIG:** DW ASGARD / TRANSOCEAN
Date Reached TD: 03/10/2026

06/18/2025			OH	ST00BP00		BATCH SET
07/02/2025	TD	6275	OH	ST00BP00	10.5	36 @4401 W/308'P,LWD (GR,PWD)22 @6237,WOC
07/09/2025	TD	6275	OH	ST00BP00	10.5	M/OFF 7-1-25,WILL RETURN
01/21/2026	TD	6275	OH	ST00BP00	10.5	MIR TO RESUME DRILLING OPERATIONS
01/28/2026	TD	6275	OH	ST00BP00	10.5	M/ON 1-19-26,BWM,RAN RISER & BOP,PULLING BOP FOR REPAIR
02/04/2026	TD	11187	OH	ST00BP00	12.7	REPD BOP,RAN BOP,FIT 14.0 ON 22,LWD (GR,RES, PWD,NBGR)PREP TO RUN 18LNR
02/11/2026	DRLG	15067	OH	ST00BP00	13.8	MPD 14.6,RAN 18LNR @5785-11042,FIT 16.1, LWD (NBGR,EWR)
02/18/2026	TD	19780	OH	ST00BP00	14.4	MPD 15.1,LWD (EWR (NBGR,EWR)RAN 16LNR @ 4393-19634,WOC
02/25/2026	DRLG	20254	OH	ST00BP00	14.4	MPD 15.1,DRILLED OUT 16 SHOE,LOT FAILED, PUMPED LCM,CEMENT SQUEEZE,DRILL OUT,FIT 16.2 ON 16LNR,LWD (NBGR,EWR)
03/04/2026	TD	22540	OH	ST00BP00	14.4	MPD 15.1,LWD (NBGR,EWR)RAN 14LNR @ 19233-22442,PREP TO DRILL OUT & TEST LNR
03/11/2026	TD	28350	OH	ST00BP00	13.3	MPD 14.1,TOOK FIT 15.1 ON 14LNR,LWD (NBGR, EWR,DEN,NEUT,GEOTAP)
03/11/2026	TD	28350	OH	ST00BP00	13.3	MPD 14.1,TOOK FIT 15.1 ON 14LNR,LWD (NBG, REWR,DEN,NEUT,GEOTAP)DP SLIPS BROKE & PIECES WENT INTO HOLE,FSH LIKELY LOCATED AT RCD,UNSUCCESSFUL ATTEMPT TO FSH, ATTEMPTING TO RETRIEVE RCD
03/18/2026	TD	28848	OH	ST00BP00	13.9	NO MPD,RECD RCD,LWD (NBG,EWR,DEN,NEUT, GEOTAP)RAN 9 7/8LNR @22116-28833,PREP TO RUN TB

GREEN CYN **680** **PROSPECT: BANDIT**
ANADARKO PETROLEUM CORPO **OCS: 22987** **WELL: 8** **Status: TA**

680 FLD **Class: EXP** **SS** **API: 608114079400**

ACTIVE

LOC 2799' FSL & 3000' FWL **of Block** 00680 GREEN CYN
LAT = 27.27518670 (27°16'30.672") **LON** = -90.96961747 (-90°58'10.623")
X = 2,299,800 **Y** = 9,902,799 **PMD**: 38000 **PTVD**:
ATD OH: 36535 **BP1**: **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: 09/03/2025 **SUSP**: **COMP**: **RR**:
CSG= OH 42 @5397 304' ; 28 @6366 ; 22 @9763 FIT 12.5 ; 18LNR @9466-17071 FIT 15.1 ;
16LNR @8456-20960 FIT 16.6 ; 14 @23805 FIT 16.4 ; 11 7/8LNR @23484-24683 FIT 16.4 ;
9 7/8LNR @24407-30310 FIT 16.4

WD= 5013 **KB**= 80 **RIG**: DS-16 / VALARIS

Date Reached TD: 02/16/2026

08/27/2025		OH	ST00BP00		RIG ON LOCATION, PERFORMING BETWEEN WELL MAINTENANCE
09/03/2025		OH	ST00BP00		PERFORMING BETWEEN WELL MAINTENANCE
09/10/2025	TD	9800	OH	ST00BP00	12.0 42 @5397 W/304'P, LWD(GR, RES, APWD) 28 @6366, 22 @9763, WOC
09/17/2025	TD	9800	OH	ST00BP00	10.5 RAN RISER & BOP, TSTD MPD, BOP TEST FAILED, PULLING RISER & BOP
09/24/2025	DRLG	9975	OH	ST00BP00	10.5 MPD 11.2, FIT 12.5 ON 22, REPD BOP, RERAN BOP & RISER, LWD(GR, RES, APWD, ABGR)
10/01/2025	DRLG	15395	OH	ST00BP00	11.2 MPD 11.6, LWD(GR, RES, APWD, ABGR)
10/08/2025	TD	17090	OH	ST00BP00	11.3 MPD 11.6, LWD(GR, RES, APWD, ABGR) 18LNR @ 9466-17071, PREP TO TEST LNR
10/15/2025	TD	21020	OH	ST00BP00	14.0 MPD 14.2, FIT 15.10 ON 18LNR, LWD(GR, RES, APWD, ABGR, SON) PREP TO RUN 16LNR
10/22/2025	DRLG	22474	OH	ST00BP00	15.2 MPD 16.0, RAN 16LNR @8456-20960, FIT 16.6, LWD(GR, RES, ABGR, SON, DEN, NEUT, APWD)
10/29/2025	TD	24003	OH	ST00BP00	15.2 MPD 16.2, LWD(GR, RES, ABGR, SON, DEN, NEUT, APWD) WELL BEGAN TO FLOW WHEN TRYING TO REDUCE MPD @24003, WELL FLOWED @15.8, SHUT-IN WELL, CIRC TO GET WELL STATIC, SQUEEZED CEMENT IN OPEN HOLE, ROLLED SURFACE MUD WEIGHT TO 15.9, PREP TO DRILL OUT CEMENT
11/05/2025	TD	24003	OH	ST00BP00	15.9 MPD 16.1, DRILLED OUT CEMENT TO BOTTOM OF HOLE, RNG 14
11/12/2025	TD	24003	OH	ST00BP00	15.8 NO MPD, RAN 14 @23805, DRILLED OUT SHOE & TOOK DYNAMIC LOT 16.4, SET PKR @23640, PREP TO SQUEEZE CEMENT
11/19/2025	TD	24262	OH	ST00BP00	15.4 MPD 16.08, DRILLED OUT TO 23815, TOOK DFIT 16.4, ROLLED OVER MUD TO 15.7, DRILLED OUT TO 23971, TAKING LOSSES, LCM PILLS, REDUCED MUD TO 15.4, DRILLED RAT HOLE TO 24050, TOOK DLOT TO 16.12, LWD(GR, RES, ABGR, SON, DEN, NEUT, APWD, GEOTAP) REAMED OUT HOLE, UNABLE TO CLOSE REAMER, WORKING ON CLOSING REAMER
11/26/2025	TD	24262	OH	ST00BP00	15.4 MPD 16.1, CLOSED REAMER, SQUEEZED CEMENT IN OPEN-HOLE, PREP TO DRILL OUT & DRILL AHEAD
12/03/2025	TD	24729	OH	ST00BP00	15.4 MPD 16.0, LWD(GR, RES, ABGR, SON, APWD, GEOTAP) RAN 11 7/8LNR @23484-24683, FINGERPRINTING MPD, PREP TO DRILL OUT & TEST LNR
12/10/2025	TD	24739	OH	ST00BP00	15.4 FIT FAILED, SQUEEZING CEMENT
12/17/2025	DRLG	27251	OH	ST00BP00	15.5 MPD 16.2, SQUEEZED CEMENT, FIT 16.4 ON 11 7/8LNR, LWD(GR, RES, ABGR, SON, APWD, DEN, NEUT, GEOTAP)
12/24/2025	DRLG	30350	OH	ST00BP00	15.5 MPD 16.2, LWD(GR, RES, ABGR, SON, APWD, DEN, NEUT, GEOTAP)
12/31/2025	TD	30553	OH	ST00BP00	15.9 MPD OFF, LWD(GR, RES, ABGR, SON, APWD, DEN, NEUT, GEOTAP) RAN WL, ZAIT, NGI, SONSCANNER, XPT @ 30495, TOOK MDT(PRESS & SAMP) NO RECOVERY ON SAMP, PREP TO LOG
01/07/2026	TD	30553	OH	ST00BP00	15.9 RERAN MDT TO COLLECT SAMPLES, RAN 9 7/8LNR @ 24407-30310, FINGERPRINTING MPD
01/14/2026	TD	31806	OH	ST00BP00	15.4 MPD 16.2, RAN FIT 16.4 ON 9 7/8LNR, LWD(GR, RES, APWD) REAL TIME LWD WORKING INTERMITTENTLY, CHANGING OUT BHA
01/21/2026	TD	33728	OH	ST00BP00	15.4 MPD 16.2, LWD(GR, RES, APWD) OBSERVED LOSSES, SHUT-IN WELL, PUMPED CEMENT INTO OPEN HOLE,

ACTIVE

01/28/2026	TD	33728	OH	ST00BP00	16.0	WOC NO MPD,RAN WL,ZAIT,QCNT,HLDS,HXPT @32966, RAN USIT,PREP TO LOG W/ORA TOOL
02/04/2026	TD	33728	OH	ST00BP00	16.0	NO MPD,ATTEMPTED ORA LOG TOOL,STUCK & RECD TOOL,PREP TO DRILL HEAD
02/11/2026	TD	35553	OH	ST00BP00	15.2	MPD 16.1,LWD(GR,RES,PWD)POOH TO REPLACE BHA
02/18/2026	TD	36535	OH	ST00BP00	15.2	MPD 16.1,LWD(GR,RES,PWD)WELL STARTED TO FLOW,SHUT-IN WELL,WOC
02/25/2026	TD	36535	OH	ST00BP00	15.2	MPD 16.1,SQUEEZED CEMENT IN OPEN HOLE, DRILLED OUT TO 33298,PREP TO LOG
03/04/2026	TD	36535	OH	ST00BP00	15.2	MPD 16.1,TOOK MDT(SAMP)SET OH PLUG,PREP TO P&A
03/11/2026	TD	36535	OH	ST00BP00	16.0	NO MPD,SET EZSV @30210,PREP TO P&A
03/18/2026	TD	36535	OH	ST00BP00	16.0	NO MPD,DECIDED NOT TO P&A,T/A 3-12-26,WELL CAN BE RE-ENTERED AT A LATER DATE

GREEN CYN **743** **PROSPECT: ATLANTIS**
BP EXPL **OCS: 15607** **WELL: DC105** **Status: DRLG**

743 FLD **Class: DEV** **API: 608114079800**

LOC 6013' FSL & 6929' FWL of Block 00743 GREEN CYN
LAT = 27.22372461 (27°13'25.409") **LON** = -90.03257889 (-90°01'57.284")
X = 2,604,689 **Y** = 9,890,173 **PMD**: 20782 **PTVD**: 18337
PBHL: OH 4104' FSL & 241' FWL of Block 743 GREEN CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 02/27/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @7146 230' ; 22 @10475

WD= 6838 **KB=** 80 **RIG:** OCEAN BLACK HORNET / NOBLE DRLG
Date Reached TD:

02/04/2026			OH	ST00BP00		MIR
03/04/2026	TD	10528	OH	ST00BP00	12.0	36 @7146 W/230'P,LWD(GR,RES,PWD)PREP TO RUN 22
03/11/2026	TD	10528	OH	ST00BP00	12.0	22 @10475,WOC
03/18/2026	TD	10528	OH	ST00BP00	12.0	REPG BOP

GREEN CYN **782** **PROSPECT: MAD DOG**
BP EXPLORATION & PRODUCT **OCS: 15610** **WELL: MD15** **Status: DRLG**

826 FLD **Class: DEV** **API: 608114061200**

LOC 7228' FSL & 6166' FEL of Block 00782 GREEN CYN
LAT = 27.18830922 (27°11'17.913") **LON** = -90.26861424 (-90°16'07.011")
X = 2,528,234 **Y** = 9,875,548 **PMD**: 25478 **PTVD**: 22443
PBHL: OH 3471' FNL & 2401' FWL of Block 782 GREEN CYN
ABHL: OH **MD:** 25533 **TVD:** 22524 N 5168' @ W 7266'
ATD OH: 25533 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 11/07/2013 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @4886 290' ; 22 @7094 FIT 10.8 ; 16LNR @6488-12455 FIT 15.1 ;
 14LNR @12154-19648 FIT 13.6

WD= 4428 **KB=** 168 **RIG:** MAD DOG SPAR / VALARIS
Date Reached TD: 02/16/2026

09/11/2013			OH	ST00BP00		(APPROVED PERMIT 9-6-13) (BATCH SET)
10/09/2013			OH	ST00BP00		M/ON 10-7-13,PREP TO RUN 36"
10/16/2013			OH	ST00BP00		M/ON 10-7-13,36 @4886W/290'P,M/OFF 10-10-13(WILL RET)
11/13/2013	TD	7125	OH	ST00BP00	14.0	M/ON 11-6-13,LWD(GR,RES)PREP TO RUN 22"
11/20/2013	TD	7125	OH	ST00BP00	14.0	22" @7094, WOC
11/27/2013	TD	7125	OH	ST00BP00	14.0	M/OFF 11-19-13(WILL RETURN)
12/24/2025	TD	7125	OH	ST00BP00	14.0	M/ON 12-14-25,C/O TO DRILL AHEAD
12/31/2025	DRLG	10664	OH	ST00BP00	10.1	FIT 10.79 ON 22,LWD(GR,RES,PWD)

01/07/2026	TD	12460	OH	ST00BP00	10.2	LWD (GR, RES, PWD) PREP TO RUN 16LNR
01/14/2026	TD	12460	OH	ST00BP00	10.2	16LNR @6488-12455, PREP TO DRILL OUT & TEST LNR
01/21/2026	DRLG	18287	OH	ST00BP00	13.9	FIT 15.06 ON 16LNR, LWD (GR, RES, PWD, SON, NBGR)
01/28/2026	TD	19659	OH	ST00BP00	14.1	LWD (GR, RES, PWD, SON, NBGR) RNG 14LNR
02/04/2026	TD	19659	OH	ST00BP00	14.2	14LNR @12154-19648, WOC
02/11/2026	TD	19659	OH	ST00BP00	14.2	PREP TO DRILL OUT & TEST 14LNR
02/18/2026	TD	25533	OH	ST00BP00	13.0	FIT 13.6 ON 14LNR, LWD (GR, RES, NBGR, PWD, DEN, NEUT, SON, FPWD) CIRC BOTTOM UP
02/25/2026	TD	25533	OH	ST00BP00	13.0	WHILE BACKREAMING OUT OF HOLE, HOLE PACKED OFF & WENT TO LOSSES, STK DP @22620, PREP TO SEVER PIPE
03/04/2026	TD	25533	OH	ST00BP00	13.0	SEVERED DP, TF @21176, PREP TO PB & BYPASS
03/11/2026	TD	25533	OH	ST00BP00	13.0	REPD BOP, PREP TO BYPASS
03/18/2026	TD	25533	OH	ST00BP00	13.0	BYPASSED @19848
03/18/2026	TD	24010	BP1	ST00BP01	12.7	LWD (GR, RES, DEN, NEUT, CALP, ACOUSTIC TESTRAK) ENCOUNTERED TAR, EXPERIENCE BALLOONING & LOSSES, PULL UP TO 22810, SHUT WELL IN, C&C

GREEN CYN **825** **PROSPECT: MAD DOG**
BP EXPL **OCS: 20190** **WELL: 14** **Status: DRLG**

825 FLD **Class: DEV** **API: 608114072000**

LOC 7311' FSL & 6375' FEL **of Block** 00825 GREEN CYN
LAT = 27.14594440 (27°08'45.400") **LON** = -90.31898077 (-90°19'08.331")
X = 2,512,185 **Y** = 9,859,790 **PMD:** 25223 **PTVD:** 23498
PBHL: OH 342' FSL & 5103' FEL **of Block** 825 GREEN CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 03/29/2019 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @5335 267' ; 22 @7645

WD= 4986 **KB=** 82 **RIG:** WEST AURIGA / SEADRILL
Date Reached TD:

03/13/2019			OH	ST00BP00		BATCH SET
04/03/2019	TD	7692	OH	ST00BP00	10.5	36 @5335 W/267'P, LWD (ARC) 22 @7645, M/OFF 4-1-19 (WILL RETURN)
03/18/2026	TD	7692	OH	ST00BP00	10.5	M/ON 3-11-26, RIGGING UP

WALKER RIDGE **29** **PROSPECT: BIG FOOT**
CHEVRON U.S.A. INC. **OCS: 16942** **WELL: A12** **Status: DRLG**

29 FLD **Class: DEV** **SS** **API: 608124005900**

LOC 7578' FSL & 6940' FEL **of Block** 00029 WALKER RIDGE
LAT = 26.93254406 (26°55'57.159") **LON** = -90.52019528 (-90°31'12.703")
X = 2,448,260 **Y** = 9,780,858 **PMD:** 23284 **PTVD:** 21486
PBHL: OH 3381' FSL & 7270' FEL **of Block** 29 WALKER RIDGE
ABHL: OH **MD:** 23217 **TVD:** 21452 S 4194' @ W 355'
ATD OH: 23217 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 02/24/2013 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @5590 307' ; 22 @8753 FIT 12.3 ; 16LNR @5677-16836 FIT 13.0 ; 9 7/8LNR @16518-23216

WD= 5189 **KB=** 226 **RIG:** MODS 400 / NABORS OS
Date Reached TD: 02/07/2026

12/07/2011			OH	ST00BP00		'MIOCENE' (WILL BATCH SET CASING) (PERMIT APPROVED 12-1-11)
12/14/2011			OH	ST00BP00		M/ON 12-7-11, 36 @5590W/307'P, M/OFF 12-8-11 (WILL RET)
02/27/2013	DRLG	7085	OH	ST00BP00	16.0	M/ON 2-21-13, LWD (GR, RES, ARC, TELESCOPE, PWD)
03/06/2013	TD	8798	OH	ST00BP00	13.0	LWD (GR, RES, ARC, TELESCOPE, PWD) @8798, NO SWC, 22 @8753, M/OFF 3-2-13 (WILL RET)
03/27/2013	TD	8798	OH	ST00BP00	13.0	M/ON 3-22-13, INSTALLED T/A CAP, M/OFF

					3-23-13 (WILL RET)
01/07/2026	TD	8798	OH	ST00BP00	13.0 M/ON 1-3-26, RIGGING UP
01/14/2026	TD	8798	OH	ST00BP00	13.0 PRESSURE TESTED CSG & TESTED BOP, DRILLING OUT CEMENT
01/21/2026	TD	16950	OH	ST00BP00	10.8 FIT 12.3 ON 22, LWD (ARCVIS, NBGR) PREP TO RUN 16LNR
01/28/2026	TD	16950	OH	ST00BP00	10.8 WHILE POOH HAD LOSSES, RAN 16LNR @ 5677-16836, PREP TO DRILL OUT & TEST LNR
02/04/2026	TD	17274	OH	ST00BP00	11.9 FIT 13.0 ON 16LNR, LWD (ARCVIS, NBGR, SONSCOPE, STETH, SADN) CUTTING LINE PLUGGED, CLEARING LINE
02/11/2026	TD	23217	OH	ST00BP00	12.3 CLEARED PLUGGED CUTTING LINE, LWD (ARCVIS, NBGR, SONSCOPE, STETH, SADN) TOOK STETH PRESSURES, RNG 9 7/8 LNR
02/18/2026	TD	23217	OH	ST00BP00	12.3 9 7/8 LNR @16518-23216, PREP TO SET PKR FOR PRESSURE TESTS
02/25/2026	TD	23217	OH	ST00BP00	12.3 PRESSURE TESTED LNR, RNG 9 7/8 X 11.15TB
03/04/2026	TD	23217	OH	ST00BP00	12.3 RAN 9 7/8 X 11.15TB @16518, PREP TO PULL OUTER DRILLING RISER
03/11/2026	TD	23217	OH	ST00BP00	12.3 RISER WORK
03/18/2026	TD	23217	OH	ST00BP00	12.3 RISER WORK

WALKER RIDGE **425** **PROSPECT: CHINOOK**
MURPHY EXPLORATION & PRO **OCS: 16987** **WELL: 5** **Status: DRLG**

469 FLD **Class: DEV** **API: 608124015900**

LOC 23' FNL & 7298' FEL of Block 00469 WALKER RIDGE
LAT = 26.51968595 (26°31'10.869") **LON** = -90.53022803 (-90°31'48.821")
X = 2,447,902 **Y** = 9,630,697 **PMD:** 26880 **PTVD:** 26183
PBHL: OH 793' FSL & 5559' FWL of Block 425 WALKER RIDGE
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 03/03/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @9229 309' ; 22 @12185

WD= 8834 **KB=** 86 **RIG:** STANLEY LAFOSSE / NOBLE DRLG
Date Reached TD:

02/18/2026			OH	ST00BP00	LOCATION
03/04/2026			OH	ST00BP00	36 @9229 W/309'P, PREP TO SPUD
03/11/2026	TD	12250	OH	ST00BP00	11.5 LWD (GR, RES, PWD) RAN 22 @12185, WOC
03/18/2026	TD	12250	OH	ST00BP00	11.5 PRESSURE TESTED BOP, PREP TO DRILL OUT & TAKE FIT

WALKER RIDGE **508** **PROSPECT: STONES**
SHELL **OCS: 17001** **WELL: SN220** **Status: DRLG**

508 FLD **Class: DEV** **API: 608124016000**

LOC 6625' FSL & 6400' FEL of Block 00508 WALKER RIDGE
LAT = 26.45479041 (26°27'17.245") **LON** = -90.77089737 (-90°46'15.231")
X = 2,369,600 **Y** = 9,605,665 **PMD:** **PTVD:**
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 03/11/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 38 @9877 186' ; 28 @11369

WD= 9589 **KB=** 102 **RIG:** DW PONTUS / TRANSOCEAN
Date Reached TD:

03/11/2026			OH	ST00BP00	BATCH SET, PERFORMING RIG MAINTENANCE BEFORE SPUDING
03/18/2026	TD	14510	OH	ST00BP00	10.4 38 @9877 W/186'P, LWD (EWR-M-5) RAN 28 @11369, PREP TO RUN 22

MISSISSIPPI CYN 393 PROSPECT: VICKSBURG
 SHELL OCS: 26254 WELL: VX4 Status: DRLG

393 FLD Class: DEV API: 608174152300

LOC 5792' FNL & 836' FEL of Block 00393 MISSISSIPPI CYN
 LAT = 28.61433938(28°36'51.622") LON = -87.91927269(-87°55'09.382")
 X = 1,345,564 Y = 10,385,248 PMD: 25775 PTVD: 24777
 PBHL: OH 6734' FSL & 3574' FEL of Block 393 MISSISSIPPI CYN
 ABHL: OH MD: 25775 TVD: 24777 S 3320' @ W 2721'
 ATD OH: 25775 BP1: BP2: BP3: BP4: BP5:
 SPUD: 01/18/2026 SUSP: COMP: RR:
 CSG= OH 38 @7700 198' ; 28 @8789 ; 22 @11741 FIT 11.2 ; 16LNR @11299-17893 FIT 13.5 ;
 12 1/4 X 11 7/8 @22957 FIT 15.1 ; 8 5/8LNR @22430-25552 FIT 14.8

WD= 7400 KB= 102 RIG: DW PROTEUS / TRANSOCEAN
 Date Reached TD: 03/05/2026

01/07/2026		OH	ST00BP00	LOCATION
01/21/2026		OH	ST00BP00	PREP TO SPUD
01/28/2026 TD	11933	OH	ST00BP00 12.0	38 @7700 W/198'P, 28 @8789, LWD (ARCVIS, PWD) 22 @11741, PREP TO RUN RISER & BOP
02/04/2026 TD	17960	OH	ST00BP00 11.0	CML 11.1, FIT 11.21 ON 22, LWD (GR, RES, PWD) PREP TO RUN 16LNR
02/11/2026 TD	23005	OH	ST00BP00 13.0	CML 13.1, RAN 16LNR @11299-17893, FIT 13.45, LWD (GR, RES, PWD) PREP TO RUN 12 1/4 X 11 7/8
02/18/2026 DRLG	23899	OH	ST00BP00 14.3	CML 14.5, RAN 12 1/4 X 11 7/8 @22957, FIT 15.14, LWD (ARCVIS, MICROSCOPE)
02/25/2026 TD	25557	OH	ST00BP00 14.4	CML 14.7, LWD (ARCVIS, MICROSCOPE) RAN 8 5/8LNR @22430-25552, PREP TO DRILL OUT SHOETRACK
03/04/2026 TD	25557	OH	ST00BP00 14.4	CML 14.7, PERFORMED WELLBORE C/O, PREP TO DRILL OUT 8 5/8 SHOETRACK
03/11/2026 TD	25775	OH	ST00BP00 14.4	CML 14.0, TOOK FIT 14.81 ON 8 5/8 LNR, LWD (ARCVIS, NMR, STETH, ADN) PREP TO COMP IN THE OPEN HOLE
03/18/2026 TD	25775	OH	ST00BP00 14.4	CML 14.0, COMPTG

MISSISSIPPI CYN 522 PROSPECT: NAKIKA
 BP EXPL OCS: 8823 WELL: 7 Status: SUSP

522 FLD Class: DEV API: 608174152100

LOC 3195' FSL & 2704' FWL of Block 00522 MISSISSIPPI CYN
 LAT = 28.46337181(28°27'48.139") LON = -88.10418881(-88°06'15.080")
 X = 1,285,744 Y = 10,330,875 PMD: 15500 PTVD: 15476
 PBHL: OH 3808' FSL & 3056' FWL of Block 522 MISSISSIPPI CYN
 ABHL: OH MD: 15523 TVD: 15499 S 318' @ W 110'
 ATD OH: 15523 BP1: BP2: BP3: BP4: BP5:

SPUD: 12/21/2025 SUSP: 03/09/2026 COMP: RR: 03/09/2026
 CSG= OH 36 @7282 189' ; 28 @9062 ; 16 @12436 FIT 11.8 ; 9 7/8LNR @12250-15490

WD= 7012 KB= 81 RIG: OCEAN BLACK LION / DIAMOND OS
 Date Reached TD: 01/08/2026

12/24/2025 DRLG	7571	OH	ST00BP00 16.0	36 @7282W/189, LWD (GR, RES, APWD)
12/31/2025 TD	12528	OH	ST00BP00 13.5	28 @9062, LWD (GR, RES, APWD) 16 @12436, WOC
01/07/2026 TD	12528	OH	ST00BP00 10.6	RAN BOP & RISER, PREP TO DRILL OUT & TEST 16
01/14/2026 TD	15523	OH	ST00BP00 10.4	MPD 11.37, FIT 11.81 ON 16, LWD (GR, RES, PWD, ABGR, FPWD, SON, DEN, NEUT) BEGAN RNG 9 7/8LNR, HIT OBSTRUCTION @11087, POOH WHILE DISCUSSING FORWARD PLAN
01/21/2026 TD	15523	OH	ST00BP00 10.4	MPD 11.37, MILLED OUT OBSTRUCTIONS IN 16, C/O PRIOR TO RUNNING 9 7/8LNR

					PBHL 2836 FNL 4125 FWL BLK 651,ORIG PTDS 30937 MD 35500 TVD
01/28/2026	TD	30576	BP1 ST00BP01	14.8	M/ON 1-20-26,BWM,RNG BOP, WILL PB & BYPASS TO DRILL WATER INJECTION WELL
02/04/2026	TD	30576	BP1 ST00BP01	14.8	RAN & TSTD BOP,DRILLING OUT PLUGS TO BYPASS
02/11/2026	TD	30576	BP1 ST00BP01	14.8	DRILLED OUT CIBP,DRILLING OUT CEMENT PLUGS
02/18/2026	TD	30576	BP1 ST00BP01	14.8	DRILLED OUT CEMENT PLUGS,RAN 10LNR EXTENSION @21096-23204,PREP TO DRILL OUT LOWER CEMENT PLUGS
02/25/2026	TD	30576	BP1 ST00BP01	14.8	DRILLED OUT CEMENT PLUG #3 & CIBP,FAILED PRESSURE TEST ON 10.175LNR,PUMPED A 700' PLUG,TESTED PLUG,PREP TO DRILL OUT CEMENT TO BYPASS
03/04/2026	TD	30576	BP1 ST00BP01	14.8	HAD UNSUCCESSFUL ATTEMPT TO BYPASS,SET ADDL PLUG,TOC @28140,DRILLING OUT CEMENT, PREP TO BYPASS
03/11/2026	TD	30576	BP1 ST00BP01	14.8	UNSUCCESSFUL ATTEMPT TO KICK OFF @29500, DRILLED CEMENT TO 30530,TOOK PRESS,RNG 7LNR
03/18/2026	TD	30576	BP1 ST00BP01	14.8	RAN 7LNR @28610-30544,SET T/A PLUG,PULLING RISER & BOP

MISSISSIPPI CYN **759** **PROSPECT: ZEPHYRUS**
BEACON OFFSHORE ENERGY **OCS: 35833** **WELL: ZA2ST** **Status: SUSP**

759 FLD **Class: DEV** **SS** **API: 608174151601**

LOC 3148' FSL & 5157' FEL **of Block** 00759 MISSISSIPPI CYN
LAT = 28.18509906(28°11'06.357") **LON** = -89.40424635(-89°24'15.287")
X = 866,043 **Y** = 10,235,788 **PMD:** 26694 **PTVD:** 24742
PBHL: OH 578' FSL & 7144' FWL **of Block** 759 MISSISSIPPI CYN
ABHL: OH **MD:** 26270 **TVD:** 24421 S 2514' @ W 3534'
ATD OH: 26270 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**
SPUD: 12/07/2025 **SUSP:** 03/12/2026 **COMP:** **RR:** 03/12/2026
CSG= OH OLD(38 @3806 ; 32 @4259 ; 28 @5737 ; 22 @8765 ; 18LNR @7884-11389 ; 16LNR @10995-14392 ; 14 @22455)
 9 7/8LNR @18027-26261

WD= 3533 **KB=** 75 **RIG:** DW ATLAS / TRANSOCEAN
Date Reached TD: 12/23/2025

12/10/2025	TD	18428	OH ST00BP00	15.5	MPD OFF,MILLED WDW @18374-18418,FIT 16.76, STO #ZA-2 @18418,NO LWD,TIH W/BHA TO DRILL AHEAD
12/17/2025	TD	24765	OH ST00BP00	15.6	LWD(ONTRAK II,ZONETRAK G,SOUNDTRAK,TESTRAK, LITHOTRAK(ORD,CCN)POOH TO TEST BOP & MPD
12/24/2025	DRLG	25155	OH ST00BP00	15.7	MPD 16.38,TSTD BOP & MPD,FINGERPRINTED MPD, LWD(ONTRAK II,ZONETRAK G,SOUNDTRAK,TESTRAK, LITHOTRAK)
12/31/2025	TD	26270	OH ST00BP00	16.3	MPD 16.57,WHILE @25315,TOOK OPEN HOLE DFIT 16.69,LWD(ONTRAK II,ZONETRAK G,SOUNDTRAK, TESTRAK,LITHOTRAK)PREP TO WL LOG
01/07/2026	TD	26270	OH ST00BP00	16.3	MPD 16.57,RAN WL,MCI,STRATAEXAMINER,SON @ 26200,TOOK RDTs(PRESS & SAMP)TOOK ROT SWC, RNG 9 7/8LNR
01/07/2026	TD	26270	OH ST00BP00	16.3	MPD 16.57,RAN 9 7/8LNR @18027-26261,RAN 9 7/8TB @18027,PREP TO COMP
01/21/2026	TD	26270	OH ST00BP00	16.3	MPD 16.57,PREP TO COMP
01/28/2026	TD	26270	OH ST00BP00	16.3	MPD 16.57,COMPTG
02/04/2026	TD	26270	OH ST00BP00	16.3	MPD 16.57,COMPTG
02/11/2026	TD	26270	OH ST00BP00	16.3	MPD 16.57,COMPTG
02/18/2026	TD	26270	OH ST00BP00	16.3	MPD 16.57,COMPTG
02/25/2026	TD	26270	OH ST00BP00	16.3	MPD 16.57,COMPTG
03/04/2026	TD	26270	OH ST00BP00	16.3	MPD 16.57,COMPTG
03/11/2026	TD	26270	OH ST00BP00	16.3	MPD 16.57,PREP TO R.R.
03/18/2026	TD	26270	OH ST00BP00	16.3	MPD 16.57,R.R.

MISSISSIPPI CYN 812 PROSPECT: KAIKIAS
 SHELL OCS: 34461 WELL: KI2 Status: DRLG

768 FLD Class: INJ SS API: 608174152400

LOC 6675' FSL & 5760' FEL of Block 00812 MISSISSIPPI CYN
 LAT = 28.15827055(28°09'29.774") LON = -88.96312064(-88°57'47.234")
 X = 1,008,000 Y = 10,223,475 PMD: 29835 PTVD: 26815
 PBHL: OH 7513' FSL & 2732' FWL of Block 812 MISSISSIPPI CYN
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 02/17/2026 SUSP: COMP: RR:
 CSG= OH 38 @4832 198' ; 32 @5224 ; 28 @6311 ; 22 @8422 FIT 11.9 ;
 18LNR @7869-13124 FIT 15.3

WD= 4547 KB= 87 RIG: STENA EVOLUTION / STENA DRILLING

Date Reached TD:

02/18/2026		OH	ST00BP00		PREP TO SPUD
02/25/2026	TD	8468	OH	ST00BP00	13.0 38 @4832 W/198'P,LWD(ARCVIS)RAN 32 @5224, 28 @6311,PREP TO RUN 22
03/04/2026	TD	8478	OH	ST00BP00	10.5 22 @8422,FIT 11.9,LWD(ARCVIS)PREP TO DRILL OUT
03/11/2026	TD	13254	OH	ST00BP00	11.3 LWD(ARCVIS)PREP TO RUN 18LNR
03/18/2026	TD	24543	OH	ST00BP00	14.5 18LNR @7869-13124,FIT 15.33,LWD(ARCVIS) PREP TO RUN 14



SUSPENDED

MISSISSIPPI CYN 522 PROSPECT: NAKIKA
 BP EXPL OCS: 8823 WELL: 7 Status: SUSP

522 FLD Class: DEV API: 608174152100

LOC 3195' FSL & 2704' FWL of Block 00522 MISSISSIPPI CYN
 LAT = 28.46337181(28°27'48.139") LON = -88.10418881(-88°06'15.080")
 X = 1,285,744 Y = 10,330,875 PMD: 15500 PTVD: 15476
 PBHL: OH 3808' FSL & 3056' FWL of Block 522 MISSISSIPPI CYN
 ABHL: OH MD: 15523 TVD: 15499 S 318' @ W 110'
 ATD OH: 15523 BP1: BP2: BP3: BP4: BP5:
 SPUD: 12/21/2025 SUSP: 03/09/2026 COMP: RR: 03/09/2026
 CSG= OH 36 @7282 189' ; 28 @9062 ; 16 @12436 FIT 11.8 ; 9 7/8LNR @12250-15490

WD= 7012 KB= 81 RIG: OCEAN BLACK LION / DIAMOND OS
 Date Reached TD: 01/08/2026

12/24/2025	DRLG	7571	OH	ST00BP00	16.0	36 @7282W/189, LWD (GR, RES, APWD)
12/31/2025	TD	12528	OH	ST00BP00	13.5	28 @9062, LWD (GR, RES, APWD) 16 @12436, WOC
01/07/2026	TD	12528	OH	ST00BP00	10.6	RAN BOP & RISER, PREP TO DRILL OUT & TEST 16
01/14/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, FIT 11.81 ON 16, LWD (GR, RES, PWD, ABGR, FPWD, SON, DEN, NEUT) BEGAN RNG 9 7/8LNR, HIT OBSTRUCTION @11087, POOH WHILE DISCUSSING FORWARD PLAN
01/21/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, MILLED OUT OBSTRUCTIONS IN 16, C/O PRIOR TO RUNNING 9 7/8LNR
01/28/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, RAN 9 7/8LNR @12250-15490, PERFORMING DOWN HOLE FIT
02/04/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, COMPTG
02/11/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, COMPTG
02/18/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, COMPTG
02/25/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, COMPTG
03/04/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, COMPTG
03/11/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, COMPTG
03/18/2026	TD	15523	OH	ST00BP00	10.4	MPD 11.37, R.R.

MISSISSIPPI CYN 759 PROSPECT: ZEPHYRUS
 BEACON OFFSHORE ENERGY OCS: 35833 WELL: ZA2ST Status: SUSP

759 FLD Class: DEV SS API: 608174151601

LOC 3148' FSL & 5157' FEL of Block 00759 MISSISSIPPI CYN
 LAT = 28.18509906(28°11'06.357") LON = -89.40424635(-89°24'15.287")
 X = 866,043 Y = 10,235,788 PMD: 26694 PTVD: 24742
 PBHL: OH 578' FSL & 7144' FWL of Block 759 MISSISSIPPI CYN
 ABHL: OH MD: 26270 TVD: 24421 S 2514' @ W 3534'
 ATD OH: 26270 BP1: BP2: BP3: BP4: BP5:
 SPUD: 12/07/2025 SUSP: 03/12/2026 COMP: RR: 03/12/2026
 CSG= OH OLD(38 @3806 ; 32 @4259 ; 28 @5737 ; 22 @8765 ; 18LNR @7884-11389 ; 16LNR @10995-14392 ; 14 @22455)
 9 7/8LNR @18027-26261

WD= 3533 KB= 75 RIG: DW ATLAS / TRANSOCEAN
 Date Reached TD: 12/23/2025

12/10/2025	TD	18428	OH	ST00BP00	15.5	MPD OFF, MILLED WDW @18374-18418, FIT 16.76, STO #ZA-2 @18418, NO LWD, TIH W/BHA TO DRILL AHEAD
12/17/2025	TD	24765	OH	ST00BP00	15.6	LWD (ONTRAK II, ZONETRAK G, SOUNDTRAK, TESTRAK, LITHOTRAK (ORD, CCN) POOH TO TEST BOP & MPD
12/24/2025	DRLG	25155	OH	ST00BP00	15.7	MPD 16.38, TSTD BOP & MPD, FINGERPRINTED MPD, LWD (ONTRAK II, ZONETRAK G, SOUNDTRAK, TESTRAK, LITHOTRAK)

SUSPENDED

12/31/2025	TD	26270	OH	ST00BP00	16.3	MPD 16.57,WHILE @25315,TOOK OPEN HOLE DFIT 16.69,LWD (ONTRAK II,ZONETRAK G,SOUNDTRAK,TESTRAK,LITHOTRAK)PREP TO WL LOG
01/07/2026	TD	26270	OH	ST00BP00	16.3	MPD 16.57,RAN WL,MCI,STRATAEXAMINER,SON @ 26200,TOOK RDTS (PRESS & SAMP)TOOK ROT SWC,RNG 9 7/8LNR
01/07/2026	TD	26270	OH	ST00BP00	16.3	MPD 16.57,RAN 9 7/8LNR @18027-26261,RAN 9 7/8TB @18027,PREP TO COMP
01/21/2026	TD	26270	OH	ST00BP00	16.3	MPD 16.57,PREP TO COMP
01/28/2026	TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
02/04/2026	TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
02/11/2026	TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
02/18/2026	TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
02/25/2026	TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
03/04/2026	TD	26270	OH	ST00BP00	16.3	MPD 16.57,COMPTG
03/11/2026	TD	26270	OH	ST00BP00	16.3	MPD 16.57,PREP TO R.R.
03/18/2026	TD	26270	OH	ST00BP00	16.3	MPD 16.57,R.R.



01/07/2026	TD	30553	OH	ST00BP00	15.9	RERAN MDT TO COLLECT SAMPLES, RAN 9 7/8LNR @ 24407-30310, FINGERPRINTING MPD
01/14/2026	TD	31806	OH	ST00BP00	15.4	MPD 16.2, RAN FIT 16.4 ON 9 7/8LNR, LWD (GR, RES, APWD) REAL TIME LWD WORKING INTERMITTENTLY, CHANGING OUT BHA
01/21/2026	TD	33728	OH	ST00BP00	15.4	MPD 16.2, LWD (GR, RES, APWD) OBSERVED LOSSES, SHUT-IN WELL, PUMPED CEMENT INTO OPEN HOLE, WOC
01/28/2026	TD	33728	OH	ST00BP00	16.0	NO MPD, RAN WL, ZAIT, QCNT, HLDS, HXPT @32966, RAN USIT, PREP TO LOG W/ORA TOOL
02/04/2026	TD	33728	OH	ST00BP00	16.0	NO MPD, ATTEMPTED ORA LOG TOOL, STUCK & RECD TOOL, PREP TO DRILL HEAD
02/11/2026	TD	35553	OH	ST00BP00	15.2	MPD 16.1, LWD (GR, RES, PWD) POOH TO REPLACE BHA
02/18/2026	TD	36535	OH	ST00BP00	15.2	MPD 16.1, LWD (GR, RES, PWD) WELL STARTED TO FLOW, SHUT-IN WELL, WOO
02/25/2026	TD	36535	OH	ST00BP00	15.2	MPD 16.1, SQUEEZED CEMENT IN OPEN HOLE, DRILLED OUT TO 33298, PREP TO LOG
03/04/2026	TD	36535	OH	ST00BP00	15.2	MPD 16.1, TOOK MDT (SAMP) SET OH PLUG, PREP TO P&A
03/11/2026	TD	36535	OH	ST00BP00	16.0	NO MPD, SET EZSV @30210, PREP TO P&A
03/18/2026	TD	36535	OH	ST00BP00	16.0	NO MPD, DECIDED NOT TO P&A, T/A 3-12-26, WELL CAN BE RE-ENTERED AT A LATER DATE

