

**OFFSHORE OIL SCOUTS ASSOCIATION  
GULF ATLANTIC**

**WEEKLY DRILLING REPORT**

**DEEP WATER**

**Wednesday, April 1, 2026**





# OFFSHORE OIL SCOUTS

PROPRIETARY

STATEMENT



***This information is provided by exclusive agreement with The Offshore Oil Scouts Association. The recipient acknowledges that the data and materials are proprietary information and trade secret, whether or not any portion thereof may be validly copyrighted or patented. Any reproduction or other use without the express written consent of The Association President will be pursued to the fullest extent of the law.***

## Table of Contents

### NEW LOCATIONS

WALKER RIDGE Block 678 WELL IS2 CHEVRON U.S.A. INC.

### ACTIVE

ALAMINOS CYN Block 772 WELL WS402 SHELL

KEATHLEY CYN Block 247 WELL 1 BP EXPL

KEATHLEY CYN Block 918 WELL SS5ST ANADARKO PETROLEUM CORPOR

KEATHLEY CYN Block 918 WELL SS5ST2 ANADARKO PETROLEUM CORPOR

GREEN CYN Block 640 WELL PS12 CHEVRON U.S.A. INC.

GREEN CYN Block 641 WELL IN3 CHEVRON U.S.A. INC.

GREEN CYN Block 743 WELL DC105 BP EXPL

GREEN CYN Block 782 WELL MD15 BP EXPLORATION & PRODUCTI

GREEN CYN Block 825 WELL 14 BP EXPL

WALKER RIDGE Block 29 WELL A12 CHEVRON U.S.A. INC.

WALKER RIDGE Block 425 WELL 5 MURPHY EXPLORATION & PROD

MISSISSIPPI CYN Block 41 WELL 1 ANADARKO PETROLEUM CORPOR

MISSISSIPPI CYN Block 393 WELL VX4 SHELL

MISSISSIPPI CYN Block 812 WELL KI2 SHELL

### WELLS REACHING TD

KEATHLEY CYN Block 918 WELL SS5ST2 ANADARKO PETROLEUM CORPOR


### SUSPENDED

ALAMINOS CYN Block 772 WELL WS402 SHELL

MISSISSIPPI CYN Block 393 WELL VX4 SHELL

### COMPLETED

KEATHLEY CYN Block 918 WELL SS5ST ANADARKO PETROLEUM CORPOR





**ACTIVE**

**ALAMINOS CYN** **772** **PROSPECT: WHALE**  
**SHELL** **OCS: 35153** **WELL: WS402** **Status: SUSP**

**772 FLD** **Class: EXP** **API: 608054011300**

**LOC** 2004' FSL & 1776' FWL **of Block** 00772 ALAMINOS CYN  
**LAT** = 26.18711206(26°11'13.603") **LON** = -94.76103014(-94°45'39.709")  
**X** = 1,063,056 **Y** = 9,506,004 **PMD**: 21735 **PTVD**: 21678  
**PBHL**: OH 1688' FSL & 1147' FWL **of Block** 772 ALAMINOS CYN  
**ABHL**: OH **MD**: 21716 **TVD**: 21658 S 313' @ W 651'  
**ATD OH**: 21716 **BP1**: **BP2**: **BP3**: **BP4**: **BP5**:

**SPUD**: 04/08/2025 **SUSP**: 03/27/2026 **COMP**: **RR**: 03/27/2026  
**CSG**= OH 38 @9124 202' ; 28 @10795 ; 22 @12725 FIT 11.1 ;  
 16LNR @12379-14640 FIT 11.8 ; 14LNR @14380-18239 FIT 11.8 ; 9 5/8LNR @17468-21711

**WD**= 8820 **KB**= 102 **RIG**: DW POSEIDON / TRANSOCEAN  
**Date Reached TD**: 01/20/2026

|            |      |       |          |          |   |
|------------|------|-------|----------|----------|---|
| 04/02/2025 |      | OH    | ST00BP00 |          | BATCH SET   |
| 04/09/2025 |      | OH    | ST00BP00 |          | RIGGING UP  |
| 04/16/2025 | DRLG | 12164 | OH       | ST00BP00 | 10.5 38 @9124 W/202'P, 28 @10795, LWD (GR, RES, PWD)  |
| 04/23/2025 | TD   | 12770 | OH       | ST00BP00 | 10.5 LWD (GR, RES, PWD) 22 @12725, M/OFF 4-20-25, WILL RETURN   |
| 12/17/2025 | TD   | 12770 | OH       | ST00BP00 | 10.5 M/ON 12-13-25, RIGGING UP  |
| 12/24/2025 | TD   | 12770 | OH       | ST00BP00 | 10.5 RNG RISER  |
| 12/31/2025 | TD   | 14650 | OH       | ST00BP00 | 9.2 MPD 10.1, FIT 11.07 ON 22, LWD (GR, RES, PWD) PREP TO WL THEN RUN 16  |
| 01/07/2026 | TD   | 18370 | OH       | ST00BP00 | 10.8 MPD OFF, UNABLE TO WL SECTION AS PLANNED, RAN 16LNR @12379-14640, FIT 11.75, LWD (GR, RES, PWD) PREP TO WL                                   |
| 01/14/2026 | TD   | 18370 | OH       | ST00BP00 | 10.8 MPD OFF, RAN WL, GR. DEN. NEUT, SON, CALP @18370, ATTEMPTED MDT FOR PRESSURES, FAILED TO OPERATE, TOOK MDTs (PRESS & SAMP) PREP TO RUN 14LNR |
| 01/21/2026 | TD   | 18370 | OH       | ST00BP00 | 10.8 MPD OFF, RAN 14LNR @14380-18239, PREP TO DRILL OUT   |
| 01/28/2026 | TD   | 21716 | OH       | ST00BP00 | 9.6 MPD 10.1, FIT 11.84 ON 14LNR, LWD (ARCVIS, DEN, NEUT, STETH) TOOK OPEN HOLE DFIT 10.81, PREP TO LOG   |
| 02/04/2026 | TD   | 21716 | OH       | ST00BP00 | 9.6 MPD 10.1, RAN WL, MSIP, NGI, 3PPC @21716, TOOK MDT (PRESS) RAN 9 5/8LNR @17468-21711, RAN 10 3/4 X 9 5/8TB @17513, COMPTG                     |
| 02/11/2026 | TD   | 21716 | OH       | ST00BP00 | 9.6 MPD 10.1, COMPTG  |
| 02/18/2026 | TD   | 21716 | OH       | ST00BP00 | 9.6 MPD 10.1, COMPTG  |
| 02/25/2026 | TD   | 21716 | OH       | ST00BP00 | 9.6 MPD 10.1, COMPTG  |
| 03/04/2026 | TD   | 21716 | OH       | ST00BP00 | 9.6 MPD 10.1, COMPTG  |
| 03/11/2026 | TD   | 21716 | OH       | ST00BP00 | 9.6 MPD 10.1, COMPTG  |
| 03/18/2026 | TD   | 21716 | OH       | ST00BP00 | 9.6 MPD 10.1, COMPTG, W/O LOOP CURRENT 2.9 KNOTS  |
| 03/25/2026 | TD   | 21716 | OH       | ST00BP00 | 9.6 MPD 10.1, COMPTG, LOOP CURRENT ABATED 3-18-26   |
| 04/01/2026 | TD   | 21716 | OH       | ST00BP00 | 9.6 MPD 10.1, R.R.  |

**KEATHLEY CYN** **247** **PROSPECT: WEST BUMP**  
**BP EXPL** **OCS: 25790** **WELL: 1** **Status: DRLG**

**247 WC** **Class: EXP** **SS** **API: 608084008000**

**LOC** 4687' FNL & 363' FWL **of Block** 00291 KEATHLEY CYN  
**LAT** = 26.70216182(26°42'07.783") **LON** = -92.63787510(-92°38'16.350")  
**X** = 1,758,603 **Y** = 9,689,393 **PMD**: 34548 **PTVD**: 33548  
**PBHL**: OH 780' FSL & 757' FWL **of Block** 247 KEATHLEY CYN  
**ATD OH**: **BP1**: **BP2**: **BP3**: **BP4**: **BP5**:

**SPUD:** 03/18/2026 **SUSP:** **COMP:** **RR:**  
**CSG=** OH 36 @6100 274' ; 28 @8160 ; 22 @9979

**WD=** 5722 **KB=** 104 **RIG:** DW INVICTUS / TRANSOCEAN  
**Date Reached TD:**

|            |      |       |          |               |   |
|------------|------|-------|----------|---------------|---|
| 02/25/2026 |      | OH    | ST00BP00 |               | LOCATION  |
| 03/18/2026 |      | OH    | ST00BP00 |               | RIGGING UP  |
| 03/25/2026 | DRLG | 8708  | OH       | ST00BP00 12.5 | 36 @6100 W/274'P, 28 @8160, LWD(GR, RES, APWD)      |
| 04/01/2026 | TD   | 10071 | OH       | ST00BP00 13.0 | LWD(GR, RES, APWD) 22 @9979, WOC, BOP & MPD TESTING |

**KEATHLEY CYN** **918** **PROSPECT: HADRIAN NORTH**  
**ANADARKO PETROLEUM CORPO** **OCS: 32654** **WELL: SS5ST** **Status: P&A**

**875 FLD** **Class: DEV** **Hzr/SS** **API: 608084007901**

**LOC** 7073' FSL & 648' FWL **of Block** 00919 KEATHLEY CYN  
**LAT** = 26.07798692 (26°04'40.753") **LON** = -92.05968484 (-92°03'34.865")  
**X** = 1,948,968 **Y** = 9,463,553 **PMD:** 21396 **PTVD:** 18451  
**PBHL:** OH 5657' FNL & 1059' FEL **of Block** 918 KEATHLEY CYN  
**ABHL:** OH **MD:** 19360 **TVD:** 18105 N 1194' @ W 2298'  
**ABHL:** BP1 **MD:** 19020 **TVD:** 17812 N 1023' @ W 2338'  
**ATD OH:** 19360 **BP1:** 19020 **BP2:** **BP3:** **BP4:** **BP5:**

**SPUD:** 01/29/2026 **SUSP:** **COMP:** 03/25/2026 **RR:** 03/25/2026  
**CSG=** OH OLD(36 @7774 ; 28 @8592 ; 22 @11296 ; 14 @13443)  
 9 7/8LNR @12989-19328

**WD=** 7387 **KB=** 81 **RIG:** OCEAN BLACKHAWK / NOBLE DRLG  
**Date Reached TD:** 03/20/2026

|            |      |       |     |               |   |
|------------|------|-------|-----|---------------|---|
| 02/04/2026 | TD   | 19360 | OH  | ST01BP00 11.6 | STO #5 @13605, MPD 12.6, LWD(GR, RES, PWD) CIRCULATING  |
| 02/11/2026 | TD   | 19360 | OH  | ST01BP00 11.7 | MPD 12.6, RAN 9 7/8LNR @12989-19328, RAN 10 1/8 X 10 3/4TB @12989, PREP TO DRILL OUT & TEST LNR   |
| 02/18/2026 | TD   | 19360 | OH  | ST01BP00 11.7 | MPD 12.6, C/O HOLE, PREP TO DRILL OUT & TEST LNR  |
| 02/25/2026 | TD   | 19360 | OH  | ST01BP00 11.7 | MPD 12.6, ENCOUNTERED TAR, SQUEEZED SHOE, PREP TO DRILL OUT & TEST LNR  |
| 03/04/2026 | TD   | 19360 | OH  | ST01BP00 11.7 | MPD 12.6, UNABLE TO DRILL OUT DUE TO HOLE CONDITIONS, WOO   |
| 03/11/2026 | TD   | 19360 | OH  | ST01BP00 12.3 | NO MPD, CHANGED OUT SUBSEA CONTROL MODULE ON SUBSEA TREE, PREP TO BYPASS  |
| 03/18/2026 | TD   | 19360 | OH  | ST01BP00 12.3 | NO MPD, SET CIBP @17191, SET WHIPSTOCK @ 17183, MILLED WDW @17152-17172, FIT 13.1, BYPASSED @17172  |
| 03/18/2026 | DRLG | 17346 | BP1 | ST01BP01 11.5 | MPD 12.29, LWD(GR, RES, PWD)  |
| 03/25/2026 | TD   | 19020 | BP1 | ST01BP01 11.5 | MPD 12.3, LWD(GR, RES, PWD) HIT TAR ZONE, DECISION WAS MADE TO ST, SET 2 CEMENT PLUGS, TOC @16920 (NO OH PLUGS) SET CIBP @13814, SET WHIPSTOCK @13807, MILLING WDW @13776-13796 |
| 04/01/2026 | TD   | 19020 | BP1 | ST01BP01 11.5 | MPD 12.3, P&A, STO @13796   |

**KEATHLEY CYN** **918** **PROSPECT: HADRIAN NORTH**  
**ANADARKO PETROLEUM CORPO** **OCS: 32654** **WELL: SS5ST2** **Status: DRLG**

**875 FLD** **Class: DEV** **SS** **API: 608084007902**

**LOC** 7073' FSL & 648' FWL **of Block** 00919 KEATHLEY CYN  
**LAT** = 26.07798692 (26°04'40.753") **LON** = -92.05968484 (-92°03'34.865")  
**X** = 1,948,968 **Y** = 9,463,553 **PMD:** 20461 **PTVD:** 18781  
**PBHL:** OH 6690' FNL & 1454' FEL **of Block** 918 KEATHLEY CYN  
**ABHL:** OH **MD:** 20434 **TVD:** 18769 N 2068' @ W 2111'  
**ATD OH:** **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 03/25/2026 SUSP: COMP: RR:
CSG= OH OLD(36 @7774 ; 28 @8592 ; 22 @11296 ; 14 @13443 ; 9 7/8LNR @12989-19328)

WD= 7387 KB= 81 RIG: OCEAN BLACKHAWK / NOBLE DRLG
Date Reached TD: 03/30/2026

03/25/2026 OH ST02BP00 STO #SS-5ST, PREP TO ST
04/01/2026 TD 20434 OH ST02BP00 11.7 MILLED WDW @13776-13796, FIT 13.6, MPD 12.6,
DRILLED FROM 13796-16616, MUD 12.5, NO MPD,
LWD (GR, RES, PWD) ROLLED MUD TO 11.5, MPD 12.5,
LWD (GR, RES, XBAT, DEN, NEUT, GEOTAP, PWD) PREP
TO RUN 7 3/4LNR

GREEN CYN 640 PROSPECT: TAHITI
CHEVRON U.S.A. INC. OCS: 20082 WELL: PS12 Status: TA

640 FLD Class: DEV SS API: 608114079900

LOC 2935' FSL & 6192' FEL of Block 00640 GREEN CYN
LAT = 27.31582371 (27°18'56.965") LON = -90.75329106 (-90°45'11.848")
X = 2,369,808 Y = 9,918,775 PMD: PTVD:
ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 03/22/2026 SUSP: COMP: RR:
CSG= OH 36 @4708 305' ; 22 @8007

WD= 4302 KB= 101 RIG: DW CONQUEROR / TRANSOCEAN
Date Reached TD:

03/18/2026 OH ST00BP00 BATCH SET
03/25/2026 TD 8057 OH ST00BP00 8.6 36 @4708 W/305, P, LWD (NBGR, GR) RNG 22
04/01/2026 TD 8057 OH ST00BP00 8.6 22 @8007, M/OFF 3-24-26, WILL RETURN

GREEN CYN 641 PROSPECT: TAHITI
CHEVRON U.S.A. INC. OCS: 16770 WELL: IN3 Status: DRLG

640 FLD Class: INJ SS API: 608114079200

LOC 2536' FSL & 3287' FEL of Block 00596 GREEN CYN
LAT = 27.35813862 (27°21'29.299") LON = -90.74348842 (-90°44'36.558")
X = 2,372,713 Y = 9,934,216 PMD: 28933 PTVD: 27185
PBHL: OH 2933' FNL & 1731' FWL of Block 641 GREEN CYN
ABHL: OH MD: 28848 TVD: 27104 S 5455' @ E 5006'
ATD OH: 28848 BP1: BP2: BP3: BP4: BP5:

SPUD: 06/28/2025 SUSP: COMP: RR:
CSG= OH 36 @4401 308' ; 22 @6237 FIT 14.0 ; 18LNR @5785-11042 FIT 16.1 ;
16LNR @4393-19634 FIT 16.2 ; 14LNR @19233-22442 FIT 15.1 ; 9 7/8LNR @22116-28833

WD= 4012 KB= 106 RIG: DW ASGARD / TRANSOCEAN
Date Reached TD: 03/10/2026

06/18/2025 OH ST00BP00 BATCH SET
07/02/2025 TD 6275 OH ST00BP00 10.5 36 @4401 W/308' P, LWD (GR, PWD) 22 @6237, WOC
07/09/2025 TD 6275 OH ST00BP00 10.5 M/OFF 7-1-25, WILL RETURN
01/21/2026 TD 6275 OH ST00BP00 10.5 MIR TO RESUME DRILLING OPERATIONS
01/28/2026 TD 6275 OH ST00BP00 10.5 M/ON 1-19-26, BWM, RAN RISER & BOP, PULLING
BOP FOR REPAIR
02/04/2026 TD 11187 OH ST00BP00 12.7 REPD BOP, RAN BOP, FIT 14.0 ON 22, LWD (GR, RES,
PWD, NBGR) PREP TO RUN 18LNR
02/11/2026 DRLG 15067 OH ST00BP00 13.8 MPD 14.6, RAN 18LNR @5785-11042, FIT 16.1,
LWD (NBGR, EWR)
02/18/2026 TD 19780 OH ST00BP00 14.4 MPD 15.1, LWD (EWR (NBGR, EWR) RAN 16LNR @
4393-19634, WOC

|            |      |       |    |          |      |   |
|------------|------|-------|----|----------|------|---|
| 02/25/2026 | DRLG | 20254 | OH | ST00BP00 | 14.4 | MPD 15.1, DRILLED OUT 16 SHOE, LOT FAILED, PUMPED LCM, CEMENT SQUEEZE, DRILL OUT, FIT 16.2 ON 16LNR, LWD (NBGR, EWR)  |
| 03/04/2026 | TD   | 22540 | OH | ST00BP00 | 14.4 | MPD 15.1, LWD (NBGR, EWR) RAN 14LNR @ 19233-22442, PREP TO DRILL OUT & TEST LNR   |
| 03/11/2026 | TD   | 28350 | OH | ST00BP00 | 13.3 | MPD 14.1, TOOK FIT 15.1 ON 14LNR, LWD (NBGR, EWR, DEN, NEUT, GEOTAP)  |
| 03/11/2026 | TD   | 28350 | OH | ST00BP00 | 13.3 | MPD 14.1, TOOK FIT 15.1 ON 14LNR, LWD (NBGR, EWR, DEN, NEUT, GEOTAP) DP SLIPS BROKE & PIECES WENT INTO HOLE, FSH LIKELY LOCATED AT RCD, UNSUCCESSFUL ATTEMPT TO FSH, ATTEMPTING TO RETRIEVE RCD |
| 03/18/2026 | TD   | 28848 | OH | ST00BP00 | 13.9 | NO MPD, RECD RCD, LWD (NBGR, EWR, DEN, NEUT, GEOTAP) RAN 9 7/8 LNR @ 22116-28833, PREP TO RUN TB  |
| 03/25/2026 | TD   | 28848 | OH | ST00BP00 | 13.9 | NO MPD, RAN 9 7/8 X 10 3/4 TB @ 22116, PREP TO COMP   |
| 04/01/2026 | TD   | 28848 | OH | ST00BP00 | 13.9 | NO MPD, PREP TO COMP  |

**GREEN CYN** **743** **PROSPECT: ATLANTIS**  
**BP EXPL** **OCS: 15607** **WELL: DC105** **Status: DRLG**

**743 FLD** **Class: DEV** **API: 608114079800**

**LOC** 6013' FSL & 6929' FWL **of Block** 00743 GREEN CYN  
**LAT** = 27.22372461 (27°13'25.409") **LON** = -90.03257889 (-90°01'57.284")  
**X** = 2,604,689 **Y** = 9,890,173 **PMD**: 20782 **PTVD**: 18337  
**PBHL**: OH 4104' FSL & 241' FWL **of Block** 743 GREEN CYN  
**ATD OH:** **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

**SPUD:** 02/27/2026 **SUSP:** **COMP:** **RR:**  
**CSG=** OH 36 @ 7146 230' ; 22 @ 10475 FIT 11.1 ; 16LNR @ 10311-13838 FIT 12.4

**WD=** 6838 **KB=** 80 **RIG:** OCEAN BLACK HORNET / NOBLE DRLG  
**Date Reached TD:**

|            |    |       |    |          |      |   |
|------------|----|-------|----|----------|------|---|
| 02/04/2026 |    |       | OH | ST00BP00 |      | MIR   |
| 03/04/2026 | TD | 10528 | OH | ST00BP00 | 12.0 | 36 @ 7146 W/230' P, LWD (GR, RES, PWD) PREP TO RUN 22                               |
| 03/11/2026 | TD | 10528 | OH | ST00BP00 | 12.0 | 22 @ 10475, WOC   |
| 03/18/2026 | TD | 10528 | OH | ST00BP00 | 12.0 | REPG BOP  |
| 03/25/2026 | TD | 13840 | OH | ST00BP00 | 10.3 | MPD 11.5, FIT 11.1 ON 22, LWD (GR, RES, PWD) POOH TO RUN 16LNR                      |
| 04/01/2026 | TD | 17180 | OH | ST00BP00 | 11.0 | MPD 11.5, RAN 16LNR @ 10311-13838, FIT 12.4, LWD (GR, RES, PWD, SON) RNG 13 5/8 LNR |

**GREEN CYN** **782** **PROSPECT: MAD DOG**  
**BP EXPLORATION & PRODUCT** **OCS: 15610** **WELL: MD15** **Status: DRLG**

**826 FLD** **Class: DEV** **API: 608114061200**

**LOC** 7228' FSL & 6166' FEL **of Block** 00782 GREEN CYN  
**LAT** = 27.18830922 (27°11'17.913") **LON** = -90.26861424 (-90°16'07.011")  
**X** = 2,528,234 **Y** = 9,875,548 **PMD**: 25478 **PTVD**: 22443  
**PBHL**: OH 3471' FNL & 2401' FWL **of Block** 782 GREEN CYN  
**ABHL**: OH **MD:** 25533 **TVD:** 22524 N 5168' @ W 7266'  
**ATD OH:** 25533 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

**SPUD:** 11/07/2013 **SUSP:** **COMP:** **RR:**  
**CSG=** OH 36 @ 4886 290' ; 22 @ 7094 FIT 10.8 ; 16LNR @ 6488-12455 FIT 15.1 ; 14LNR @ 12154-19648 FIT 13.6

**WD=** 4428 **KB=** 168 **RIG:** MAD DOG SPAR / VALARIS  
**Date Reached TD:** 02/16/2026

|            |  |  |    |          |  |                                      |
|------------|--|--|----|----------|--|--------------------------------------|
| 09/11/2013 |  |  | OH | ST00BP00 |  | (APPROVED PERMIT 9-6-13) (BATCH SET) |
| 10/09/2013 |  |  | OH | ST00BP00 |  | M/ON 10-7-13, PREP TO RUN 36"        |

**ACTIVE**

|            |      |       |          |          |  |
|------------|------|-------|----------|----------|--|
| 10/16/2013 |      | OH    | ST00BP00 |          | M/ON 10-7-13,36 @4886W/290'P,M/OFF<br>10-10-13(WILL RET)   |
| 11/13/2013 | TD   | 7125  | OH       | ST00BP00 | 14.0 M/ON 11-6-13,LWD(GR,RES)PREP TO RUN 22"   |
| 11/20/2013 | TD   | 7125  | OH       | ST00BP00 | 14.0 22" @7094, WOC  |
| 11/27/2013 | TD   | 7125  | OH       | ST00BP00 | 14.0 M/OFF 11-19-13(WILL RETURN)   |
| 12/24/2025 | TD   | 7125  | OH       | ST00BP00 | 14.0 M/ON 12-14-25,C/O TO DRILL AHEAD  |
| 12/31/2025 | DRLG | 10664 | OH       | ST00BP00 | 10.1 FIT 10.79 ON 22,LWD(GR,RES,PWD)   |
| 01/07/2026 | TD   | 12460 | OH       | ST00BP00 | 10.2 LWD(GR,RES,PWD)PREP TO RUN 16LNR  |
| 01/14/2026 | TD   | 12460 | OH       | ST00BP00 | 10.2 16LNR @6488-12455,PREP TO DRILL OUT & TEST<br>LNR   |
| 01/21/2026 | DRLG | 18287 | OH       | ST00BP00 | 13.9 FIT 15.06 ON 16LNR,LWD(GR,RES,PWD,SON,NBGR)   |
| 01/28/2026 | TD   | 19659 | OH       | ST00BP00 | 14.1 LWD(GR,RES,PWD,SON,NBGR)RNG 14LNR   |
| 02/04/2026 | TD   | 19659 | OH       | ST00BP00 | 14.2 14LNR @12154-19648,WOC  |
| 02/11/2026 | TD   | 19659 | OH       | ST00BP00 | 14.2 PREP TO DRILL OUT & TEST 14LNR  |
| 02/18/2026 | TD   | 25533 | OH       | ST00BP00 | 13.0 FIT 13.6 ON 14LNR,LWD(GR,RES,NBGR,PWD,DEN,<br>NEUT,SON,FPWD)CIRC BOTTOM UP  |
| 02/25/2026 | TD   | 25533 | OH       | ST00BP00 | 13.0 WHILE BACKREAMING OUT OF HOLE,HOLE PACKED<br>OFF & WENT TO LOSSES,STK DP @22620,PREP TO<br>SEVER PIPE                             |
| 03/04/2026 | TD   | 25533 | OH       | ST00BP00 | 13.0 SEVERED DP,TF @21176,PREP TO PB & BYPASS  |
| 03/11/2026 | TD   | 25533 | OH       | ST00BP00 | 13.0 REPD BOP,PREP TO BYPASS   |
| 03/18/2026 | TD   | 25533 | OH       | ST00BP00 | 13.0 BYPASSED @19848   |
| 03/18/2026 | TD   | 24014 | BP1      | ST00BP01 | 12.7 LWD(GR,RES,DEN,NEUT,CALP,ACOUSTIC TESTRAK)<br>ENCOUNTERED TAR,EXPERIENCE BALLOONING &<br>LOSSES,PULL UP TO 22810,SHUT WELL IN,C&C |
| 03/25/2026 | TD   | 24014 | BP1      | ST00BP01 | 12.7 PREP TO PB & BYPASS   |
| 04/01/2026 | TD   | 24014 | BP1      | ST00BP01 | 12.7 BYPASSED @19676   |
| 04/01/2026 | DRLG | 23102 | BP2      | ST00BP02 | 12.7 LWD(GR,RES,PWD)ENCOUNTER TAR @23075   |

**GREEN CYN****825****PROSPECT: MAD DOG****BP EXPL****OCS: 20190****WELL: 14****Status: DRLG****825 FLD****Class: DEV****API: 608114072000**

**LOC** 7311' FSL & 6375' FEL of **Block** 00825 GREEN CYN  
**LAT** = 27.14594440 (27°08'45.400") **LON** = -90.31898077 (-90°19'08.331")  
**X** = 2,512,185 **Y** = 9,859,790 **PMD**: 25223 **PTVD**: 23498  
**PBHL**: OH 342' FSL & 5103' FEL of **Block** 825 GREEN CYN  
**ATD OH:** **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

**SPUD:** 03/29/2019 **SUSP:** **COMP:** **RR:**  
**CSG=** OH 36 @5335 267' ; 22 @7645 PIT 11.8 ; 14 @17044 PIT 13.2

**WD=** 4986 **KB=** 82 **RIG:** WEST AURIGA / SEADRILL**Date Reached TD:**

|            |      |       |          |          |   |
|------------|------|-------|----------|----------|---|
| 03/13/2019 |      | OH    | ST00BP00 |          | BATCH SET   |
| 04/03/2019 | TD   | 7692  | OH       | ST00BP00 | 10.5 36 @5335 W/267'P,LWD(ARC)22 @7645,M/OFF<br>4-1-19(WILL RETURN)       |
| 03/18/2026 | TD   | 7692  | OH       | ST00BP00 | 10.5 M/ON 3-11-26,RIGGING UP  |
| 03/25/2026 | TD   | 17080 | OH       | ST00BP00 | 10.5 MPD 11.5,PIT 11.8 ON 22,LWD(ARCVIS 900,<br>SONVIS 900,POOH TO RUN 14 |
| 04/01/2026 | DRLG | 20135 | OH       | ST00BP00 | 11.7 MPD 12.2,RAN 14 @17044,PIT 13.2,LWD(GR,RES,<br>PWD,SON)              |

**WALKER RIDGE****29****PROSPECT: BIG FOOT****CHEVRON U.S.A. INC.****OCS: 16942****WELL: A12****Status: DRLG****29 FLD****Class: DEV****SS****API: 608124005900**

**LOC** 7578' FSL & 6940' FEL of **Block** 00029 WALKER RIDGE  
**LAT** = 26.93254406 (26°55'57.159") **LON** = -90.52019528 (-90°31'12.703")  
**X** = 2,448,260 **Y** = 9,780,858 **PMD**: 23284 **PTVD**: 21486  
**PBHL**: OH 3381' FSL & 7270' FEL of **Block** 29 WALKER RIDGE  
**ABHL**: OH **MD**: 23217 **TVD**: 21452 S 4194' @ W 355'  
**ATD OH:** 23217 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

**ACTIVE**

**SPUD:** 02/24/2013 **SUSP:** **COMP:** **RR:**  
**CSG=** OH 36 @5590 307' ; 22 @8753 FIT 12.3 ; 16LNR @5677-16836 FIT 13.0 ;  
 9 7/8LNR @16518-23216

**WD=** 5189 **KB=** 226 **RIG:** MODS 400 / NABORS OS  
**Date Reached TD:** 02/07/2026

|            |      |       |          |          |   |
|------------|------|-------|----------|----------|---|
| 12/07/2011 |      | OH    | ST00BP00 |          | 'MIOCENE' (WILL BATCH SET CASING) (PERMIT APPROVED 12-1-11)   |
| 12/14/2011 |      | OH    | ST00BP00 |          | M/ON 12-7-11, 36 @5590W/307'P, M/OFF 12-8-11 (WILL RET)   |
| 02/27/2013 | DRLG | 7085  | OH       | ST00BP00 | 16.0 M/ON 2-21-13, LWD (GR, RES, ARC, TELESCOPE, PWD)   |
| 03/06/2013 | TD   | 8798  | OH       | ST00BP00 | 13.0 LWD (GR, RES, ARC, TELESCOPE, PWD) @8798, NO SWC, 22 @8753, M/OFF 3-2-13 (WILL RET)                        |
| 03/27/2013 | TD   | 8798  | OH       | ST00BP00 | 13.0 M/ON 3-22-13, INSTALLED T/A CAP, M/OFF 3-23-13 (WILL RET)  |
| 01/07/2026 | TD   | 8798  | OH       | ST00BP00 | 13.0 M/ON 1-3-26, RIGGING UP  |
| 01/14/2026 | TD   | 8798  | OH       | ST00BP00 | 13.0 PRESSURE TESTED CSG & TESTED BOP, DRILLING OUT CEMENT  |
| 01/21/2026 | TD   | 16950 | OH       | ST00BP00 | 10.8 FIT 12.3 ON 22, LWD (ARCVIS, NBGR) PREP TO RUN 16LNR   |
| 01/28/2026 | TD   | 16950 | OH       | ST00BP00 | 10.8 WHILE POOH HAD LOSSES, RAN 16LNR @ 5677-16836, PREP TO DRILL OUT & TEST LNR                                |
| 02/04/2026 | TD   | 17274 | OH       | ST00BP00 | 11.9 FIT 13.0 ON 16LNR, LWD (ARCVIS, NBGR, SONSCOPE, STETH, SADN) CUTTING LINE PLUGGED, CLEARING LINE           |
| 02/11/2026 | TD   | 23217 | OH       | ST00BP00 | 12.3 CLEARED PLUGGED CUTTING LINE, LWD (ARCVIS, NBGR, SONSCOPE, STETH, SADN) TOOK STETH PRESSURES, RNG 9 7/8LNR |
| 02/18/2026 | TD   | 23217 | OH       | ST00BP00 | 12.3 9 7/8LNR @16518-23216, PREP TO SET PKR FOR PRESSURE TESTS  |
| 02/25/2026 | TD   | 23217 | OH       | ST00BP00 | 12.3 PRESSURE TESTED LNR, RNG 9 7/8 X 11.15TB   |
| 03/04/2026 | TD   | 23217 | OH       | ST00BP00 | 12.3 RAN 9 7/8 X 11.15TB @16518, PREP TO PULL OUTER DRILLING RISER  |
| 03/11/2026 | TD   | 23217 | OH       | ST00BP00 | 12.3 RISER WORK   |
| 03/18/2026 | TD   | 23217 | OH       | ST00BP00 | 12.3 RISER WORK   |
| 03/25/2026 | TD   | 23217 | OH       | ST00BP00 | 12.3 COMPTG   |
| 04/01/2026 | TD   | 23217 | OH       | ST00BP00 | 12.3 COMPTG   |

**WALKER RIDGE** **425** **PROSPECT: CHINOOK**  
**MURPHY EXPLORATION & PRO** **OCS: 16987** **WELL: 5** **Status: DRLG**

**469 FLD** **Class: DEV** **API: 608124015900**

**LOC** 23' FNL & 7298' FEL **of Block** 00469 WALKER RIDGE  
**LAT** = 26.51968595 (26°31'10.869") **LON** = -90.53022803 (-90°31'48.821")  
**X** = 2,447,902 **Y** = 9,630,697 **PMD:** 26880 **PTVD:** 26183  
**PBHL:** OH 793' FSL & 5559' FWL **of Block** 425 WALKER RIDGE  
**ATD OH:** **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

**SPUD:** 03/03/2026 **SUSP:** **COMP:** **RR:**  
**CSG=** OH 36 @9229 309' ; 22 @12185 FIT 10.5 ; 18LNR @11917-16864 FIT 11.6

**WD=** 8834 **KB=** 86 **RIG:** STANLEY LAFOSSE / NOBLE DRLG  
**Date Reached TD:**

|            |      |       |          |          |  |
|------------|------|-------|----------|----------|--|
| 02/18/2026 |      | OH    | ST00BP00 |          | LOCATION   |
| 03/04/2026 |      | OH    | ST00BP00 |          | 36 @9229 W/309'P, PREP TO SPUD   |
| 03/11/2026 | TD   | 12250 | OH       | ST00BP00 | 11.5 LWD (GR, RES, PWD) RAN 22 @12185, WOC   |
| 03/18/2026 | TD   | 12250 | OH       | ST00BP00 | 11.5 PRESSURE TESTED BOP, PREP TO DRILL OUT & TAKE FIT                               |
| 03/25/2026 | TD   | 16950 | OH       | ST00BP00 | 9.4 FIT 10.5 ON 22, LWD (GR, RES, PWD) RAN 18LNR @ 11917-16864, PREP TO DRILL AHEAD  |
| 04/01/2026 | DRLG | 17072 | OH       | ST00BP00 | 11.0 MPD 11.15, TOOK FIT 11.6 ON 18LNR, PRESSURE TESTED BOP, LWD (GR, RES, PWD, SON) |

MISSISSIPPI CYN 41 PROSPECT: KING NORTH  
 ANADARKO PETROLEUM CORPO OCS: 35962 WELL: 1 Status: DRLG

41 FLD Class: DEV API: 608174152500

LOC 4617' FNL & 837' FWL of Block 00085 MISSISSIPPI CYN  
 LAT = 28.92228798 (28°55'20.237") LON = -87.96627209 (-87°57'58.580")

X = 1,331,397 Y = 10,497,303 PMD: 17595 PTV: 13804

PBHL: OH 2794' FSL & 656' FWL of Block 41 MISSISSIPPI CYN

ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 03/18/2026 SUSP: COMP: RR:  
 CSG= OH 36 @5571 307' ; 22 @7507 FIT 10.5 ; 18LNR @7009-9037 LOT 11.5

WD= 5184 KB= 80 RIG: VALARIS DS-16 / VALARIS

Date Reached TD:

|            |      |      |          |          |   |
|------------|------|------|----------|----------|---|
| 03/18/2026 |      | OH   | ST00BP00 |          | RIG ON LOCATION, W/O WEATHER TO JET 36  |
| 03/25/2026 | DRLG | 7680 | OH       | ST00BP00 | 9.9 36 @5571 W/307'P, WHILE @7560, 12.0 MUD, RAN<br>22 @7507, FIT 10.5, LWD (GR, RES, APWD) |
| 04/01/2026 | TD   | 9884 | OH       | ST00BP00 | 10.4 MPD 11.0, WHILE @9172, LWD (GR, RES, APWD) RAN<br>18LNR @7009-9037, LOT 11.5, REPG RIG |

MISSISSIPPI CYN 393 PROSPECT: VICKSBURG  
 SHELL OCS: 26254 WELL: VX4 Status: SUSP

393 FLD Class: DEV API: 608174152300

LOC 5792' FNL & 836' FEL of Block 00393 MISSISSIPPI CYN  
 LAT = 28.61433938 (28°36'51.622") LON = -87.91927269 (-87°55'09.382")

X = 1,345,564 Y = 10,385,248 PMD: 25775 PTV: 24777

PBHL: OH 6734' FSL & 3574' FEL of Block 393 MISSISSIPPI CYN

ABHL: OH MD: 25775 TVD: 24777 S 3320' @ W 2721'

ATD OH: 25775 BP1: BP2: BP3: BP4: BP5:

SPUD: 01/18/2026 SUSP: 03/26/2026 COMP: RR: 03/26/2026  
 CSG= OH 38 @7700 198' ; 28 @8789 ; 22 @11741 FIT 11.2 ; 16LNR @11299-17893 FIT 13.5 ;  
 12 1/4 X 11 7/8 @22957 FIT 15.1 ; 8 5/8LNR @22430-25552 FIT 14.8

WD= 7400 KB= 102 RIG: DW PROTEUS / TRANSOCEAN

Date Reached TD: 03/05/2026

|            |      |       |          |          |   |
|------------|------|-------|----------|----------|---|
| 01/07/2026 |      | OH    | ST00BP00 |          | LOCATION  |
| 01/21/2026 |      | OH    | ST00BP00 |          | PREP TO SPUD  |
| 01/28/2026 | TD   | 11933 | OH       | ST00BP00 | 12.0 38 @7700 W/198'P, 28 @8789, LWD (ARCVIS, PWD)<br>22 @11741, PREP TO RUN RISER & BOP                      |
| 02/04/2026 | TD   | 17960 | OH       | ST00BP00 | 11.0 CML 11.1, FIT 11.21 ON 22, LWD (GR, RES, PWD)<br>PREP TO RUN 16LNR                                       |
| 02/11/2026 | TD   | 23005 | OH       | ST00BP00 | 13.0 CML 13.1, RAN 16LNR @11299-17893, FIT 13.45,<br>LWD (GR, RES, PWD) PREP TO RUN 12 1/4 X 11 7/8           |
| 02/18/2026 | DRLG | 23899 | OH       | ST00BP00 | 14.3 CML 14.5, RAN 12 1/4 X 11 7/8 @22957, FIT<br>15.14, LWD (ARCVIS, MICROSCOPE)                             |
| 02/25/2026 | TD   | 25557 | OH       | ST00BP00 | 14.4 CML 14.7, LWD (ARCVIS, MICROSCOPE) RAN 8<br>5/8LNR @22430-25552, PREP TO DRILL OUT<br>SHOETRACK          |
| 03/04/2026 | TD   | 25557 | OH       | ST00BP00 | 14.4 CML 14.7, PERFORMED WELLBORE C/O, PREP TO<br>DRILL OUT 8 5/8 SHOETRACK                                   |
| 03/11/2026 | TD   | 25775 | OH       | ST00BP00 | 14.4 CML 14.0, TOOK FIT 14.81 ON 8 5/8 LNR,<br>LWD (ARCVIS, NMR, STETH, ADN) PREP TO COMP IN<br>THE OPEN HOLE |
| 03/18/2026 | TD   | 25775 | OH       | ST00BP00 | 14.4 CML 14.0, COMPTG   |
| 03/25/2026 | TD   | 25775 | OH       | ST00BP00 | 14.4 CML 14.0, COMPTG   |
| 04/01/2026 | TD   | 25775 | OH       | ST00BP00 | 14.4 CML 14.0, R.R.   |

MISSISSIPPI CYN  
SHELL

812  
OCS: 34461

PROSPECT: KAIKIAS  
WELL: KI2

Status: DRLG

768 FLD

Class: INJ

SS

API: 608174152400

LOC 6675' FSL & 5760' FEL of Block 00812 MISSISSIPPI CYN  
LAT = 28.15827055 (28°09'29.774") LON = -88.96312064 (-88°57'47.234")  
X = 1,008,000 Y = 10,223,475 PMD: 29835 PTV: 26815

PBHL: OH 7513' FSL & 2732' FWL of Block 812 MISSISSIPPI CYN

ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 02/17/2026 SUSP: COMP: RR:  
CSG= OH 38 @4832 198' ; 32 @5224 ; 28 @6311 ; 22 @8422 FIT 11.9 ;  
18LNR @7869-13124 FIT 15.3 ; 14 @24471 FIT 15.3

WD= 4547 KB= 87 RIG: STENA EVOLUTION / STENA DRILLING

Date Reached TD:

|            |    |       |          |               |   |
|------------|----|-------|----------|---------------|---|
| 02/18/2026 |    | OH    | ST00BP00 |               | PREP TO SPUD  |
| 02/25/2026 | TD | 8468  | OH       | ST00BP00 13.0 | 38 @4832 W/198'P,LWD(ARCVIS)RAN 32 @5224,<br>28 @6311,PREP TO RUN 22  |
| 03/04/2026 | TD | 8478  | OH       | ST00BP00 10.5 | 22 @8422,FIT 11.9,LWD(ARCVIS)PREP TO DRILL<br>OUT   |
| 03/11/2026 | TD | 13254 | OH       | ST00BP00 11.3 | LWD(ARCVIS)PREP TO RUN 18LNR  |
| 03/18/2026 | TD | 24543 | OH       | ST00BP00 14.5 | 18LNR @7869-13124,FIT 15.33,LWD(ARCVIS)<br>PREP TO RUN 14   |
| 03/25/2026 | TD | 24543 | OH       | ST00BP00 14.5 | 14 @24471,DRILLING OUT CEMENT   |
| 04/01/2026 | TD | 25951 | OH       | ST00BP00 14.2 | CML 14.19,FIT 15.27 ON 14,LWD(ARCVIS,STETH,<br>SADN,SONVIS)RAN WL SON,TOOK MDT(FLUID SAMP)<br>@24471-25825,PREP TO RUN RSWC |







**SPUD:** 01/18/2026 **SUSP:** 03/26/2026 **COMP:** **RR:** 03/26/2026  
**CSG=** OH 38 @7700 198' ; 28 @8789 ; 22 @11741 FIT 11.2 ; 16LNR @11299-17893 FIT 13.5 ;  
 12 1/4 X 11 7/8 @22957 FIT 15.1 ; 8 5/8LNR @22430-25552 FIT 14.8

**WD=** 7400 **KB=** 102 **RIG:** DW PROTEUS / TRANSOCEAN  
**Date Reached TD:** 03/05/2026

| Date       | Time | OH    | ST00BP00 | LOCATION   |
|------------|------|-------|----------|--|
| 01/07/2026 |      | OH    | ST00BP00 | LOCATION   |
| 01/21/2026 |      | OH    | ST00BP00 | PREP TO SPUD   |
| 01/28/2026 | TD   | 11933 | OH       | ST00BP00 12.0 38 @7700 W/198'P, 28 @8789, LWD (ARCVIS, PWD)<br>22 @11741, PREP TO RUN RISER & BOP                      |
| 02/04/2026 | TD   | 17960 | OH       | ST00BP00 11.0 CML 11.1, FIT 11.21 ON 22, LWD (GR, RES, PWD)<br>PREP TO RUN 16LNR                                       |
| 02/11/2026 | TD   | 23005 | OH       | ST00BP00 13.0 CML 13.1, RAN 16LNR @11299-17893, FIT 13.45,<br>LWD (GR, RES, PWD) PREP TO RUN 12 1/4 X 11 7/8           |
| 02/18/2026 | DRLG | 23899 | OH       | ST00BP00 14.3 CML 14.5, RAN 12 1/4 X 11 7/8 @22957, FIT<br>15.14, LWD (ARCVIS, MICROSCOPE)                             |
| 02/25/2026 | TD   | 25557 | OH       | ST00BP00 14.4 CML 14.7, LWD (ARCVIS, MICROSCOPE) RAN 8<br>5/8LNR @22430-25552, PREP TO DRILL OUT<br>SHOETRACK          |
| 03/04/2026 | TD   | 25557 | OH       | ST00BP00 14.4 CML 14.7, PERFORMED WELLBORE C/O, PREP TO<br>DRILL OUT 8 5/8 SHOETRACK                                   |
| 03/11/2026 | TD   | 25775 | OH       | ST00BP00 14.4 CML 14.0, TOOK FIT 14.81 ON 8 5/8 LNR,<br>LWD (ARCVIS, NMR, STETH, ADN) PREP TO COMP IN<br>THE OPEN HOLE |
| 03/18/2026 | TD   | 25775 | OH       | ST00BP00 14.4 CML 14.0, COMPTG   |
| 03/25/2026 | TD   | 25775 | OH       | ST00BP00 14.4 CML 14.0, COMPTG   |
| 04/01/2026 | TD   | 25775 | OH       | ST00BP00 14.4 CML 14.0, R.R.   |



**COMPLETED**

**KEATHLEY CYN** **918** **PROSPECT: HADRIAN NORTH**  
**ANADARKO PETROLEUM CORPO** **OCS: 32654** **WELL: SS5ST** **Status: P&A**

**875 FLD** **Class: DEV** **Hrz/SS** **API: 608084007901**

**LOC** 7073' FSL & 648' FWL **of Block** 00919 KEATHLEY CYN  
**LAT** = 26.07798692 (26°04'40.753") **LON** = -92.05968484 (-92°03'34.865")  
**X** = 1,948,968 **Y** = 9,463,553 **PMD**: 21396 **PTVD**: 18451  
**PBHL**: OH 5657' FNL & 1059' FEL **of Block** 918 KEATHLEY CYN  
**ABHL**: OH **MD**: 19360 **TVD**: 18105 N 1194' @ W 2298'  
**ABHL**: BP1 **MD**: 19020 **TVD**: 17812 N 1023' @ W 2338'  
**ATD OH**: 19360 **BP1**: 19020 **BP2**: **BP3**: **BP4**: **BP5**:

**SPUD**: 01/29/2026 **SUSP**: **COMP**: 03/25/2026 **RR**: 03/25/2026  
**CSG**= OH OLD(36 @7774 ; 28 @8592 ; 22 @11296 ; 14 @13443)  
9 7/8LNR @12989-19328

**WD**= 7387 **KB**= 81 **RIG**: OCEAN BLACKHAWK / NOBLE DRLG  
**Date Reached TD**: 03/20/2026

|            |      |       |     |          |      |   |
|------------|------|-------|-----|----------|------|---|
| 02/04/2026 | TD   | 19360 | OH  | ST01BP00 | 11.6 | STO #5 @13605,MPD 12.6,LWD(GR,RES,PWD)<br>CIRCULATING   |
| 02/11/2026 | TD   | 19360 | OH  | ST01BP00 | 11.7 | MPD 12.6,RAN 9 7/8LNR @12989-19328,RAN 10<br>1/8 X 10 3/4TB @12989,PREP TO DRILL OUT &<br>TEST LNR  |
| 02/18/2026 | TD   | 19360 | OH  | ST01BP00 | 11.7 | MPD 12.6,C/O HOLE,PREP TO DRILL OUT & TEST<br>LNR   |
| 02/25/2026 | TD   | 19360 | OH  | ST01BP00 | 11.7 | MPD 12.6,ENCOUNTERED TAR,SQUEEZED SHOE,<br>PREP TO DRILL OUT & TEST LNR   |
| 03/04/2026 | TD   | 19360 | OH  | ST01BP00 | 11.7 | MPD 12.6,UNABLE TO DRILL OUT DUE TO HOLE<br>CONDITIONS,WOO  |
| 03/11/2026 | TD   | 19360 | OH  | ST01BP00 | 12.3 | NO MPD,CHANGED OUT SUBSEA CONTROL MODULE<br>ON SUBSEA TREE,PREP TO BYPASS   |
| 03/18/2026 | TD   | 19360 | OH  | ST01BP00 | 12.3 | NO MPD,SET CIBP @17191,SET WHIPSTOCK @<br>17183,MILLED WDW @17152-17172,FIT 13.1,<br>BYPASSED @17172  |
| 03/18/2026 | DRLG | 17346 | BP1 | ST01BP01 | 11.5 | MPD 12.29,LWD(GR,RES,PWD)   |
| 03/25/2026 | TD   | 19020 | BP1 | ST01BP01 | 11.5 | MPD 12.3,LWD(GR,RES,PWD)HIT TAR ZONE,<br>DECISION WAS MADE TO ST,SET 2 CEMENT PLUGS,<br>TOC @16920(NO OH PLUGS)SET CIBP @13814,SET<br>WHIPSTOCK @13807,MILLING WDW @13776-13796 |
| 04/01/2026 | TD   | 19020 | BP1 | ST01BP01 | 11.5 | MPD 12.3,P&A,STO @13796   |