

**OFFSHORE OIL SCOUTS ASSOCIATION
GULF ATLANTIC**

WEEKLY DRILLING REPORT

DEEP WATER

Wednesday, April 29, 2026





OFFSHORE OIL SCOUTS

PROPRIETARY

STATEMENT



This information is provided by exclusive agreement with The Offshore Oil Scouts Association. The recipient acknowledges that the data and materials are proprietary information and trade secret, whether or not any portion thereof may be validly copyrighted or patented. Any reproduction or other use without the express written consent of The Association President will be pursued to the fullest extent of the law.

Table of Contents

NEW LOCATIONS

[GREEN CYN Block 807 WELL AP7 CHEVRON U.S.A. INC.](#)

ACTIVE

[KEATHLEY CYN Block 247 WELL 1 BP EXPL](#)

[KEATHLEY CYN Block 918 WELL SS5ST2 ANADARKO PETROLEUM CORPOR](#)

[GREEN CYN Block 641 WELL IN3 CHEVRON U.S.A. INC.](#)

[GREEN CYN Block 727 WELL 7 ANADARKO PETROLEUM CORPOR](#)

[GREEN CYN Block 743 WELL DC105 BP EXPL](#)

[GREEN CYN Block 782 WELL MD15 BP EXPLORATION & PRODUCTI](#)

[GREEN CYN Block 825 WELL 14 BP EXPL](#)

[GREEN CYN Block 944 WELL WA5 BEACON OFFSHORE ENERGY](#)

[WALKER RIDGE Block 29 WELL A12 CHEVRON U.S.A. INC.](#)

[WALKER RIDGE Block 315 WELL MA3 BEACON OFFSHORE ENERGY](#)

[WALKER RIDGE Block 425 WELL 5 MURPHY EXPLORATION & PROD](#)

[WALKER RIDGE Block 677 WELL PS9 CHEVRON U.S.A. INC.](#)

[MISSISSIPPI CYN Block 41 WELL 1 ANADARKO PETROLEUM CORPOR](#)

[MISSISSIPPI CYN Block 503 WELL SS1ST LLOG EXPL](#)

[MISSISSIPPI CYN Block 612 WELL DV2ST SHELL](#)


[MISSISSIPPI CYN Block 812 WELL KI2 SHELL](#)

WELLS REACHING TD

[GREEN CYN Block 782 WELL MD15 BP EXPLORATION & PRODUCTI](#)

SUSPENDED

[KEATHLEY CYN Block 918 WELL SS5ST2 ANADARKO PETROLEUM CORPOR](#)



NEW LOCATIONS

GREEN CYN	807	PROSPECT: ANCHOR	
CHEVRON U.S.A. INC.	OCS: 31752	WELL: AP7	Status: NEW

807 FLD	Class: DEV	SS	API: 608114080200
----------------	-------------------	-----------	--------------------------

LOC 4045' FSL & 4475' FWL **of Block** 00807 GREEN CYN
LAT = 27.15117389(27°09'04.226") **LON** = -91.21088317(-91°12'39.179")
X = 2,222,075 **Y** = 9,856,525 **PMD:** 33793 **PTVD:** 33536
PBHL: OH 4361' FSL & 6470' FWL **of Block** 807 GREEN CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: **SUSP:** **COMP:** **RR:**
CSG= OH 36 @5333 305'

WD= 4953 **KB=** 75 **RIG:** DW TITAN / TRANSOCEAN
Date Reached TD:

04/29/2026 OH ST00BP00 36 @5333 W/305'P,PREP TO SPUD



ACTIVE

KEATHLEY CYN **247** **PROSPECT: WEST BUMP**
BP EXPL **OCS: 25790** **WELL: 1** **Status: DRLG**

247 WC **Class: EXP** **SS** **API: 608084008000**

LOC 4687' FNL & 363' FWL **of Block** 00291 KEATHLEY CYN
LAT = 26.70216182 (26°42'07.783") **LON** = -92.63787510 (-92°38'16.350")
X = 1,758,603 **Y** = 9,689,393 **PMD:** 34548 **PTVD:** 33548
PBHL: OH 780' FSL & 757' FWL **of Block** 247 KEATHLEY CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**
SPUD: 03/18/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @6100 274' ; 28 @8160 ; 22 @9979 PIT 13.8 ; 18LNR @9753-14850

WD= 5722 **KB=** 104 **RIG:** DW INVICTUS / TRANSOCEAN
Date Reached TD:

02/25/2026 OH ST00BP00 LOCATION
 03/18/2026 OH ST00BP00 RIGGING UP
 03/25/2026 DRLG 8708 OH ST00BP00 12.5 36 @6100 W/274'P,28 @8160,LWD(GR,RES,APWD)
 04/01/2026 TD 10071 OH ST00BP00 13.0 LWD(GR,RES,APWD)22 @9979,WOC,BOP & MPD
 TESTING
 04/08/2026 TD 10071 OH ST00BP00 13.0 REPG BOP
 04/15/2026 TD 10071 OH ST00BP00 13.0 REPG BOP,RNG RISER
 04/22/2026 DRLG 10153 OH ST00BP00 11.7 MPD 12.1,PIT 13.8 ON 22,LWD(GR,RES,APWD)
 04/29/2026 TD 15050 OH ST00BP00 13.2 MPD 13.2,LWD(GR, RES APWD)SET 18LNR @
 9753-14850,PREP TO DRILL OUT & TEST LNR

KEATHLEY CYN **918** **PROSPECT: HADRIAN NORTH**
ANADARKO PETROLEUM CORPO **OCS: 32654** **WELL: SS5ST2** **Status: SUSP**

875 FLD **Class: DEV** **SS** **API: 608084007902**

LOC 7073' FSL & 648' FWL **of Block** 00919 KEATHLEY CYN
LAT = 26.07798692 (26°04'40.753") **LON** = -92.05968484 (-92°03'34.865")
X = 1,948,968 **Y** = 9,463,553 **PMD:** 20461 **PTVD:** 18781
PBHL: OH 6690' FNL & 1454' FEL **of Block** 918 KEATHLEY CYN
ABHL: OH **MD:** 20434 **TVD:** 18769 N 2068' @ W 2111'
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**
SPUD: 03/25/2026 **SUSP:** 04/27/2026 **COMP:** **RR:** 04/27/2026
CSG= OH OLD(36 @7774 ; 28 @8592 ; 22 @11296 ; 14 @13443 ; 9 7/8LNR @12989-19328)
 7 3/4LNR @13516-20230 ; 7 3/4LNR @13354-13516

WD= 7387 **KB=** 81 **RIG:** OCEAN BLACKHAWK / NOBLE DRLG
Date Reached TD: 03/30/2026

03/25/2026 OH ST02BP00 STO #SS-5ST,PREP TO ST
 04/01/2026 TD 20434 OH ST02BP00 11.7 MILLED WDW @13776-13796,FIT 13.6,MPD 12.6,
 DRILLED FROM 13796-16616,MUD 12.5,NO MPD,
 LWD(GR,RES,PWD)ROLLED MUD TO 11.5,MPD 12.5,
 LWD(GR,RES,XPAT,DEN,NEUT,GEOTAP,PWD)PREP
 TO RUN 7 3/4LNR
 04/08/2026 TD 20434 OH ST02BP00 11.8 NO MPD,RAN 7 3/4LNR @13516-20230,RAN 9 3/4
 X 10 1/8 X 10 3/4 TB @13492,RAN BACK INTO
 HOLE & RAN A SECOND 7 3/4LNR @13354-13516,
 COMPTG
 04/15/2026 TD 20434 OH ST02BP00 11.8 COMPTG
 04/22/2026 TD 20434 OH ST02BP00 11.8 COMPTG
 04/29/2026 TD 20434 OH ST02BP00 11.8 R.R.

GREEN CYN **641** **PROSPECT: TAHITI**
CHEVRON U.S.A. INC. **OCS: 16770** **WELL: IN3** **Status: DRLG**

640 FLD **Class: INJ** **SS** **API: 608114079200**

ACTIVE

LOC 2536' FSL & 3287' FEL **of Block** 00596 GREEN CYN
LAT = 27.35813862 (27°21'29.299") **LON** = -90.74348842 (-90°44'36.558")
X = 2,372,713 **Y** = 9,934,216 **PMD**: 28933 **PTVD**: 27185
PBHL: OH 2933' FNL & 1731' FWL **of Block** 641 GREEN CYN
ABHL: OH **MD**: 28848 **TVD**: 27104 S 5455' @ E 5006'
ATD OH: 28848 **BP1**: **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: 06/28/2025 **SUSP**: **COMP**: **RR**:
CSG= OH 36 @4401 308' ; 22 @6237 FIT 14.0 ; 18LNR @5785-11042 FIT 16.1 ;
 16LNR @4393-19634 FIT 16.2 ; 14LNR @19233-22442 FIT 15.1 ; 9 7/8LNR @22116-28833

WD= 4012 **KB**= 106 **RIG**: DW ASGARD / TRANSOCEAN
Date Reached TD: 03/10/2026

06/18/2025		OH	ST00BP00	BATCH SET
07/02/2025 TD	6275	OH	ST00BP00	10.5 36 @4401 W/308'P,LWD(GR,PWD)22 @6237,WOC
07/09/2025 TD	6275	OH	ST00BP00	10.5 M/OFF 7-1-25,WILL RETURN
01/21/2026 TD	6275	OH	ST00BP00	10.5 MIR TO RESUME DRILLING OPERATIONS
01/28/2026 TD	6275	OH	ST00BP00	10.5 M/ON 1-19-26,BWM,RAN RISER & BOP,PULLING BOP FOR REPAIR
02/04/2026 TD	11187	OH	ST00BP00	12.7 REPD BOP,RAN BOP,FIT 14.0 ON 22,LWD(GR,RES,PWD,NBGR)PREP TO RUN 18LNR
02/11/2026 DRLG	15067	OH	ST00BP00	13.8 MPD 14.6,RAN 18LNR @5785-11042,FIT 16.1,LWD(NBGR,EWR)
02/18/2026 TD	19780	OH	ST00BP00	14.4 MPD 15.1,LWD(EWR(NBGR,EWR)RAN 16LNR @4393-19634,WOC
02/25/2026 DRLG	20254	OH	ST00BP00	14.4 MPD 15.1,DRILLED OUT 16 SHOE,LOT FAILED,PUMPED LCM,CEMENT SQUEEZE,DRILL OUT,FIT 16.2 ON 16LNR,LWD(NBGR,EWR)
03/04/2026 TD	22540	OH	ST00BP00	14.4 MPD 15.1,LWD(NBGR,EWR)RAN 14LNR @19233-22442,PREP TO DRILL OUT & TEST LNR
03/11/2026 TD	28350	OH	ST00BP00	13.3 MPD 14.1,TOOK FIT 15.1 ON 14LNR,LWD(NBGR,EWR,DEN,NEUT,GEOTAP)
03/11/2026 TD	28350	OH	ST00BP00	13.3 MPD 14.1,TOOK FIT 15.1 ON 14LNR,LWD(NBGR,EWR,DEN,NEUT,GEOTAP)DP SLIPS BROKE & PIECES WENT INTO HOLE,FSH LIKELY LOCATED AT RCD,UNSUCCESSFUL ATTEMPT TO FSH,ATTEMPTING TO RETRIEVE RCD
03/18/2026 TD	28848	OH	ST00BP00	13.9 NO MPD,RECD RCD,LWD(NBGR,EWR,DEN,NEUT,GEOTAP)RAN 9 7/8LNR @22116-28833,PREP TO RUN TB
03/25/2026 TD	28848	OH	ST00BP00	13.9 NO MPD,RAN 9 7/8 X 10 3/4TB @22116,PREP TO COMP
04/01/2026 TD	28848	OH	ST00BP00	13.9 NO MPD,PREP TO COMP
04/08/2026 TD	28848	OH	ST00BP00	13.9 NO MPD,COMPTG
04/15/2026 TD	28848	OH	ST00BP00	13.9 NO MPD,COMPTG
04/22/2026 TD	28848	OH	ST00BP00	13.9 NO MPD,COMPTG
04/29/2026 TD	28848	OH	ST00BP00	13.9 NO MPD,COMPTG

GREEN CYN **727** **PROSPECT: CAESAR TONGA**
ANADARKO PETROLEUM CORPO **OCS: 16783** **WELL: 7** **Status: DRLG**

640 FLD **Class: DEV** **SS** **API: 608114080000**

LOC 6073' FSL & 4675' FWL **of Block** 00727 GREEN CYN
LAT = 27.23835119 (27°14'18.064") **LON** = -90.81889581 (-90°49'08.025")
X = 2,348,995 **Y** = 9,890,233 **PMD**: 27320 **PTVD**: 23349
PBHL: OH 13248' FSL & 10' FWL **of Block** 727 GREEN CYN
ATD OH: **BP1**: **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: **SUSP**: **COMP**: **RR**:

WD= 4703 **KB**= **RIG**: OCEAN BLACKHAWK / NOBLE DRLG
Date Reached TD:

04/22/2026		OH	ST00BP00	LOCATION
04/29/2026		OH	ST00BP00	BETWEEN WELL MAINTENANCE

GREEN CYN **743** **PROSPECT: ATLANTIS**
BP EXPL **OCS: 15607** **WELL: DC105** **Status: DRLG**

743 FLD **Class: DEV** **API: 608114079800**

LOC 6013' FSL & 6929' FWL **of Block** 00743 GREEN CYN
LAT = 27.22372461 (27°13'25.409") **LON** = -90.03257889 (-90°01'57.284")
X = 2,604,689 **Y** = 9,890,173 **PMD:** 20782 **PTVD:** 18337
PBHL: OH 4104' FSL & 241' FWL **of Block** 743 GREEN CYN
ABHL: OH **MD:** 20830 **TVD:** 18370 S 1898' @ W 6672'
ATD OH: 20830 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 02/27/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @7146 230' ; 22 @10475 FIT 11.1 ; 16LNR @10311-13838 FIT 12.4 ;
 13 5/8LNR @13551-17011 PIT 12.7 ; 9 7/8LNR @16731-20772 PIT 12.6

WD= 6838 **KB=** 80 **RIG:** OCEAN BLACK HORNET / NOBLE DRLG
Date Reached TD: 04/09/2026

02/04/2026		OH	ST00BP00	MIR
03/04/2026	TD	10528	OH	ST00BP00 12.0 36 @7146 W/230'P, LWD (GR, RES, PWD) PREP TO RUN 22
03/11/2026	TD	10528	OH	ST00BP00 12.0 22 @10475, WOC
03/18/2026	TD	10528	OH	ST00BP00 12.0 REPG BOP
03/25/2026	TD	13840	OH	ST00BP00 10.3 MPD 11.5, FIT 11.1 ON 22, LWD (GR, RES, PWD) POOH TO RUN 16LNR
04/01/2026	TD	17180	OH	ST00BP00 11.0 MPD 11.5, RAN 16LNR @10311-13838, FIT 12.4, LWD (GR, RES, PWD, SON) RNG 13 5/8LNR
04/08/2026	DRLG	17239	OH	ST00BP00 10.2 MPD 10.37, RAN 13 5/8LNR @13551-17011, PIT 12.67, LWD (GR, RES, PWD, SON)
04/15/2026	TD	20830	OH	ST00BP00 10.2 MPD 10.9, LWD (GR, RES, PWD, SON) PREP TO RUN 9 7/8LNR
04/22/2026	TD	20830	OH	ST00BP00 10.2 MPD 10.9, RAN 9 7/8LNR @16731-20772, PIT 12.64, PREP TO COMP
04/29/2026	TD	20830	OH	ST00BP00 10.2 MPD 10.9, COMPTG

GREEN CYN **782** **PROSPECT: MAD DOG**
BP EXPLORATION & PRODUCT **OCS: 15610** **WELL: MD15** **Status: DRLG**

826 FLD **Class: DEV** **API: 608114061200**

LOC 7228' FSL & 6166' FEL **of Block** 00782 GREEN CYN
LAT = 27.18830922 (27°11'17.913") **LON** = -90.26861424 (-90°16'07.011")
X = 2,528,234 **Y** = 9,875,548 **PMD:** 25478 **PTVD:** 22443
PBHL: OH 3471' FNL & 2401' FWL **of Block** 782 GREEN CYN
ABHL: OH **MD:** 25533 **TVD:** 22524 N 5168' @ W 7266'
ATD OH: 25781 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 11/07/2013 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @4886 290' ; 22 @7094 FIT 10.8 ; 16LNR @6488-12455 FIT 15.1 ;
 14LNR @12154-19648 FIT 13.6 ; 11 7/8LNR @19443-23275 PIT 13.6

WD= 4428 **KB=** 168 **RIG:** MAD DOG SPAR / VALARIS
Date Reached TD: 04/23/2026

09/11/2013		OH	ST00BP00	(APPROVED PERMIT 9-6-13) (BATCH SET)
10/09/2013		OH	ST00BP00	M/ON 10-7-13, PREP TO RUN 36"
10/16/2013		OH	ST00BP00	M/ON 10-7-13, 36 @4886W/290'P, M/OFF 10-10-13 (WILL RET)
11/13/2013	TD	7125	OH	ST00BP00 14.0 M/ON 11-6-13, LWD (GR, RES) PREP TO RUN 22"
11/20/2013	TD	7125	OH	ST00BP00 14.0 22" @7094, WOC
11/27/2013	TD	7125	OH	ST00BP00 14.0 M/OFF 11-19-13 (WILL RETURN)
12/24/2025	TD	7125	OH	ST00BP00 14.0 M/ON 12-14-25, C/O TO DRILL AHEAD
12/31/2025	DRLG	10664	OH	ST00BP00 10.1 FIT 10.79 ON 22, LWD (GR, RES, PWD)
01/07/2026	TD	12460	OH	ST00BP00 10.2 LWD (GR, RES, PWD) PREP TO RUN 16LNR
01/14/2026	TD	12460	OH	ST00BP00 10.2 16LNR @6488-12455, PREP TO DRILL OUT & TEST LNR

01/21/2026	DRLG	18287	OH	ST00BP00	13.9	FIT 15.06 ON 16LNR,LWD (GR, RES, PWD, SON,NBGR)
01/28/2026	TD	19659	OH	ST00BP00	14.1	LWD (GR, RES, PWD, SON,NBGR)RNG 14LNR
02/04/2026	TD	19659	OH	ST00BP00	14.2	14LNR @12154-19648,WOC
02/11/2026	TD	19659	OH	ST00BP00	14.2	PREP TO DRILL OUT & TEST 14LNR
02/18/2026	TD	25533	OH	ST00BP00	13.0	RTD 2-16-26,FIT 13.6 ON 14LNR,LWD (GR, RES, NBGR, PWD, DEN, NEUT, SON,FPWD)CIRC BOTTOM UP
02/25/2026	TD	25533	OH	ST00BP00	13.0	WHILE BACKREAMING OUT OF HOLE,HOLE PACKED OFF & WENT TO LOSSES,STK DP @22620,PREP TO SEVER PIPE
03/04/2026	TD	25533	OH	ST00BP00	13.0	SEVERED DP,TF @21176,PREP TO PB & BYPASS
03/11/2026	TD	25533	OH	ST00BP00	13.0	REPD BOP,PREP TO BYPASS
03/18/2026	TD	25533	OH	ST00BP00	13.0	BYPASSED @19848
03/18/2026	TD	24014	BP1	ST00BP01	12.7	LWD (GR, RES, DEN, NEUT, CALP,ACOUSTIC TESTRAK) ENCOUNTERED TAR,EXPERIENCE BALLOONING & LOSSES,PULL UP TO 22810,SHUT WELL IN,C&C
03/25/2026	TD	24014	BP1	ST00BP01	12.7	PREP TO PB & BYPASS
04/01/2026	TD	24014	BP1	ST00BP01	12.7	BYPASSED @19676
04/01/2026	DRLG	23102	BP2	ST00BP02	12.7	LWD (GR, RES, PWD)ENCOUNTER TAR @23075
04/08/2026	TD	23300	BP2	ST00BP02	12.7	LWD (GR, RES, PWD)TOOLS FAILED FROM 23090-23300,PREP TO RUN 11 7/8LNR
04/15/2026	TD	23300	BP2	ST00BP02	12.7	11 7/8LNR @19443-23275,PREP TO DRILL OUT
04/22/2026	DRLG	24189	BP2	ST00BP02	12.7	PIT 13.6 ON 11 7/8LNR,LWD (GR, RES, PWD, SON)
04/29/2026	TD	25781	BP2	ST00BP02	12.7	LWD (GR, RES, PWD, SON)REAMING & HPU REPAIRS

GREEN CYN **825** **PROSPECT: MAD DOG**
BP EXPL **OCS: 20190** **WELL: 14** **Status: DRLG**

825 FLD **Class: DEV** **API: 608114072000**

LOC 7311' FSL & 6375' FEL of Block 00825 GREEN CYN
LAT = 27.14594440 (27°08'45.400") **LON** = -90.31898077 (-90°19'08.331")
X = 2,512,185 **Y** = 9,859,790 **PMD**: 25223 **PTVD**: 23498
PBHL: OH 342' FSL & 5103' FEL of Block 825 GREEN CYN
ABHL: OH **MD**: 24993 **TVD**: 23277 S 6907' @ W 1259'
ATD OH: 24993 **BP1**: **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: 03/29/2019 **SUSP**: **COMP**: **RR**:
CSG= OH 36 @5335 267' ; 22 @7645 PIT 11.8 ; 14 @17044 PIT 13.2 ; 9 7/8LNR @16797-24973 FIT 13.2

WD= 4986 **KB**= 82 **RIG**: WEST AURIGA / SEADRILL
Date Reached TD:

03/13/2019			OH	ST00BP00		BATCH SET
04/03/2019	TD	7692	OH	ST00BP00	10.5	36 @5335 W/267'P,LWD (ARC)22 @7645,M/OFF 4-1-19(WILL RETURN)
03/18/2026	TD	7692	OH	ST00BP00	10.5	M/ON 3-11-26,RIGGING UP
03/25/2026	TD	17080	OH	ST00BP00	10.5	MPD 11.5,PIT 11.8 ON 22,LWD (ARCVIS 900, SONVIS 900,POOH TO RUN 14
04/01/2026	DRLG	20135	OH	ST00BP00	11.7	MPD 12.2,RAN 14 @17044,PIT 13.2,LWD (GR, RES, PWD, SON)
04/08/2026	DRLG	24372	OH	ST00BP00	11.6	MPD 12.1-12.5,LWD (GR, RES, PWD, SON) DURING THE WEEK,ENCOUNTERED FORMATION LOSSES, SPOTTED LCM PILL & MPD SQUEEZE OPERATIONS, STABILIZED WELL,CONTINUED DRILLING AHEAD
04/15/2026	TD	24993	OH	ST00BP00	11.8	MPD 11.9,RTD 4-7-265,LWD (GR, RES, PWD, SON) RAN 9 7/8LNR @16797-24973,COMPTG
04/22/2026	TD	24993	OH	ST00BP00	11.8	MPD 11.9,FIT 13.18 ON 9 7/8LNR,RAN CBL TO CHECK BAD CEMENT JOB,WO
04/29/2026	TD	24993	OH	ST00BP00	11.8	MPD 11.9,PREP TO PB & BYPASS

GREEN CYN **944** **PROSPECT: WINTERFELL**
BEACON OFFSHORE ENERGY **OCS: 36061** **WELL: WA5** **Status: DRLG**

944 FLD **Class: DEV** **HRZ/SS** **API: 608114080100**

LOC 6947' FNL & 2310' FEL of Block 00943 GREEN CYN
LAT = 27.03079750 (27°01'50.871") **LON** = -90.99034366 (-90°59'25.237")
X = 2,294,490 **Y** = 9,813,853 **PMD**: 27343 **PTVD**: 22255

ACTIVE

PBHL: OH 2037' FSL & 4940' FWL **of Block** 944 GREEN CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 04/20/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @5731 273' ; 28 @7196

WD= 5378 **KB=** 80 **RIG:** OCEAN BLACK RHINO / NOBLE DRLG
Date Reached TD:

04/22/2026 DRLG 5899 OH ST00BP00 11.5 36 @5731 W/273'P,LWD(ARCVIS 900)
 04/29/2026 TD 8490 OH ST00BP00 13.0 WHILE @7300,MUD 11.5,RAN 28 @7196,
 LWD(ARCVIS 900)OBSERVED PRESSURE & TORQUE
 LOSS,POOH & FOUND THE DRILL STRING HAD
 PARTED @8388,RECD FSH,TIH TO DRILL AHEAD

WALKER RIDGE **29** **PROSPECT: BIG FOOT**
CHEVRON U.S.A. INC. **OCS: 16942** **WELL: A12** **Status: DRLG**

29 FLD **Class: DEV** **SS** **API: 608124005900**

LOC 7578' FSL & 6940' FEL **of Block** 00029 WALKER RIDGE
LAT = 26.93254406(26°55'57.159") **LON** = -90.52019528(-90°31'12.703")
X = 2,448,260 **Y** = 9,780,858 **PMD:** 23284 **PTVD:** 21486
PBHL: OH 3381' FSL & 7270' FEL **of Block** 29 WALKER RIDGE
ABHL: OH **MD:** 23217 **TVD:** 21452 S 4194' @ W 355'
ATD OH: 23217 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 02/24/2013 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @5590 307' ; 22 @8753 FIT 12.3 ; 16LNR @5677-16836 FIT 13.0 ;
 9 7/8LNR @16518-23216

WD= 5189 **KB=** 226 **RIG:** MODS 400 / NABORS OS
Date Reached TD: 02/07/2026

12/07/2011 OH ST00BP00 'MIOCENE' (WILL BATCH SET CASING) (PERMIT
 APPROVED 12-1-11)
 12/14/2011 OH ST00BP00 M/ON 12-7-11,36 @5590W/307'P,M/OFF
 12-8-11 (WILL RET)
 02/27/2013 DRLG 7085 OH ST00BP00 16.0 M/ON 2-21-13, LWD (GR, RES, ARC, TELESCOPE, PWD)
 03/06/2013 TD 8798 OH ST00BP00 13.0 LWD (GR, RES, ARC, TELESCOPE, PWD) @8798, NO SWC,
 22 @8753, M/OFF 3-2-13 (WILL RET)
 03/27/2013 TD 8798 OH ST00BP00 13.0 M/ON 3-22-13, INSTALLED T/A CAP, M/OFF
 3-23-13 (WILL RET)
 01/07/2026 TD 8798 OH ST00BP00 13.0 M/ON 1-3-26, RIGGING UP
 01/14/2026 TD 8798 OH ST00BP00 13.0 PRESSURE TESTED CSG & TESTED BOP, DRILLING
 OUT CEMENT
 01/21/2026 TD 16950 OH ST00BP00 10.8 FIT 12.3 ON 22, LWD (ARCVIS, NBGR) PREP TO RUN
 16LNR
 01/28/2026 TD 16950 OH ST00BP00 10.8 WHILE POOH HAD LOSSES, RAN 16LNR @
 5677-16836, PREP TO DRILL OUT & TEST LNR
 02/04/2026 TD 17274 OH ST00BP00 11.9 FIT 13.0 ON 16LNR, LWD (ARCVIS, NBGR, SONSCOPE,
 STETH, SADN) CUTTING LINE PLUGGED, CLEARING
 LINE
 02/11/2026 TD 23217 OH ST00BP00 12.3 CLEARED PLUGGED CUTTING LINE, LWD (ARCVIS,
 NBGR, SONSCOPE, STETH, SADN) TOOK STETH
 PRESSURES, RNG 9 7/8LNR
 02/18/2026 TD 23217 OH ST00BP00 12.3 9 7/8LNR @16518-23216, PREP TO SET PKR FOR
 PRESSURE TESTS
 02/25/2026 TD 23217 OH ST00BP00 12.3 PRESSURE TESTED LNR, RNG 9 7/8 X 11.15TB
 03/04/2026 TD 23217 OH ST00BP00 12.3 RAN 9 7/8 X 11.15TB @16518, PREP TO PULL
 OUTER DRILLING RISER
 03/11/2026 TD 23217 OH ST00BP00 12.3 RISER WORK
 03/18/2026 TD 23217 OH ST00BP00 12.3 RISER WORK
 03/25/2026 TD 23217 OH ST00BP00 12.3 COMPTG
 04/01/2026 TD 23217 OH ST00BP00 12.3 COMPTG
 04/08/2026 TD 23217 OH ST00BP00 12.3 COMPTG
 04/15/2026 TD 23217 OH ST00BP00 12.3 COMPTG
 04/22/2026 TD 23217 OH ST00BP00 12.3 COMPTG
 04/29/2026 TD 23217 OH ST00BP00 12.3 COMPTG

ACTIVE

WALKER RIDGE 315 PROSPECT: MONUMENT
 BEACON OFFSHORE ENERGY OCS: 35733 WELL: MA3 Status: DRLG

315 FLD Class: DEV SS API: 608124015700

LOC 453' FNL & 4463' FWL of Block 00316 WALKER RIDGE
 LAT = 26.66336550 (26°39'48.116") LON = -91.55813800 (-91°33'29.297")
 X = 2,111,183 Y = 9,677,787 PMD: 32750 PTVD: 31243
 PBHL: OH 1062' FNL & 523' FEL of Block 315 WALKER RIDGE
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 04/11/2026 SUSP: COMP: RR:
 CSG= OH 42 @6716 283' ; 28 @7989 ; 22 @10493 FIT 13.8

WD= 6358 KB= 75 RIG: DW ATLAS / TRANSOCEAN
 Date Reached TD:

11/05/2025		OH	ST00BP00	BATCH SET
04/15/2026 TD	8040	OH	ST00BP00 10.5	42 @6716 W/283'P,LWD(ONTRAK II)RAN 28 @ 7989,WOC
04/22/2026 TD	10544	OH	ST00BP00 13.0	LWD(ONTRAK II)RAN 22 @10493,RAN LMRP & BOP, INSTALLED MPD HOSES,PREP TO DRILL OUT & TEST 22
04/29/2026 DRLG	11102	OH	ST00BP00 11.3	FIT 13.8 ON 22,LWD(ONTRAK II)

WALKER RIDGE 425 PROSPECT: CHINOOK
 MURPHY EXPLORATION & PRO OCS: 16987 WELL: 5 Status: DRLG

469 FLD Class: DEV API: 608124015900

LOC 23' FNL & 7298' FEL of Block 00469 WALKER RIDGE
 LAT = 26.51968595 (26°31'10.869") LON = -90.53022803 (-90°31'48.821")
 X = 2,447,902 Y = 9,630,697 PMD: 26880 PTVD: 26183
 PBHL: OH 793' FSL & 5559' FWL of Block 425 WALKER RIDGE
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 03/03/2026 SUSP: COMP: RR:
 CSG= OH 36 @9229 309' ; 22 @12185 FIT 10.5 ; 18LNR @11917-16864 FIT 11.6 ; 16LNR @12539-22742 FIT 14.2

WD= 8834 KB= 86 RIG: STANLEY LAFOSSE / NOBLE DRLG
 Date Reached TD:

02/18/2026		OH	ST00BP00	LOCATION
03/04/2026		OH	ST00BP00	36 @9229 W/309'P,PREP TO SPUD
03/11/2026 TD	12250	OH	ST00BP00 11.5	LWD(GR,RES,PWD)RAN 22 @12185,WOC
03/18/2026 TD	12250	OH	ST00BP00 11.5	PRESSURE TESTED BOP,PREP TO DRILL OUT & TAKE FIT
03/25/2026 TD	16950	OH	ST00BP00 9.4	FIT 10.5 ON 22,LWD(GR,RES,PWD)RAN 18LNR @ 11917-16864,PREP TO DRILL AHEAD
04/01/2026 DRLG	17072	OH	ST00BP00 11.0	MPD 11.15,TOOK FIT 11.6 ON 18LNR,PRESSURE TESTED BOP,LWD(GR,RES,PWD,SON)
04/08/2026 TD	22785	OH	ST00BP00 10.5	MPD 11.1,LWD(GR,RES,PWD,SON)PREP TO RUN 16
04/15/2026 TD	22785	OH	ST00BP00 10.5	MPD 11.1,RAN 16LNR @12539-22742,PREP TO DRILL OUT
04/22/2026 TD	24665	OH	ST00BP00 12.5	MPD 13.1,FIT 14.2 ON 16LNR,LWD(GR,RES,PWD,SON)DRILL STRING PACKED OFF,C&C,TSTG BOP
04/29/2026 TD	24665	OH	ST00BP00 12.5	MPD 13.1,ENCOUNTERED TAR @24662,SET CEMENT PLUG #1,DID NOT TAG TOP,SET ANOTHER CEMENT PLUG,TOC @23323,PREP TO SET ANOTHER CEMENT PLUG BEFORE BYPASSING

WALKER RIDGE 677 PROSPECT: ST MALO
 CHEVRON U.S.A. INC. OCS: 18753 WELL: PS9 Status: DRLG

678 FLD Class: DEV SS API: 608124016200

LOC 4924' FNL & 261' FWL of Block 00678 WALKER RIDGE
LAT = 26.29692250(26°17'48.921") LON = -91.09201106(-91°05'31.240")
X = 2,265,381 Y = 9,546,596 PMD: 30443 PTVD: 28864
PBHL: OH 4015' FSL & 494' FEL of Block 677 WALKER RIDGE
ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 04/04/2026 SUSP: COMP: RR:
CSG= OH 36 @7452 313' ; 22 @10516 FIT 13.3

WD= 7038 KB= 101 RIG: DW CONQUEROR / TRANSOCEAN
Date Reached TD:

04/08/2026 TD 10556 OH ST00BP00 10.5 36 @7452 W/313'P,LWD(NBGR)RAN 22 @10516, WOC
04/15/2026 DRLG 10585 OH ST00BP00 11.7 RAN RISER & BOP,TOOK FIT 13.3 ON 22, LWD(NBGR,ARCVIS)
04/22/2026 DRLG 22028 OH ST00BP00 11.7 MPD 12.21,MPD FINGERPRINTING,LWD(NBGR, ARCVIS)
04/29/2026 TD 26615 OH ST00BP00 11.7 MPD 12.3,LWD(NBGR,ARCVIS)C&C,RNG 14

MISSISSIPPI CYN 41 PROSPECT: KING NORTH
ANADARKO PETROLEUM CORPO OCS: 35962 WELL: 1 Status: DRLG

41 FLD Class: DEV API: 608174152500

LOC 4617' FNL & 837' FWL of Block 00085 MISSISSIPPI CYN
LAT = 28.92228798(28°55'20.237") LON = -87.96627209(-87°57'58.580")
X = 1,331,397 Y = 10,497,303 PMD: 17595 PTVD: 13804
PBHL: OH 2794' FSL & 656' FWL of Block 41 MISSISSIPPI CYN
ABHL: OH MD: 17315 TVD: 13653 N 7119' @ W 172'
ATD OH: 17315 BP1: BP2: BP3: BP4: BP5:

SPUD: 03/18/2026 SUSP: COMP: RR:
CSG= OH 36 @5571 307' ; 22 @7507 FIT 10.5 ; 18LNR @7009-9037 LOT 11.5 ; 14 @13357 LOT 12.5 ; 9 7/8LNR @13032-17310

WD= 5184 KB= 80 RIG: VALARIS DS-16 / VALARIS
Date Reached TD: 04/10/2026

03/18/2026 OH ST00BP00 RIG ON LOCATION,W/O WEATHER TO JET 36
03/25/2026 DRLG 7680 OH ST00BP00 9.9 36 @5571 W/307'P,WHILE @7560,12.0 MUD,RAN 22 @7507,FIT 10.5,LWD(GR,RES,APWD)
04/01/2026 TD 9884 OH ST00BP00 10.4 MPD 11.0,WHILE @9172,LWD(GR,RES,APWD)RAN 18LNR @7009-9037,LOT 11.5,REPG RIG
04/08/2026 DRLG 13879 OH ST00BP00 11.3 MPD 12.0,WHILE @13389,10.4 MUD,11.0 MPD,LWD(GR,RES,APWD)RAN 14 @13357,LOT 12.5, DRILLING W/LWD(ABGR,GR,RES,X-BAT,GEOTAP, DEN,NEUT,APWD)
04/15/2026 TD 17315 OH ST00BP00 11.9 NO MPD,LWD(ABGR,GR,RES,X-BAT,GEOTAP,DEN, NEUT,APWD)TOOK MDTs(SAMP)RAN WL,NGI,MSIP, PPC,TLD,HNGS,ZAIT @17206,PREP TO RUN 9 7/8LNR
04/22/2026 TD 17315 OH ST00BP00 11.9 9 7/8LNR @13032-17310,RAN CBL,PREP TO RUN TB
04/29/2026 TD 17315 OH ST00BP00 11.9 9 7/8TB @13032,COMPTG

MISSISSIPPI CYN 503 PROSPECT: WHO DAT
LLOG EXPL OCS: 27277 WELL: SS1ST Status: DRLG

503 FLD Class: DEV API: 608174113101

LOC 6054' FSL & 3687' FEL of Block 00503 MISSISSIPPI CYN
LAT = 28.46084289(28°27'39.034") LON = -89.01153219(-89°00'41.516")
X = 994,233 Y = 10,333,734 PMD: 18404 PTVD: 17155
PBHL: OH 5182' FSL & 510' FEL of Block 503 MISSISSIPPI CYN
ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 04/17/2026 SUSP: COMP: RR:

ACTIVE

CSG= OH OLD(36 @3458 ; 26 @4026 ; 20 @6247 ; 16 @8850 ; 13 5/8 @12275 ; 9 7/8LNR @12054-15737 ; 7 5/8LNR @14152-17693) 7 3/4LNR @11593-16670 LOT 15.7

WD= 3099 KB= 82 RIG: WEST NEPTUNE / SEADRILL Date Reached TD:

04/22/2026 DRLG 15038 OH ST01BP00 12.8 MPD 13.9, MILLED WDW @11851-11857, FIT 15.19, STO @11857, LWD (ONTRAK, ORD, CCN, TESTRAK, SOUNDTRAK) 04/29/2026 DRLG 16927 OH ST01BP00 13.0 MPD 14.2, WHILE @16835, MUD 13.9, MPD 14.1, LWD (ONTRAK, ORD, CCN, TESTRAK, SOUNDTRAK) RAN 7 3/4LNR @11593-16670, LOT 15.65, LWD (ONTRAK, DEN, NEUT, TESTRAK)

MISSISSIPPI CYN SHELL 612 OCS: 33166 PROSPECT: DOVER WELL: DV2ST Status: DRLG

612 FLD Class: DEV API: 608174137401

LOC 6888' FSL & 3960' FWL of Block 00612 MISSISSIPPI CYN LAT = 28.38717215 (28°23'13.820") LON = -88.00093938 (-88°00'03.382") X = 1,318,680 Y = 10,302,888 PMD: 29401 PTV: 28797 PBHL: OH 4460' FSL & 4687' FWL of Block 612 MISSISSIPPI CYN ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 04/14/2026 SUSP: COMP: RR: CSG= OH OLD(38 @7674 ; 28 @8996 ; 22 @12508 ; 18LNR @12178-17927 ; 16LNR @17614-19775 ; 12 1/8 @23789)

WD= 7372 KB= 102 RIG: DW PONTUS / TRANSOCEAN Date Reached TD:

04/08/2026 OH ST01BP00 STO #DV-2, DRILLING CEMENT TO ST 04/15/2026 OH ST01BP00 MILLED WDW @22781-22806, PREP TO ST 04/22/2026 DRLG 23193 OH ST01BP00 13.0 CML 13.2, STO @22806, LOT 13.4 ON WDW, LWD (EWR-M5) 04/29/2026 TD 26480 OH ST01BP00 13.1 CML 13.3, LWD (EWR-M5) PREP TO RUN 9 3/8LNR

MISSISSIPPI CYN SHELL 812 OCS: 34461 PROSPECT: KAIKIAS WELL: KI2 Status: DRLG

768 FLD Class: INJ SS API: 608174152400

LOC 6675' FSL & 5760' FEL of Block 00812 MISSISSIPPI CYN LAT = 28.15827055 (28°09'29.774") LON = -88.96312064 (-88°57'47.234") X = 1,008,000 Y = 10,223,475 PMD: 29835 PTV: 26815 PBHL: OH 7513' FSL & 2732' FWL of Block 812 MISSISSIPPI CYN ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 02/17/2026 SUSP: COMP: RR: CSG= OH 38 @4832 198' ; 32 @5224 ; 28 @6311 ; 22 @8422 FIT 11.9 ; 18LNR @7869-13124 FIT 15.3 ; 14 @24471 FIT 15.3

WD= 4547 KB= 87 RIG: STENA EVOLUTION / STENA DRILLING Date Reached TD:

02/18/2026 OH ST00BP00 PREP TO SPUD 02/25/2026 TD 8468 OH ST00BP00 13.0 38 @4832 W/198'P, LWD (ARCVIS) RAN 32 @5224, 28 @6311, PREP TO RUN 22 03/04/2026 TD 8478 OH ST00BP00 10.5 22 @8422, FIT 11.9, LWD (ARCVIS) PREP TO DRILL OUT 03/11/2026 TD 13254 OH ST00BP00 11.3 LWD (ARCVIS) PREP TO RUN 18LNR 03/18/2026 TD 24543 OH ST00BP00 14.5 18LNR @7869-13124, FIT 15.33, LWD (ARCVIS) PREP TO RUN 14 03/25/2026 TD 24543 OH ST00BP00 14.5 14 @24471, DRILLING OUT CEMENT 04/01/2026 TD 25951 OH ST00BP00 14.2 CML 14.19, FIT 15.27 ON 14, LWD (ARCVIS, STETH,

04/08/2026	DRLG	28540	OH	ST00BP00	14.2	SADN, SONVIS) RAN WL SON, TOOK MDT (FLUID SAMP) @24471-25825, PREP TO RUN RSWC
04/15/2026	TD	29275	OH	ST00BP00	14.2	CML 14.3, RECD RSWC, LWD (ARCVIS, STETH, SADN) CML 14.3, TOOK OPEN HOLE FIT 14.8, LWD (ARCVIS, STETH, SADN) RNG 11 7/8LNR
04/22/2026	TD	29275	OH	ST00BP00	14.2	CML 14.3, ATTEMPTED TO RUN 11 7/8LNR, UNABLE TO GET PAST OBSTRUCTION IN OPEN HOLE, POOH W/LNR, PREP TO C/O
04/29/2026	TD	29275	OH	ST00BP00	14.2	CML 14.3, RAN C/O BHA TO WORK TIGHT SPOTS, PREP TO RE-RUN 11 7/8LNR



WELLS REACHING TD

GREEN CYN 782 PROSPECT: MAD DOG
 BP EXPLORATION & PRODUCT OCS: 15610 WELL: MD15 Status: DRLG

826 FLD Class: DEV API: 608114061200

LOC 7228' FSL & 6166' FEL of Block 00782 GREEN CYN
 LAT = 27.18830922(27°11'17.913") LON = -90.26861424(-90°16'07.011")
 X = 2,528,234 Y = 9,875,548 PMD: 25478 PTVD: 22443
 PBHL: OH 3471' FNL & 2401' FWL of Block 782 GREEN CYN
 ABHL: OH MD: 25533 TVD: 22524 N 5168' @ W 7266'
 ATD OH: 25781 BP1: BP2: BP3: BP4: BP5:

SPUD: 11/07/2013 SUSP: COMP: RR:
 CSG= OH 36 @4886 290' ; 22 @7094 FIT 10.8 ; 16LNR @6488-12455 FIT 15.1 ;
 14LNR @12154-19648 FIT 13.6 ; 11 7/8LNR @19443-23275 PIT 13.6

WD= 4428 KB= 168 RIG: MAD DOG SPAR / VALARIS

Date Reached TD: 04/23/2026

09/11/2013		OH	ST00BP00		(APPROVED PERMIT 9-6-13) (BATCH SET)
10/09/2013		OH	ST00BP00		M/ON 10-7-13, PREP TO RUN 36"
10/16/2013		OH	ST00BP00		M/ON 10-7-13, 36 @4886W/290'P, M/OFF 10-10-13(WILL RET)
11/13/2013	TD	7125	OH	ST00BP00	14.0 M/ON 11-6-13, LWD(GR, RES) PREP TO RUN 22"
11/20/2013	TD	7125	OH	ST00BP00	14.0 22" @7094, WOC
11/27/2013	TD	7125	OH	ST00BP00	14.0 M/OFF 11-19-13(WILL RETURN)
12/24/2025	TD	7125	OH	ST00BP00	14.0 M/ON 12-14-25, C/O TO DRILL AHEAD
12/31/2025	DRLG	10664	OH	ST00BP00	10.1 FIT 10.79 ON 22, LWD(GR, RES, PWD)
01/07/2026	TD	12460	OH	ST00BP00	10.2 LWD(GR, RES, PWD) PREP TO RUN 16LNR
01/14/2026	TD	12460	OH	ST00BP00	10.2 16LNR @6488-12455, PREP TO DRILL OUT & TEST LNR
01/21/2026	DRLG	18287	OH	ST00BP00	13.9 FIT 15.06 ON 16LNR, LWD(GR, RES, PWD, SON, NBGR)
01/28/2026	TD	19659	OH	ST00BP00	14.1 LWD(GR, RES, PWD, SON, NBGR) RNG 14LNR
02/04/2026	TD	19659	OH	ST00BP00	14.2 14LNR @12154-19648, WOC
02/11/2026	TD	19659	OH	ST00BP00	14.2 PREP TO DRILL OUT & TEST 14LNR
02/18/2026	TD	25533	OH	ST00BP00	13.0 RTD 2-16-26, FIT 13.6 ON 14LNR, LWD(GR, RES, NBGR, PWD, DEN, NEUT, SON, FPWD) CIRC BOTTOM UP
02/25/2026	TD	25533	OH	ST00BP00	13.0 WHILE BACKREAMING OUT OF HOLE, HOLE PACKED OFF & WENT TO LOSSES, STK DP @22620, PREP TO SEVER PIPE
03/04/2026	TD	25533	OH	ST00BP00	13.0 SEVERED DP, TF @21176, PREP TO PB & BYPASS
03/11/2026	TD	25533	OH	ST00BP00	13.0 REPD BOP, PREP TO BYPASS
03/18/2026	TD	25533	OH	ST00BP00	13.0 BYPASSED @19848
03/18/2026	TD	24014	BP1	ST00BP01	12.7 LWD(GR, RES, DEN, NEUT, CALP, ACOUSTIC TESTRAK) ENCOUNTERED TAR, EXPERIENCE BALLOONING & LOSSES, PULL UP TO 22810, SHUT WELL IN, C&C
03/25/2026	TD	24014	BP1	ST00BP01	12.7 PREP TO PB & BYPASS
04/01/2026	TD	24014	BP1	ST00BP01	12.7 BYPASSED @19676
04/01/2026	DRLG	23102	BP2	ST00BP02	12.7 LWD(GR, RES, PWD) ENCOUNTER TAR @23075
04/08/2026	TD	23300	BP2	ST00BP02	12.7 LWD(GR, RES, PWD) TOOLS FAILED FROM 23090-23300, PREP TO RUN 11 7/8LNR
04/15/2026	TD	23300	BP2	ST00BP02	12.7 11 7/8LNR @19443-23275, PREP TO DRILL OUT
04/22/2026	DRLG	24189	BP2	ST00BP02	12.7 PIT 13.6 ON 11 7/8LNR, LWD(GR, RES, PWD, SON)
04/29/2026	TD	25781	BP2	ST00BP02	12.7 LWD(GR, RES, PWD, SON) REAMING & HPU REPAIRS

SUSPENDED

KEATHLEY CYN 918 PROSPECT: HADRIAN NORTH
 ANADARKO PETROLEUM CORPO OCS: 32654 WELL: SS5ST2 Status: SUSP

875 FLD Class: DEV SS API: 608084007902

LOC 7073' FSL & 648' FWL of Block 00919 KEATHLEY CYN
 LAT = 26.07798692(26°04'40.753") LON = -92.05968484(-92°03'34.865")

X = 1,948,968 Y = 9,463,553 PMD: 20461 PTVD: 18781

PBHL: OH 6690' FNL & 1454' FEL of Block 918 KEATHLEY CYN

ABHL: OH MD: 20434 TVD: 18769 N 2068' @ W 2111'

ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 03/25/2026 SUSP: 04/27/2026 COMP: RR: 04/27/2026

CSG= OH OLD(36 @7774 ; 28 @8592 ; 22 @11296 ; 14 @13443 ; 9 7/8LNR @12989-19328)
 7 3/4LNR @13516-20230 ; 7 3/4LNR @13354-13516

WD= 7387 KB= 81 RIG: OCEAN BLACKHAWK / NOBLE DRLG

Date Reached TD: 03/30/2026

03/25/2026		OH	ST02BP00		STO #SS-5ST,PREP TO ST
04/01/2026	TD	20434	OH	ST02BP00	11.7 MILLED WDW @13776-13796, FIT 13.6,MPD 12.6, DRILLED FROM 13796-16616,MUD 12.5,NO MPD, LWD(GR,RES,PWD)ROLLED MUD TO 11.5,MPD 12.5, LWD(GR,RES,XBAT,DEN,NEUT,GEOTAP,PWD)PREP TO RUN 7 3/4LNR
04/08/2026	TD	20434	OH	ST02BP00	11.8 NO MPD,RAN 7 3/4LNR @13516-20230,RAN 9 3/4 X 10 1/8 X 10 3/4 TB @13492,RAN BACK INTO HOLE & RAN A SECOND 7 3/4LNR @13354-13516, COMPTG
04/15/2026	TD	20434	OH	ST02BP00	11.8 COMPTG
04/22/2026	TD	20434	OH	ST02BP00	11.8 COMPTG
04/29/2026	TD	20434	OH	ST02BP00	11.8 R.R.

