

**OFFSHORE OIL SCOUTS ASSOCIATION
GULF ATLANTIC**

WEEKLY DRILLING REPORT

DEEP WATER

Wednesday, July 22, 2026





OFFSHORE OIL SCOUTS

PROPRIETARY

STATEMENT



This information is provided by exclusive agreement with The Offshore Oil Scouts Association. The recipient acknowledges that the data and materials are proprietary information and trade secret, whether or not any portion thereof may be validly copyrighted or patented. Any reproduction or other use without the express written consent of The Association President will be pursued to the fullest extent of the law.

Table of Contents

NEW LOCATIONS

GREEN CYN Block 825 WELL 18 BP EXPL

ACTIVE

GARDEN BANKS Block 959 WELL SP203 SHELL

ALAMINOS CYN Block 728 WELL WN103 SHELL

ALAMINOS CYN Block 857 WELL GA23 SHELL

KEATHLEY CYN Block 291 WELL 2ST BP EXPL

KEATHLEY CYN Block 736 WELL 2 LLOG EXPL

GREEN CYN Block 606 WELL 2 ANADARKO PETROLEUM CORPOR

GREEN CYN Block 726 WELL 6 ANADARKO PETROLEUM CORPOR

GREEN CYN Block 742 WELL DC152 BP EXPL

GREEN CYN Block 782 WELL MD15 BP EXPLORATION & PRODUCTI

GREEN CYN Block 807 WELL AP7 CHEVRON U.S.A. INC.

GREEN CYN Block 825 WELL 14 BP EXPL

GREEN CYN Block 944 WELL WA5 BEACON OFFSHORE ENERGY

WALKER RIDGE Block 107 WELL SS2 TALOS ENERGY OFFSHORE LLC

WALKER RIDGE Block 678 WELL IS2 CHEVRON U.S.A. INC.

MISSISSIPPI CYN Block 477 WELL 1 SHELL

MISSISSIPPI CYN Block 807 WELL A23ST2 SHELL

MISSISSIPPI CYN Block 807 WELL MB9ST2 SHELL


MISSISSIPPI CYN Block 816 WELL 4 LLOG EXPL

WELLS REACHING TD

MISSISSIPPI CYN Block 807 WELL A23ST2 SHELL

SUSPENDED

GREEN CYN Block 825 WELL 14 BP EXPL



BATCH SET

ACTIVE**GARDEN BANKS
SHELL****959
OCS: 30876****PROSPECT: SPARTA
WELL: SP203****Status: DRLG****958 FLD****Class: DEV****SS****API: 608074033200****LOC** 7507' FNL & 3623' FWL **of Block** 00959 GARDEN BANKS**LAT** = 27.04154036 (27°02'29.545") **LON** = -92.23735115 (-92°14'14.464")**X** = 1,888,583 **Y** = 9,813,293 **PMD:** 31560 **PTVD:** 30592**PBHL:** OH 6135' FSL & 1793' FWL **of Block** 959 GARDEN BANKS**PBHL:** BP15694' FSL & 1665' FWL **of Block** 959 GARDEN BANKS**ABHL:** OH **MD:** 31158 **TVD:** 30655 S 2211' @ W 1830'**ATD OH:** **BP1:** **BP2:** **BP3:** **BP4:** **BP5:****SPUD:** 09/05/2025 **SUSP:****COMP:****RR:****CSG=** OH 42 @4630 274' ; 32 @5559 ; 28 @6704 ; 22 @10164 FIT 15.4 ; 14 @24315 FIT 16.7**WD=** 4269 **KB=** 87**RIG:** STENA EVOLUTION / STENA DRILLING**Date Reached TD:**

06/04/2025		OH	ST00BP00	BATCH SET
09/10/2025	DRLG	6108	OH	ST00BP00 12.1 42 @4630 W/274'P, 32 @5559, M/OFF 9-6-25, M/ON 9-8-25, LWD (GR, RES, PWD)
09/17/2025	TD	10214	OH	ST00BP00 13.0 28 @6704, LWD (GR, RES, PWD) RNG 22
09/24/2025	TD	10214	OH	ST00BP00 13.0 22 @10164, M/OFF 9-15-25, WILL RETURN
12/10/2025	TD	10214	OH	ST00BP00 13.0 M/ON 12-6-25, RIGGING UP
12/17/2025	TD	10214	OH	ST00BP00 13.0 FINISHED RIGGING UP, PREP TO DRILL AHEAD
12/24/2025	TD	24365	OH	ST00BP00 16.3 CML 15.9, FIT 15.4 ON 22, LWD (GR, RES, PWD, SON) PREP TO RUN 14
12/31/2025	DRLG	24535	OH	ST00BP00 16.3 CML 16.1, RAN 14 @24315, FIT 16.66, LWD (GR, RES, PWD)
01/07/2026	DRLG	31158	OH	ST00BP00 16.3 CML 16.3, LWD (GR, RES, PWD) ORIG MD, 31108, TVD 30615
01/14/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, WELL CONTROL WORK DECISION NOT TO DRILL AHEAD, PREP TO PB & BYPASS
01/21/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, SET 2 OPEN HOLE PLUGS, PREP TO SET KICKOFF PLUG & BYPASS
01/28/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, SET KICKOFF PLUG, TOC @23915, PREP TO BYPASS
02/04/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, DRILLED CEMENT W/BYPASS BHA, OBSERVED LOSSES INDICATING INADEQUATE CEMENT, COULD NOT BYPASS, SET ADDL PLUG, TOC @ 24439, SETTING PLUG #5 TO BYPASS
02/11/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, SET PLUG #5, TOC @23924, PREP TO T/A, WILL RETURN TO BYPASS
02/18/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, T/A 2-10-26, WILL RETURN
06/24/2026	TD	31158	OH	ST00BP00 16.3 M/ON 6-21-26, PREP TO RE-ENTER & BYPASS ORIG PTDS: 31527 MD, 31019 TVD
07/01/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, RAN RISER & BOP, PREP TO PB & BYPASS
07/08/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, REPD CML SYSTEM, PREP TO RUN WHIPTSTOCK & BYPASS
07/15/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, RAN & SET WHIPTSTOCK TO MILL WDW @ 23448, WHILE MILLING WDW MILLS TWISTED OFF, TF @23404, PREP TO SET PLUG TO ISOLATE FSH THEN RUN NEW WHIPTSTOCK & BYPASS
07/22/2026	TD	31158	OH	ST00BP00 16.3 CML 16.3, SET PKR @23370, SET WHIPTSTOCK, BEGIN MILLING, POOH, OBSERVED MISSING MILLS, TF @23290, PREP TO FSH

**ALAMINOS CYN
SHELL****728
OCS: 31195****PROSPECT: WHALE
WELL: WN103****Status: DRLG****728 WC****Class: DEV****API: 608054011900****LOC** 1627' FSL & 3169' FEL **of Block** 00728 ALAMINOS CYN**LAT** = 26.23005494 (26°13'48.198") **LON** = -94.72843942 (-94°43'42.382")**ACTIVE**

X = 1,073,951 **Y** = 9,521,467 **PMD**: 23560 **PTVD**: 21452
PBHL: OH 7352' FSL & 4941' FEL **of Block** 728 ALAMINOS CYN
PBHL: BP17366' FSL & 4955' FEL **of Block** 728 ALAMINOS CYN
ABHL: BP1 MD: 23590 TVD: 21460 N 5783' @ W 1792'
ATD OH: 19877 **BP1**: 23590 **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: 11/03/2025 **SUSP**: **COMP**: **RR**:
CSG= OH 38 @8931 198' ; 28 @9843 ; 22 @14790 FIT 12.0 ;
16.08LNR @14387-16395 FIT 12.1 ; 14LNR @16060-19547 FIT 12.6 ;
9 5/8LNR @19245-23585

WD= 8631 **KB**= 102 **RIG**: DW POSEIDON / TRANSOCEAN
Date Reached TD: 07/06/2026

10/15/2025		OH	ST00BP00	BATCH SET
11/12/2025 DRLG	14828	OH	ST00BP00 10.0	MPD 10.62,RAN 38 @8931 W/198'P,28 @9843, LWD(GR,RES,PWD)
11/19/2025 TD	14840	OH	ST00BP00 10.5	MPD 10.73,LWD(GR,RES,PWD)22 @14790,M/OFF 11-13-25,WILL RETURN
05/20/2026 TD	14840	OH	ST00BP00 10.5	M/ON 5-14-26,RNG BOP & RISER TO RESUME DRILLING OPERATIONS
05/27/2026 TD	19877	OH	ST00BP00 10.4	MPD 10.94,TOOK FIT 12.06 ON 22,LWD(ARCVIS, SONSCOPE)PREP TO RUN 13 5/8
06/03/2026 TD	19877	OH	ST00BP00 10.4	MPD 10.94,ATTEMPTED TO RUN 13 5/8,COULD NOT GET DOWN,PREP TO C/O & RE-RUN 13 5/8
06/10/2026 TD	19877	OH	ST00BP00 10.8	MPD 10.9,C/O,ATTEMPTED TO RE-RUN 13 5/8, COULD NOT GET DOWN,POOH W/CSG STRING
06/17/2026 TD	19877	OH	ST00BP00 10.8	MPD 10.9,POOH W/13 5/8LNR,PUMPED CEMENT PLUGS @14684,PREP TO BYPASS
06/24/2026 TD	19877	OH	ST00BP00 10.8	MPD 10.9,BYPASSED @14850
06/24/2026 TD	16450	BP1	ST00BP01 10.5	MPD 10.7,TOOK FIT 12.04 ON 22,LWD(ARCVIS) RAN 16.08LNR @14387-16395,PREP TO DRILL OUT,ORIG HOLE PTD:23534 MD,21448 TVD
07/01/2026 TD	19665	BP1	ST00BP01 11.2	MPD 11.4,TOOK FIT 12.07 ON 16.08LNR, LWD(ARCVIS)RAN 14LNR @16060-19547,PREP TO DRILL OUT
07/08/2026 TD	23590	BP1	ST00BP01 9.5	MPD 10.3,TOOK FIT 12.61 ON 14,LWD(ARCVIS, SONSCOPE,STETH,SADN)C&C,TAKING FPWD PRESSURES
07/15/2026 TD	23590	BP1	ST00BP01 9.5	MPD 10.3,TOOK FPWD PRESSURES,PERFORMED OPEN HOLE LOT TO 12.12,RAN WL,HDRS,HNGS, PPC,MAST,NGI @23590,RAN 9 5/8LNR @ 19245-23585,PREP TO RUN 9 5/8 X 10 3/4TB
07/22/2026 TD	23590	BP1	ST00BP01 9.5	MPD 10.3,RAN 9 5/8 X 10 3/4TB @19255,C/O, PREP TO COMP

ALAMINOS CYN **857** **PROSPECT: GREAT WHITE**
SHELL **OCS: 17565** **WELL: GA23** **Status: DRLG**

857 FLD **Class: DEV** **API: 608054006000**

LOC 2836' FNL & 4006' FWL **of Block** 00857 ALAMINOS CYN
LAT = 26.12847000 (26°07'42.492") **LON** = -94.89819000 (-94°53'53.484")
X = 1,017,766 **Y** = 9,485,324 **PMD**: 19046 **PTVD**: 18802
PBHL: OH 3934' FNL & 2485' FWL **of Block** 857 ALAMINOS CYN
PBHL: BP13848' FNL & 2560' FWL **of Block** 857 ALAMINOS CYN
ATD OH: **BP1**: **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: 11/08/2007 **SUSP**: **COMP**: **RR**:
CSG= OH 36 @8084 193' ; 22 @9169 ; 16 @10476 LOT 9.9 ;
13 3/8LNR @10409-11931 LOT 10.4 ; 11 3/4 @14033 LOT 10.2 ; 9 5/8LNR @13636-14622

WD= 7819 **KB**= 203 **RIG**: H&P 205 / H&P DRLG
Date Reached TD:

10/31/2007		OH		(BATCH SET)
11/14/2007 TD	10517	OH	10.0	36 @8084W/193'P,LWD(GR,RES,PWD) @9169,NO SWC,22 @9169,LWD(GR,RES,PWD) @10517,NO SWC, 16 @10476,M/OFF 11-10-07(WILL RET

ACTIVE

01/07/2026 TD	10517	OH	ST00BP00	10.0	M/ON 1-4-26,RIGGING UP
01/14/2026 TD	11964	OH	ST00BP00	9.0	MPD 9.4,LOT 9.87 ON 16,LWD (GR,RES,PWD) PREP TO RUN 13 3/8LNR
01/21/2026 TD	11964	OH	ST00BP00	9.0	MPD 9.4,RAN 13 3/8LNR @10409-11931,PREP TO DRILL OUT
01/28/2026 TD	14083	OH	ST00BP00	9.6	MPD 10.1,LOT 10.44 ON 13 3/8LNR,LWD (GR,RES,PWD) PREP TO RUN 11 3/4
02/04/2026 TD	14096	OH	ST00BP00	8.6	MPD OFF,RAN 11 3/4 @14033,LOT 10.23,UNABLE TO OPEN REAMER,TIH W/NEW BHA
02/11/2026 TD	14096	OH	ST00BP00	8.6	MPD OFF,PERFORMED RIG MAINTENANCE,PREP TO DRILL AHEAD
02/18/2026 TD	14647	OH	ST00BP00	8.6	MPD OFF,LWD (GR,RES,PWD) PREP TO RUN 9 5/8LNR
02/25/2026 TD	14647	OH	ST00BP00	8.6	MPD,PERFORMED CHECK TRIP W/DUMB IRON BHA,WOW TO RUN 9 7/8LNR
03/04/2026 TD	14647	OH	ST00BP00	8.6	MPD OFF,PERFORMED ANOTHER CHECK TRIP W/DUMB IRON BHA,RAN 9 5/8LNR @13636-14622,PREP TO DRILL OUT 9 5/8 SHOETRACK
03/11/2026 TD	14647	OH	ST00BP00	9.4	MPD OFF,BEGAN DRILLING 9 5/8 SHOETRACK,BHA GOT STK @14642,UNABLE TO JAR FREE,PREP TO RUN WL TO DETERMINE FREE POINT
03/18/2026 TD	14647	OH	ST00BP00	9.4	MPD OFF,BACKED OFF,TF @14416,COULD NOT RECOVER FSH,PREP TO PUMP CEMENT PLUG ON TOF TO BYPASS
03/25/2026 TD	14647	OH	ST00BP00	9.4	MPD OFF,T/A 3-23-26,WILL RETURN TO BYPASS
07/01/2026 TD	14647	OH	ST00BP00	9.4	MPD OFF,M/ON 6-29-26,PREP TO PB & BYPASS ORIG PTDS: 18967 MD,18736 TVD
07/08/2026 TD	14647	OH	ST00BP00	9.4	MPD OFF,RIG MAINTENANCE,TSTD BOP,PREP TO BYPASS
07/15/2026 TD	14647	OH	ST00BP00	9.4	PREP TO CUT & PULL 11 3/4 & BYPASS IN THE OPEN HOLE
07/22/2026 TD	14647	OH	ST00BP00	9.4	C/O WELLBORE,PREP TO CUT & PULL 11 3/4 TO BYPASS

KEATHLEY CYN
BP EXPL

291
OCS: 19545

PROSPECT: WEST BUMP
WELL: 2ST

Status: DRLG

291 WC

Class: EXP

SS

API: 608084008001

LOC 4687' FNL & 363' FWL of Block 00291 KEATHLEY CYN
 LAT = 26.70216182 (26°42'07.783") LON = -92.63787509 (-92°38'16.350")
 X = 1,758,603 Y = 9,689,393 PMD: 36146 PTVD: 33517
 PBHL: OH 3808' FNL & 5334' FWL of Block 291 KEATHLEY CYN
 ATD OH: BP1: BP2: BP3: BP4: BP5:

SPUD: 07/01/2026 SUSP: COMP: RR:
 CSG= OH OLD(36 @6100 ; 28 @8160 ; 22 @9979 ; 18LNR @9753-14850 ; 16LNR @5847-20978 ; 14 @27696 ; 11 7/8LNR @21122-29801)

WD= 5722 KB= 104 RIG: DW INVICTUS / TRANSOCEAN
 Date Reached TD:

06/24/2026		OH	ST01BP00		STO BLK 247 #1, LOCATION
07/08/2026 DRLG	27800	OH	ST01BP00	15.2	MPD 15.4,MILLED WDW @26862-26892,STO BLK 247 #1 @26892,LWD (GR,RES,FPWD,DEN,SON)
07/15/2026 TD	30195	OH	ST01BP00	14.7	MPD OFF,LWD (GR,RES,FPWD) HAVING ISSUES GETTING THROUGH WDW DURING C/O RUNS,PREP TO POLISH WDW PRIOR TO RUNNING 11 7/8LNR
07/22/2026 TD	30195	OH	ST01BP00	14.7	MPD OFF,POLISHED WDW,PREP TO RUN 11 7/8LNR

KEATHLEY CYN
LLOG EXPL

736
OCS: 36077

PROSPECT: CASTILE
WELL: 2

Status: PERM

736 FLD

Class: DEV

SS

API: 608084008100

LOC 2384' FSL & 6672' FWL of Block 00736 KEATHLEY CYN
 LAT = 26.24118959 (26°14'28.283") LON = -92.37836105 (-92°22'42.100")
 X = 1,844,112 Y = 9,522,224 PMD: 31600 PTVD: 30989

ACTIVE

PBHL: OH 6060' FSL & 7431' FWL **of Block** 736 KEATHLEY CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: **SUSP:** **COMP:** **RR:**

WD= 6689 **KB=** 82 **RIG:** WEST NEPTUNE / SEADRILL

Date Reached TD:

07/15/2026 OH ST00BP00 LOCATION

GREEN CYN **606** **PROSPECT: K-2**
ANADARKO PETROLEUM CORPO **OCS: 21807** **WELL: 2** **Status: DRLG**

562 FLD **Class: DEV** **SS** **API: 608114080500**

LOC 869' FSL & 4722' FEL **of Block** 00562 GREEN CYN
LAT = 27.38844535 (27°23'18.403") **LON** = -90.25926199 (-90°15'33.343")

X = 2,529,678 **Y** = 9,948,389 **PMD:** 28560 **PTVD:** 26448

PBHL: OH 2187' FNL & 1326' FEL **of Block** 606 GREEN CYN

ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 06/28/2026 **SUSP:** **COMP:** **RR:**

CSG= OH 36 @4361 302' ; 28 @5147 ; 22 @8540 FIT 13.1 ; 18LNR @8058-12865 FIT 16.6

WD= 3979 **KB=** 80 **RIG:** DS-16 / VALARIS

Date Reached TD:

07/01/2026 TD 5290 OH ST00BP00 12.6 36 @4361 W/302'P, RAN 28 @5147, LWD (GR, RES, APWD) WOC
 07/08/2026 TD 8565 OH ST00BP00 11.5 LWD (GR, RES, APWD) RAN 22 @8540, RAN RISER & BOP, REPG BOP
 07/15/2026 TD 13010 OH ST00BP00 12.4 FIT 13.12 ON 22, LWD (GR, RES, APWD) PREP TO RUN 18LNR
 07/22/2026 DRLG 21605 OH ST00BP00 14.3 MPD 14.9, RAN 18LNR @8058-12865, FIT 16.6, LWD (GR, RES, APWD)

GREEN CYN **726** **PROSPECT: CAESAR TONGA**
ANADARKO PETROLEUM CORPO **OCS: 24179** **WELL: 6** **Status: DRLG**

640 FLD **Class: DEV** **SS** **API: 608114080000**

LOC 6073' FSL & 4675' FWL **of Block** 00727 GREEN CYN
LAT = 27.23835119 (27°14'18.064") **LON** = -90.81889581 (-90°49'08.025")

X = 2,348,995 **Y** = 9,890,233 **PMD:** 27320 **PTVD:** 23349

PBHL: OH 13237' FSL & 5' FEL **of Block** 726 GREEN CYN

ABHL: OH **MD:** 27335 **TVD:** 23369 N 7166' @ W 4680'

ATD OH: 27335 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 05/04/2026 **SUSP:** **COMP:** **RR:**

CSG= OH 36 @5127 339' ; 22 @6912 FIT 13.7 ; 18LNR @6625-13215 FIT 15.8 ;
 14 @23265 FIT 15.5 ; 9 7/8LNR @27328

WD= 4707 **KB=** 81 **RIG:** OCEAN BLACKHAWK / NOBLE DRLG

Date Reached TD: 06/16/2026

04/22/2026 OH ST00BP00 LOCATION
 04/29/2026 OH ST00BP00 BETWEEN WELL MAINTENANCE
 05/06/2026 DRLG 5746 OH ST00BP00 11.5 36 @5127 W/339'P, LWD (GR, RES, PWD)
 05/13/2026 TD 6937 OH ST00BP00 12.5 LWD (GR, RES, PWD) RAN 22 @6912, PREP TO DRILL OUT
 05/20/2026 TD 13349 OH ST00BP00 13.4 NO MPD, FIT 13.73 ON 22, LWD (GR, RES, PWD) SET 18LNR @6625-13215, WOC
 05/27/2026 TD 22066 OH ST00BP00 14.3 FIT 15.8 ON 18LNR, WHILE @19300, TOOK OPEN HOLE FIT 15.01, ROLLING OVER MUD TO 14.7, LWD (GR, RES, PWD)
 06/03/2026 TD 23300 OH ST00BP00 14.3 MPD 15.1, LWD (GR, RES, PWD) WHILE POOH, HOLE PACKED OFF, TWISTED OFF DP, TF @9068, FSG
 06/10/2026 TD 23300 OH ST00BP00 15.1 MPD OFF, RECD FSH, RNG 14

ACTIVE

06/17/2026 TD	27335	OH	ST00BP00 14.1	MPD 14.9,RAN 14 @23265,FIT 15.49,WHILE @ 26180,TOOK DFIT 15.0,LWD(GR,RES,PWD,X-BAT,ALD,CTN,GEOTAP)C&C
06/24/2026 TD	27335	OH	ST00BP00 14.8	NO MPD,ATTEMPTED WL,NGI,DEN,NEUT,ZAIT,HIT BRDG @23315,RECONFIGURED TOOL STRING TO NGI W/A JAR TO COLLECT SAMPLES,HIT BRDG @ 23315,NO SAMP OR LOGS RECD,RAN 9 7/8LNR @ 23006-27328,WOC
06/24/2026 TD	27335	OH	ST00BP00 14.8	ANADARKO PAST THEIR PTD BY 15' WHICH PUT THE WELL IN BLK 726 INSTEAD OF 727,THIS REQUIRED ANADARKO TO CHANGE THE BLOCK,WELL & OCS #
				ORIG PBHL: 13248 FSL 10 FWL BLK 727,ORIG WELL #7,ORIG OCS16783
07/01/2026 TD	27335	OH	ST00BP00 14.8	NO MPD,RAN CIBP @27710,RNG 10 1/8 X 10 3/4 TB
07/08/2026 TD	27335	OH	ST00BP00 14.8	RAN 10 1/8 X 3/4TB @23006,COMPTG
07/15/2026 TD	27335	OH	ST00BP00 14.8	COMPTG
07/22/2026 TD	27335	OH	ST00BP00 14.8	COMPTG

GREEN CYN
BP EXPL

742
OCS: 15606

PROSPECT: ATLANTIS
WELL: DC152

Status: DRLG

743 FLD

Class: DEV

API: 608114080400

LOC 6582' FSL & 7050' FWL **of Block** 00743 GREEN CYN
LAT = 27.22528047 (27°13'31.010") **LO**N = -90.03216544 (-90°01'55.796")
X = 2,604,810 **Y** = 9,890,742 **PMD**: 21494 **PTVD**: 17873
PBHL: OH 7636' FSL & 215' FEL **of Block** 742 GREEN CYN
ATD OH: **BP1**: **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: 06/24/2026 **SUSP**: **COMP**: **RR**:
CSG= OH 36 @7132 299' ; 22 @10562 ; 16 @13531 PIT 12.1

WD= 6833 **KB**= 80 **RIG**: OCEAN BLACK HORNET / NOBLE DRLG
Date Reached TD:

06/24/2026		OH	ST00BP00	BATCH SET,36 @7132 W/299'P,PREP TO SPUD
07/01/2026 TD	10592	OH	ST00BP00 12.0	LWD(GR,RES,PWD)RNG 22
07/08/2026 TD	10592	OH	ST00BP00 12.0	RAN 22 @10562,PREP TO DRILL OUT
07/15/2026 TD	13536	OH	ST00BP00 10.6	LWD(GR,RES,PWD,SON)RAN 16 @13531,PIT 12.1, PREP TO DRILL AHEAD
07/22/2026 TD	16641	OH	ST00BP00 11.0	MPD 11.9,LWD(GR,RES,PWD,SON)PREP TO RUN 13 5/8LNR

GREEN CYN

BP EXPLORATION & PRODUCT

782
OCS: 15610

PROSPECT: MAD DOG
WELL: MD15

Status: DRLG

826 FLD

Class: DEV

API: 608114061200

LOC 7228' FSL & 6166' FEL **of Block** 00782 GREEN CYN
LAT = 27.18830922 (27°11'17.913") **LO**N = -90.26861424 (-90°16'07.011")
X = 2,528,234 **Y** = 9,875,548 **PMD**: 25478 **PTVD**: 22443
PBHL: OH 3471' FNL & 2401' FWL **of Block** 782 GREEN CYN
ABHL: OH **MD**: 25533 **TVD**: 22524 N 5168' @ W 7266'
ABHL: BP2 **MD**: 25781 **TVD**: 22522 N 5429' @ W 7198'
ATD OH: 25781 **BP1**: 24014 **BP2**: 25781 **BP3**: **BP4**: **BP5**:

SPUD: 11/07/2013 **SUSP**: **COMP**: **RR**:
CSG= OH 36 @4886 290' ; 22 @7094 FIT 10.8 ; 16LNR @6488-12455 FIT 15.1 ;
14LNR @12154-19648 FIT 13.6 ; 11 7/8LNR @19443-23275 PIT 13.6 ;
9 7/8LNR @23048-25743

WD= 4428 **KB**= 168 **RIG**: MAD DOG SPAR / VALARIS
Date Reached TD: 04/23/2026

09/11/2013	OH	ST00BP00	(APPROVED PERMIT 9-6-13) (BATCH SET)
10/09/2013	OH	ST00BP00	M/ON 10-7-13,PREP TO RUN 36"

ACTIVE

10/16/2013		OH	ST00BP00	M/ON 10-7-13,36 @4886W/290'P,M/OFF 10-10-13(WILL RET)
11/13/2013	TD	7125	OH	ST00BP00 14.0 M/ON 11-6-13,LWD(GR,RES)PREP TO RUN 22"
11/20/2013	TD	7125	OH	ST00BP00 14.0 22" @7094, WOC
11/27/2013	TD	7125	OH	ST00BP00 14.0 M/OFF 11-19-13(WILL RETURN)
12/24/2025	TD	7125	OH	ST00BP00 14.0 M/ON 12-14-25,C/O TO DRILL AHEAD
12/31/2025	DRLG	10664	OH	ST00BP00 10.1 FIT 10.79 ON 22,LWD(GR,RES,PWD)
01/07/2026	TD	12460	OH	ST00BP00 10.2 LWD(GR,RES,PWD)PREP TO RUN 16LNR
01/14/2026	TD	12460	OH	ST00BP00 10.2 16LNR @6488-12455,PREP TO DRILL OUT & TEST LNR
01/21/2026	DRLG	18287	OH	ST00BP00 13.9 FIT 15.06 ON 16LNR,LWD(GR,RES,PWD,SON,NBGR)
01/28/2026	TD	19659	OH	ST00BP00 14.1 LWD(GR,RES,PWD,SON,NBGR)RNG 14LNR
02/04/2026	TD	19659	OH	ST00BP00 14.2 14LNR @12154-19648,WOC
02/11/2026	TD	19659	OH	ST00BP00 14.2 PREP TO DRILL OUT & TEST 14LNR
02/18/2026	TD	25533	OH	ST00BP00 13.0 RTD 2-16-26,FIT 13.6 ON 14LNR,LWD(GR,RES, NBGR,PWD,DEN,NEUT,SON,FPWD)CIRC BOTTOM UP
02/25/2026	TD	25533	OH	ST00BP00 13.0 WHILE BACKREAMING OUT OF HOLE,HOLE PACKED OFF & WENT TO LOSSES,STK DP @22620,PREP TO SEVER PIPE
03/04/2026	TD	25533	OH	ST00BP00 13.0 SEVERED DP,TF @21176,PREP TO PB & BYPASS
03/11/2026	TD	25533	OH	ST00BP00 13.0 REPD BOP,PREP TO BYPASS
03/18/2026	TD	25533	OH	ST00BP00 13.0 BYPASSED @19848
03/18/2026	TD	24014	BP1	ST00BP01 12.7 LWD(GR,RES,DEN,NEUT,CALP,ACOUSTIC TESTRAK) ENCOUNTERED TAR,EXPERIENCE BALLOONING & LOSSES,PULL UP TO 22810,SHUT WELL IN,C&C
03/25/2026	TD	24014	BP1	ST00BP01 12.7 PREP TO PB & BYPASS
04/01/2026	TD	24014	BP1	ST00BP01 12.7 BYPASSED @19676
04/01/2026	DRLG	23102	BP2	ST00BP02 12.7 LWD(GR,RES,PWD)ENCOUNTER TAR @23075
04/08/2026	TD	23300	BP2	ST00BP02 12.7 LWD(GR,RES,PWD)TOOLS FAILED FROM 23090-23300,PREP TO RUN 11 7/8LNR
04/15/2026	TD	23300	BP2	ST00BP02 12.7 11 7/8LNR @19443-23275,PREP TO DRILL OUT
04/22/2026	DRLG	24189	BP2	ST00BP02 12.7 PIT 13.6 ON 11 7/8LNR,LWD(GR,RES,PWD,SON)
04/29/2026	TD	25781	BP2	ST00BP02 12.7 LWD(GR,RES,PWD,SON)REAMING & HPU REPAIRS
05/06/2026	TD	25781	BP2	ST00BP02 12.7 REAMED TO 25781,RNG 9 7/8LNR
05/13/2026	TD	25781	BP2	ST00BP02 12.7 RAN 9 7/8LNR @23048-25743,PREP TO COMP
05/20/2026	TD	25781	BP2	ST00BP02 12.7 PREP TO COMP
05/27/2026	TD	25781	BP2	ST00BP02 12.7 COMPTG
06/03/2026	TD	25781	BP2	ST00BP02 12.7 COMPTG
06/10/2026	TD	25781	BP2	ST00BP02 12.7 COMPTG
06/17/2026	TD	25781	BP2	ST00BP02 12.7 COMPTG
06/24/2026	TD	25781	BP2	ST00BP02 12.7 COMPTG
07/01/2026	TD	25781	BP2	ST00BP02 12.7 COMPTG
07/08/2026	TD	25781	BP2	ST00BP02 12.7 COMPTG
07/15/2026	TD	25781	BP2	ST00BP02 12.7 COMPTG
07/22/2026	TD	25781	BP2	ST00BP02 12.7 COMPTG

GREEN CYN

807

PROSPECT: ANCHOR

CHEVRON U.S.A. INC.

OCS: 31752

WELL: AP7

Status: DRLG

807 FLD

Class: DEV

SS

API: 608114080200

LOC 4045' FSL & 4475' FWL of Block 00807 GREEN CYN
 LAT = 27.15117389(27°09'04.226") LON = -91.21088317(-91°12'39.179")
 X = 2,222,075 Y = 9,856,525 PMD: 33793 PTV: 33536
 PBHL: OH 4361' FSL & 6470' FWL of Block 807 GREEN CYN
 ABHL: OH MD: 33710 TVD: 33482 S 211' @ E 480'
 ATD OH: 33710 BP1: BP2: BP3: BP4: BP5:

SPUD: 04/28/2026 SUSP:

COMP:

RR:

CSG= OH 36 @5333 305' ; 22 @10547 FIT 11.7 ; 18LNR @10093-15575 FIT 14.0 ;
 16LNR @8003-24855 FIT 16.1 ; 14LNR @24460-30040 FIT 16.2 ; 10LNR @29362-33634

WD= 4953 KB= 75 RIG: DW TITAN / TRANSOCEAN

Date Reached TD: 07/02/2026

04/29/2026		OH	ST00BP00	36 @5333 W/305'P,PREP TO SPUD
05/06/2026	TD	10577	OH	ST00BP00 11.0 LWD(NBGR)RNG 22
05/13/2026	TD	10577	OH	ST00BP00 11.0 22 @10547,RAN BOP,TSTG BOP
05/20/2026	TD	15628	OH	ST00BP00 10.7 MPD 11.26,FIT 11.7 ON 22,LWD(NBGR,ARCVIS)

ACTIVE

05/27/2026 DRLG 22646 OH ST00BP00 12.3 MPD 12.77,RAN 18LNR @10093-15575,FIT 14.0, LWD(NBGR,ARCVIS)

06/03/2026 TD 24930 OH ST00BP00 13.0 MPD 13.15,LWD(NBGR,ARCVIS)RAN 16LNR @ 8003-24855,PREP TO TEST BOP

06/10/2026 TD 30164 OH ST00BP00 14.9 MPD 15.56,TOOK FIT 16.1 ON 16LNR,LWD(NBGR, ARCVIS)WHILE @29096 HAD LOSSES,DECREASED MPD TO 15.5,HOLE PACKED OFF,RECD DP,HAD 5 BBL GAIN,SHUT IN,PREP TO RUN 14LNR

06/17/2026 DRLG 30615 OH ST00BP00 14.9 MPD 15.59,RAN 14LNR @24460-30040,TOOK DFIT 16.2,LWD(NBGR,ARCVIS,SONSCOPE,STETH,ADN)

06/24/2026 TD 33710 OH ST00BP00 14.9 MPD 15.63,LWD(NBGR,ARCVIS,SONSCOPE,STETH, ADN)WHILE @33710,DP STUCK,WHILE ATTEMPTING TO POOH,DP PARTED,TF @28190,FSG UNSUCCESSFUL,SEVERED DP @32256,UNABLE TO FREE DP,PREP TO RE-SEVER

07/01/2026 TD 33710 OH ST00BP00 14.9 MPD 15.63,SEVERED DP @32167,SET OH PLUGS, TOC @29420,DRLG CEMENT TO BYPASS

07/08/2026 TD 33710 OH ST00BP00 14.9 MPD 15.63,BYPASSED @30160

07/08/2026 TD 33710 BP1 ST00BP01 14.9 MPD 15.63,LWD(NBGR,ARCVIS)RAN WL,HXPT,HLDS, QCNT,PPC,MSIP @33700,LOGGING

07/15/2026 TD 33710 BP1 ST00BP01 14.9 MPD 15.63,RAN WL #2,PPC,HLDS @33600,RAN STK & SET 10LNR @29362-33634,RNG 10 1/4 TB

07/22/2026 TD 33710 BP1 ST00BP01 14.9 MPD 15.63,RAN 10 1/4TB @29362,COMPTG

GREEN CYN**825****PROSPECT: MAD DOG****BP EXPL****OCS: 20190****WELL: 14****Status: SUSP****825 FLD****Class: DEV****API: 608114072000**

LOC 7311' FSL & 6375' FEL **of Block** 00825 GREEN CYN
LAT = 27.14594440 (27°08'45.400") **LON** = -90.31898077 (-90°19'08.331")
X = 2,512,185 **Y** = 9,859,790 **PMD**: 25223 **PTVD**: 23498
PBHL: OH 342' FSL & 5103' FEL **of Block** 825 GREEN CYN
ABHL: OH **MD**: 24993 **TVD**: 23277 S 6907' @ E 1259'
ABHL: BP1 **MD**: 24852 **TVD**: 23242 S 6816' @ E 1245'
ATD OH: 24993 **BP1**: 24852 **BP2**: **BP3**: **BP4**: **BP5**:

SPUD: 03/29/2019 **SUSP**: 07/15/2026 **COMP**: **RR**: 07/15/2026
CSG= OH 36 @5335 267' ; 22 @7645 PIT 11.8 ; 14 @17044 PIT 13.2 ;
 9 7/8LNR @16797-24973 FIT 13.2
 BP1 9 7/8LNR @16222-24832

WD= 4986 KB= 82 RIG: WEST AURIGA / SEADRILL**Date Reached TD: 05/15/2026**

03/13/2019 OH ST00BP00 BATCH SET

04/03/2019 TD 7692 OH ST00BP00 10.5 36 @5335 W/267'P,LWD(ARC)22 @7645,M/OFF 4-1-19(WILL RETURN)

03/18/2026 TD 7692 OH ST00BP00 10.5 M/ON 3-11-26,RIGGING UP

03/25/2026 TD 17080 OH ST00BP00 10.5 MPD 11.5,PIT 11.8 ON 22,LWD(ARCVIS 900, SONVIS 900,POOH TO RUN 14

04/01/2026 DRLG 20135 OH ST00BP00 11.7 MPD 12.2,RAN 14 @17044,PIT 13.2,LWD(GR,RES, PWD,SON)

04/08/2026 DRLG 24372 OH ST00BP00 11.6 MPD 12.1-12.5,LWD(GR,RES,PWD,SON) DURING THE WEEK,ENCOUNTERED FORMATION LOSSES, SPOTTED LCM PILL & MPD SQUEEZE OPERATIONS, STABILIZED WELL,CONTINUED DRILLING AHEAD

04/15/2026 TD 24993 OH ST00BP00 11.8 MPD 11.9,RTD 4-7-265,LWD(GR,RES,PWD,SON) RAN 9 7/8LNR @16797-24973,COMPTG

04/22/2026 TD 24993 OH ST00BP00 11.8 MPD 11.9,FIT 13.18 ON 9 7/8LNR,RAN CBL TO CHECK BAD CEMENT JOB,WOO

04/29/2026 TD 24993 OH ST00BP00 11.8 MPD 11.9,PREP TO PB & BYPASS

05/06/2026 TD 24993 OH ST00BP00 11.8 MPD 11.9,MILLING WDW TO BYPASS

05/13/2026 TD 24993 OH ST00BP00 11.8 MPD 11.9,MILLED WDW @16730-16757,BYPASSED @ 16757

05/13/2026 DRLG 21590 BP1 ST00BP01 11.2 MPD 11.8,LWD(GR,RES,PWD,SON)

05/20/2026 TD 24852 BP1 ST00BP01 11.7 MPD 12.01,LWD(GR,RES,PWD,SON)RAN 9 7/8LNR @ 16222-24832,WOC

ACTIVE

05/27/2026 TD	24852	BP1	ST00BP01	11.7	MPD 12.01, WHILE POOH, LOST STABILIZER, POOH W/FSG
06/03/2026 TD	24852	BP1	ST00BP01	11.7	MPD 12.01, COMPTG
06/10/2026 TD	24852	BP1	ST00BP01	11.7	MPD 12.01, COMPTG
06/17/2026 TD	24852	BP1	ST00BP01	11.7	MPD 12.01, COMPTG
06/24/2026 TD	24852	BP1	ST00BP01	11.7	MPD 12.01, COMPTG
07/01/2026 TD	24852	BP1	ST00BP01	11.7	MPD 12.01, COMPTG
07/08/2026 TD	24852	BP1	ST00BP01	11.7	MPD 12.01, COMPTG
07/15/2026 TD	24852	BP1	ST00BP01	11.7	MPD 12.01, COMPTG
07/22/2026 TD	24852	BP1	ST00BP01	11.7	MPD 12.01, R.R.

GREEN CYN	944	PROSPECT: WINTERFELL
BEACON OFFSHORE ENERGY	OCS: 36061	WELL: WA5
		Status: TA

944 FLD	Class: DEV	Hrz/SS	API: 608114080100
----------------	-------------------	---------------	--------------------------

LOC 6946' FNL & 2310' FEL **of Block** 00943 GREEN CYN
LAT = 27.03080025 (27°01'50.881") **LON** = -90.99034361 (-90°59'25.237")
X = 2,294,490 **Y** = 9,813,854 **PMD**: 27343 **PTVD**: 22255
PBHL: OH 2037' FSL & 4940' FWL **of Block** 944 GREEN CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 04/20/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @5731 273' ; 28 @7196 ; 22 @10008 FIT 14.5 ; 14 @19714 FIT 16.0 ;
 10 X 9 7/8LNR @19523-25690

WD= 5378 **KB=** 80 **RIG:** OCEAN BLACK RHINO / NOBLE DRLG
Date Reached TD:

04/22/2026 DRLG	5899	OH	ST00BP00	11.5	36 @5731 W/273'P, LWD(ARCVIS 900)
04/29/2026 TD	8490	OH	ST00BP00	13.0	WHILE @7300, MUD 11.5, RAN 28 @7196, LWD(ARCVIS 900) OBSERVED PRESSURE & TORQUE LOSS, POOH & FOUND THE DRILL STRING HAD PARTED @8388, RECD FSH, TIH TO DRILL AHEAD
05/06/2026 TD	10058	OH	ST00BP00	14.0	LWD(ARCVIS 900, RAN 22 @10008, RAN BOP, PREP TO DRILL OUT & TEST CSG
05/13/2026 DRLG	18400	OH	ST00BP00	13.6	MPD 14.1, FIT 14.54 ON 22, LWD(ARCVIS 900)
05/20/2026 TD	19835	OH	ST00BP00	14.0	MPD 14.1, LWD(ARCVIS 900) RAN 14 @19714, PREP TO DRILL OUT & TEST CSG
05/27/2026 DRLG	23678	OH	ST00BP00	14.5	MPD 15.1, TOOK FIT 15.97 ON 14, LWD(ARCVIS 825)
06/03/2026 TD	25690	OH	ST00BP00	15.0	MPD 15.25, LWD(ARCVIS 825) RNG 9 7/8LNR
06/10/2026 TD	25690	OH	ST00BP00	15.0	MPD 15.25, TESTED BOP, RAN 10 1/8 X 9 7/8LNR @19523-25690, C/O, POOH W/C/O ASSEMBLY
06/17/2026 TD	25690	OH	ST00BP00	15.0	MPD 15.25, RAN 10 1/8 X 9 7/8TB @19523, INSTALLING XMAS TREE
06/24/2026 TD	25690	OH	ST00BP00	15.0	MPD 15.25, INSTALLED XMAS TREE, C/O TB
07/01/2026 TD	25690	OH	ST00BP00	15.0	MPD 15.25, C/O TB, TIH W/MULTI FINGER CALIPER TOOL FOR CSG DIAGNOSTICS
07/08/2026 TD	25690	OH	ST00BP00	15.0	MPD 15.25, RAN MULTI FINGER CALIPER TOOL @ 25398, POSSIBLE LEAK IN 9 7/8LNR, PREP TO SQUEEZE
07/15/2026 TD	25690	OH	ST00BP00	15.0	MPD 15.25, PERFORMED CEMENT SQZ TO REPAIR LEAK IN 10 1/8 X 9 7/8LNR, SQZ JOB FAILED, SET CAST IRON CEMENT RET @23335, PREP TO T/A
07/22/2026 TD	25690	OH	ST00BP00	15.0	MPD 15.25, SET PLUG, TOC @23055, T/A 7-21-26, WILL RETURN

WALKER RIDGE	107	PROSPECT: DAENERYS
TALOS ENERGY OFFSHORE LL	OCS: 35724	WELL: SS2
		Status: DRLG

107 WC	Class: EXP/APPR	SS	API: 608124016300
---------------	------------------------	-----------	--------------------------

LOC 5648' FSL & 5131' FEL **of Block** 00107 WALKER RIDGE
LAT = 26.84773226 (26°50'51.836") **LON** = -91.00224249 (-91°00'08.073")
X = 2,291,668 **Y** = 9,747,248 **PMD**: 30218 **PTVD**: 29800
PBHL: OH 7345' FNL & 5188' FEL **of Block** 107 WALKER RIDGE
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

ACTIVE

SPUD: 07/01/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @6316 311' ; 28 @7492 ; 22 @9808 LOT 13.8 ; 18LNR @9335-15327 FIT 15.3

WD= 5923 **KB=** 82 **RIG:** WEST VELA / SEADRILL
Date Reached TD:

05/13/2026		OH	ST00BP00	LOCATION
07/08/2026 TD	9868	OH	ST00BP00 11.5	36 @6316 W/311'P, 28 @7492, 22 @9808, LWD(ARCVIS)RNG BOP & RISER
07/15/2026 TD	15450	OH	ST00BP00 13.2	RAN BOP & RISER, TOOK LOT 13.8 ON 22, LWD(ARCVIS)RNG 18LNR
07/22/2026 TD	25270	OH	ST00BP00 14.5	MPD 14.7, RAN 18LNR @9335-15327, FIT 15.34, LWD(ARCVIS)RNG 14

WALKER RIDGE	678	PROSPECT: ST MALO	
CHEVRON U.S.A. INC.	OCS: 21245	WELL: IS2	Status: DRLG

678 FLD	Class: INJ	SS	API: 608124016100
----------------	-------------------	-----------	--------------------------

LOC 4957' FNL & 173' FEL **of Block** 00677 WALKER RIDGE
LAT = 26.29684934 (26°17'48.658") **LO**N = -91.09333694 (-91°05'36.013")
X = 2,264,947 **Y** = 9,546,563 **PMD:** 28600 **PTVD:** 28278
PBHL: OH 5040' FNL & 2560' FWL **of Block** 678 WALKER RIDGE
ABHL: BP1 **MD:** 28322 **TVD:** 28008 S 107' @ E 2619'
ATD OH: 27032 **BP1:** 28322 **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 03/31/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @7451 311' ; 22 @10501 FIT 13.2 ; 14LNR @7125-24200 FIT 14.5 ;
 11 7/8LNR @23544-26917 FIT 12.7 ; 9 7/8LNR @26705-28284 ;
 9 7/8SCAB LNR @22913-26708

WD= 7039 **KB=** 101 **RIG:** DW CONQUEROR / TRANSOCEAN
Date Reached TD: 07/04/2026

04/01/2026		OH	ST00BP00	BATCH SET, PREP TO RUN 36
04/08/2026 TD	10550	OH	ST00BP00 12.5	36 @7451 W/311'P, LWD(NBGR)RAN 22 @10501, M/OFF 4-4-26, WILL RETURN
05/27/2026 TD	10550	OH	ST00BP00 12.5	M/ON 5-25-26, PREP TO RUN BOP
06/03/2026 DRLG	22720	OH	ST00BP00 11.7	MPD 12.29, RAN BOP, TOOK FIT 13.2 ON 22, LWD(NBGR, ARCVIS)
06/10/2026 TD	24265	OH	ST00BP00 11.7	MPD 12.31, LWD(NBGR, ARCVIS)RAN 14LNR @ 7125-24200, PREP TO DRILL OUT
06/17/2026 TD	27032	OH	ST00BP00 12.6	MPD 13.3, TOOK FIT 14.5 ON 14LNR, WHILE @ 26960, MW 13.3, MPD 13.6, PERFORMED DYNAMIC PORE PRESSURE TEST TO 13.3, REDUCED MW FROM 13.0, MPD 13.6 TO 12.6, MPD 13.6, LWD(ARCVIS, NBGR, SONSCOPE)HAD LOSSES, STK DP @27032, PREP TO SEVER DP
06/24/2026 TD	27032	OH	ST00BP00 12.6	MPD 13.3, SEVERED DP @25497, PLACED ABANDONMENT PLUG, TOC @25135, SET KO PLUG, TOC @23472, PREP TO BYPASS
07/01/2026 TD	27032	OH	ST00BP00 12.6	MPD 13.3, PB & BYPASSED @24373
07/01/2026 TD	26922	BP1	ST00BP01 12.6	MPD 13.3, LWD(ARCVIS, NBGR, SONSCOPE)RNG 11 7/8LNR
07/08/2026 TD	28322	BP1	ST00BP01 10.5	MPD 11.2, RAN 11 7/8LNR @23544-26917, FIT 12.7, LWD(ARCVIS, NBGR, SONSCOPE)WHILE @28322, HAD 2 BBL GAIN, SHUT IN, STABILIZING WELL
07/15/2026 TD	28322	BP1	ST00BP01 10.5	MPD 11.2, STABILIZED WELL W/MPD 11.7, ROLLED OVER TO 11.6 SURFACE MUD, WHILE @26281, HAD TOTAL LOSSES, POOH, PUMPED BASE OIL, RNG 9 7/8LNR
07/22/2026 TD	28322	BP1	ST00BP01 10.5	MPD 11.2, RAN 9 7/8LNR @26705-28284, LOGGED 9 7/8 & CEMENT, RAN 9 7/8SCAB LNR@ 22913-26708, PREP TO SET CEMENT PLUG & T/A WELL

MISSISSIPPI CYN	477	PROSPECT: SISCO	
SHELL	OCS: 36962	WELL: 1	Status: DRLG

477 WC	Class: EXP	API: 608174152600
---------------	-------------------	--------------------------

LOC 6170' FSL & 5791' FWL **of Block** 00477 MISSISSIPPI CYN
LAT = 28.51480163(28°30'53.286") **Lon** = -88.14444392(-88°08'39.998")
X = 1,272,991 **Y** = 10,349,690 **PMD:** 30605 **PTVD:** 30522
PBHL: OH 5332' FSL & 5306' FWL **of Block** 477 MISSISSIPPI CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 06/22/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 38 @7132 197' ; 28 @8586 ; 22 @12775 FIT 12.1 ; 18LNR @12600-19039 FIT 14.1

WD= 6833 **KB=** 102 **RIG:** DW PONTUS / TRANSOCEAN
Date Reached TD:

06/10/2026		OH	ST00BP00	LOCATION
06/24/2026 TD	8640	OH	ST00BP00	8.6 MPD OFF,RAN 38 @7132 W/197'P,LWD(EWR-M5) PREP TO RUN 28
07/01/2026 TD	12839	OH	ST00BP00	13.6 MPD OFF,LWD(EWR-M5)RAN 28 @8586,RAN 22 @ 12775,RNG RISER & BOP
07/08/2026 DRLG	15780	OH	ST00BP00	12.1 CML 11.8,TOOK FIT 12.1 ON 22,LWD(BASESTAR, RESISTAR,XBAT)
07/15/2026 TD	19200	OH	ST00BP00	12.1 CML 11.9,LWD(BASESTAR,RESISTAR,XBAT)RAN 18LNR @12600-19039,WOC
07/22/2026 TD	21875	OH	ST00BP00	13.4 CML 13.48,TOOK FIT 14.1 ON 18LNR,LWD(GR, RESISTAR,PWD,DEN,NEUT,X-BAT,GEOTAP)WOW

MISSISSIPPI CYN	807	PROSPECT: MARS	
SHELL	OCS: 7963	WELL: A23ST2	Status: DRLG

807 FLD	Class: INJ	API: 608174049402
----------------	-------------------	--------------------------

LOC 3556' FNL & 5619' FWL **of Block** 00807 MISSISSIPPI CYN
LAT = 28.16972543(28°10'11.012") **Lon** = -89.22298581(-89°13'22.749")
X = 924,339 **Y** = 10,229,084 **PMD:** 18043 **PTVD:** 15824
PBHL: OH 6526' FNL & 7843' FEL **of Block** 807 MISSISSIPPI CYN
ATD OH: 18370 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 07/03/2026 **SUSP:** **COMP:** **RR:**
CSG= OH OLD(36 @3224 ; 26 @4311 ; 20 @5377 ; 16 @7105 ; 14.681LNR @6491-9120 ; 13 3/8LNR
 @6191-13115 ; 11 3/4LNR @12711-17294)
 11 7/8LNR @9092-13572 FIT 14.5

WD= 2945 **KB=** **RIG:** H&P 201 / H&P DRLG
Date Reached TD: 07/20/2026

07/01/2026		OH	ST02BP00	PREP TO STO #A-23ST
07/08/2026 TD	9356	OH	ST02BP00	12.5 MPD OFF,MILLED WDW @9211-9241,STO @9241, FIT 13.62,PREP TO RUN MILLING BHA
07/15/2026 TD	13660	OH	ST02BP00	12.6 MPD 13.0,LWD(ONTRAK)PERFORMED OPEN HOLE FIT 13.3,RNG 11 7/8LNR
07/22/2026 TD	18370	OH	ST02BP00	12.6 MPD 13.1,RAN 11 7/8LNR @9092-13572,FIT 14.5,LWD(ONTRAK,DEN,NEUT,FPWD)C&C,WOW

MISSISSIPPI CYN	807	PROSPECT: OLYMPUS	
SHELL	OCS: 7963	WELL: MB9ST2	Status: DRLG

807 FLD	Class: DEV	SS	API: 608174122502
----------------	-------------------	-----------	--------------------------

LOC 6889' FNL & 379' FWL **of Block** 00807 MISSISSIPPI CYN
LAT = 28.16029650(28°09'37.067") **Lon** = -89.23905186(-89°14'20.587")
X = 919,099 **Y** = 10,225,751 **PMD:** 18150 **PTVD:** 16772
PBHL: OH 3982' FNL & 2929' FWL **of Block** 807 MISSISSIPPI CYN
ABHL: OH **MD:** 18314 **TVD:** 16821 N 2988' @ E 2255'
ATD OH: 18314 **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

ACTIVE

SPUD: 05/20/2023 **SUSP:** **COMP:** **RR:**
CSG= OH OLD(38 @3386 ; 32 @4324 ; 28 @5181 ; 22 @5947 ; 18LNR @5593-8797 ; 14 @11771 ; 11
 7/8LNR @11618-15295 ; 7 5/8LNR @14084-17418)
 7 5/8LNR @13006-18309

WD= 3036 **KB=** 232 **RIG:** OLYMPUS N-88 / H&P DRLG
Date Reached TD: 06/03/2026

03/18/2026		OH	ST02BP00		STO MC 806 #MB-9ST
05/13/2026		OH	ST02BP00		PREP TO MILL WDW
05/20/2026		OH	ST02BP00		BEGAN MILLING WDW, PAUSED MILLING DUE TO TOP DRIVE MAINTENANCE
05/27/2026 TD	13663	OH	ST02BP00	13.0	MPD OFF, MILLED WDW @13438-13463, FIT 14.1, STO @13463, PREP TO RUN POLISH MILL ASSEMBLY
06/03/2026 DRLG	17402	OH	ST02BP00	12.5	MPD 13.4, LWD(GEOVIS, ARCVIS, SONSCOPE, STETH, ADN)
06/10/2026 TD	18314	OH	ST02BP00	12.5	MPD 13.2, LWD(GEOVIS, ARCVIS, SONSCOPE, STETH, ADN) SET PKR, REPG BOP
06/17/2026 TD	18314	OH	ST02BP00	12.5	REPD BOP, RAN 7 5/8LNR @13006-18309, PREP TO RUN TB
06/24/2026 TD	18314	OH	ST02BP00	12.5	MPD 13.2, TOP DRIVE MAINTENANCE, PREP TO RUN TB
07/01/2026 TD	18314	OH	ST02BP00	12.5	MPD 13.2, RAN 7 5/8 TB @13046, PREP TO RUN UPPER TB
07/08/2026 TD	18314	OH	ST02BP00	12.5	MPD 13.2, INSTALLED PRODUCTION RISER, PREP TO RUN UPPER TB
07/15/2026 TD	18314	OH	ST02BP00	12.5	MPD 13.2, RAN 8 5/8 UPPER TB @3491, C/O
07/22/2026 TD	18314	OH	ST02BP00	12.5	MPD 13.2, COMPTG, WOW

MISSISSIPPI CYN
LLOG EXPL

816

PROSPECT: TAGGART

OCS: 33178

WELL: 4

Status: DRLG

816 FLD

Class: DEV

API: 608174152700

LOC 4336' FNL & 2732' FEL **of Block** 00816 MISSISSIPPI CYN
LAT = 28.17434987(28°10'27.660") **LON** = -88.75734280(-88°45'26.434")
X = 1,074,388 **Y** = 10,228,304 **PMD:** 13568 **PTVD:** 11112
PBHL: OH 6768' FNL & 5931' FEL **of Block** 816 MISSISSIPPI CYN
ATD OH: **BP1:** **BP2:** **BP3:** **BP4:** **BP5:**

SPUD: 07/13/2026 **SUSP:** **COMP:** **RR:**
CSG= OH 36 @6023 304' ; 28 @7274 ; 22 @8498

WD= 5637 **KB=** 82 **RIG:** WEST NEPTUNE / SEADRILL
Date Reached TD:

07/01/2026		OH	ST00BP00		LOCATION
07/15/2026		OH	ST00BP00		RIGGING UP
07/22/2026 TD	8540	OH	ST00BP00	10.7	36 @6023 W/304'P, 28 @7274, LWD(ONTRAK) 22 @ 8498, WOW

WELLS REACHING TDMISSISSIPPI CYN
SHELL807
OCS: 7963PROSPECT: MARS
WELL: A23ST2

Status: DRLG

807 FLD

Class: INJ

API: 608174049402

LOC 3556' FNL & 5619' FWL of Block 00807 MISSISSIPPI CYN
 LAT = 28.16972543(28°10'11.012") LON = -89.22298581(-89°13'22.749")
 X = 924,339 Y = 10,229,084 PMD: 18043 PTVD: 15824
 PBHL: OH 6526' FNL & 7843' FEL of Block 807 MISSISSIPPI CYN
 ATD OH: 18370 BP1: BP2: BP3: BP4: BP5:

SPUD: 07/03/2026 SUSP: COMP: RR:
 CSG= OH OLD(36 @3224 ; 26 @4311 ; 20 @5377 ; 16 @7105 ; 14.681LNR @6491-9120 ; 13 3/8LNR @6191-13115 ; 11 3/4LNR @12711-17294)
 11 7/8LNR @9092-13572 FIT 14.5

WD= 2945 KB= RIG: H&P 201 / H&P DRLG

Date Reached TD: 07/20/2026

07/01/2026		OH	ST02BP00	PREP TO STO #A-23ST
07/08/2026 TD	9356	OH	ST02BP00 12.5	MPD OFF,MILLED WDW @9211-9241,STO @9241, FIT 13.62,PREP TO RUN MILLING BHA
07/15/2026 TD	13660	OH	ST02BP00 12.6	MPD 13.0,LWD(ONTRAK)PERFORMED OPEN HOLE FIT 13.3,RNG 11 7/8LNR
07/22/2026 TD	18370	OH	ST02BP00 12.6	MPD 13.1,RAN 11 7/8LNR @9092-13572,FIT 14.5,LWD(ONTRAK,DEN,NEUT,FPWD)C&C,WOW



SUSPENDEDGREEN CYN
BP EXPL825
OCS: 20190PROSPECT: MAD DOG
WELL: 14

Status: SUSP

825 FLD

Class: DEV

API: 608114072000

LOC 7311' FSL & 6375' FEL of Block 00825 GREEN CYN
 LAT = 27.14594440 (27°08'45.400") LON = -90.31898077 (-90°19'08.331")
 X = 2,512,185 Y = 9,859,790 PMD: 25223 PTV: 23498
 PBHL: OH 342' FSL & 5103' FEL of Block 825 GREEN CYN
 ABHL: OH MD: 24993 TVD: 23277 S 6907' @ E 1259'
 ABHL: BP1 MD: 24852 TVD: 23242 S 6816' @ E 1245'
 ATD OH: 24993 BP1: 24852 BP2: BP3: BP4: BP5:

SPUD: 03/29/2019 SUSP: 07/15/2026 COMP: RR: 07/15/2026
 CSG= OH 36 @5335 267' ; 22 @7645 PIT 11.8 ; 14 @17044 PIT 13.2 ;
 9 7/8LNR @16797-24973 FIT 13.2
 BP1 9 7/8LNR @16222-24832

WD= 4986 KB= 82 RIG: WEST AURIGA / SEADRILL
 Date Reached TD: 05/15/2026

03/13/2019		OH	ST00BP00	BATCH SET
04/03/2019 TD	7692	OH	ST00BP00 10.5	36 @5335 W/267'P, LWD(ARC) 22 @7645, M/OFF 4-1-19(WILL RETURN)
03/18/2026 TD	7692	OH	ST00BP00 10.5	M/ON 3-11-26, RIGGING UP
03/25/2026 TD	17080	OH	ST00BP00 10.5	MPD 11.5, PIT 11.8 ON 22, LWD(ARCVIS 900, SONVIS 900, POOH TO RUN 14
04/01/2026 DRLG	20135	OH	ST00BP00 11.7	MPD 12.2, RAN 14 @17044, PIT 13.2, LWD(GR, RES, PWD, SON)
04/08/2026 DRLG	24372	OH	ST00BP00 11.6	MPD 12.1-12.5, LWD(GR, RES, PWD, SON) DURING THE WEEK, ENCOUNTERED FORMATION LOSSES, SPOTTED LCM PILL & MPD SQUEEZE OPERATIONS, STABILIZED WELL, CONTINUED DRILLING AHEAD
04/15/2026 TD	24993	OH	ST00BP00 11.8	MPD 11.9, RTD 4-7-265, LWD(GR, RES, PWD, SON) RAN 9 7/8LNR @16797-24973, COMPTG
04/22/2026 TD	24993	OH	ST00BP00 11.8	MPD 11.9, FIT 13.18 ON 9 7/8LNR, RAN CBL TO CHECK BAD CEMENT JOB, WOO
04/29/2026 TD	24993	OH	ST00BP00 11.8	MPD 11.9, PREP TO PB & BYPASS
05/06/2026 TD	24993	OH	ST00BP00 11.8	MPD 11.9, MILLING WDW TO BYPASS
05/13/2026 TD	24993	OH	ST00BP00 11.8	MPD 11.9, MILLED WDW @16730-16757, BYPASSED @ 16757
05/13/2026 DRLG	21590	BP1	ST00BP01 11.2	MPD 11.8, LWD(GR, RES, PWD, SON)
05/20/2026 TD	24852	BP1	ST00BP01 11.7	MPD 12.01, LWD(GR, RES, PWD, SON) RAN 9 7/8LNR @ 16222-24832, WOC
05/27/2026 TD	24852	BP1	ST00BP01 11.7	MPD 12.01, WHILE POOH, LOST STABILIZER, POOH W/FSG
06/03/2026 TD	24852	BP1	ST00BP01 11.7	MPD 12.01, COMPTG
06/10/2026 TD	24852	BP1	ST00BP01 11.7	MPD 12.01, COMPTG
06/17/2026 TD	24852	BP1	ST00BP01 11.7	MPD 12.01, COMPTG
06/24/2026 TD	24852	BP1	ST00BP01 11.7	MPD 12.01, COMPTG
07/01/2026 TD	24852	BP1	ST00BP01 11.7	MPD 12.01, COMPTG
07/08/2026 TD	24852	BP1	ST00BP01 11.7	MPD 12.01, COMPTG
07/15/2026 TD	24852	BP1	ST00BP01 11.7	MPD 12.01, COMPTG
07/22/2026 TD	24852	BP1	ST00BP01 11.7	MPD 12.01, R.R.